CT2.11# - TIMBER SUBJECT TO AGREEMENT (06/1972)

In addition, there is within Sale Area an unestimated quantity of:

Species Product

Combined Hardwoods Pulpwood

that shall be Included Timber upon written agreement.

CT2.2 - UTILIZATION AND REMOVAL OF INCLUDED TIMBER (09/2002)

BT2.2(b) notwithstanding, bucking lengths shall be varied to ensure that the maximum sawlog piece that may be left is 2 feet and that the maximum small roundwood piece that may be left is 5 feet.

Where cut trees are identified by paint, the Purchaser shall leave stumps of a minimum height to avoid obliterating paint markings that indicate individual trees to be cut.

CT2.21# - OPTIONAL REMOVAL (08/2004)

Species and products that become Included Timber (i) through agreement, or (ii) upon agreement under CT2.11#, may be removed or left on the Sale Area at the option of the Purchaser. However, any such material skidded or yarded to a landing shall be removed unless otherwise agreed in writing. Trees to be left under this authorization shall be felled, unless otherwise agreed.

All Included Timber left on the Sale Area under this provision must be paid for in accordance with BT4.1. When advance deposits are deferred under payment guarantee, monthly billings under BT4.215 for volume subject to this provision shall be the greater of 1) the estimated actual volume removed, or 2) the same percentage of volume as the percent of volume not subject to this provision that is being reported removed.

The Purchaser relinquishes any and all rights to Included Timber not removed from a Payment Unit upon the Forest Service acceptance of all contract requirements on the Payment Unit under BT6.36.

CT2.302# - PAYMENT UNIT BOUNDARIES (09/2004)

The boundaries of Payment Units are designated as shown in the following table. The trees used for boundary designation are not to be cut.

See Table CT2.302# - Payment Unit Boundaries, Payment Unit Boundary Designation Table

Table CT2.302# Payment Unit Boundary Designation Table

Designation

Payment Unit Paint Color -Boundary line trees are marked at eye level with three (3) 1 Orange horizontal slash marks and a spot at ground level with the eye level marks facing into the interior of the Payment Unit. -Highway 751 is the Boundary on the east side of the Payment Unit and does not have boundary line trees painted. -Boundary line trees are marked at eye level with three (3) 2 Orange horizontal slash marks and a spot at ground level with the eye level marks facing into the interior of the Payment Unit. -Highway 751 is the Boundary on the west side of the Payment Unit and does not have boundary line trees painted. -Boundary line trees are marked at eye level with three (3) 3 Orange horizontal slash marks and a spot at ground level with the eye level marks facing into the interior of the Payment Unit. -Highway 751 is the Boundary on the west side of the northern piece of the Payment Unit and does not have boundary line tree: painted. -Forest Service Road 853 is the south to southeastern Boundary of the northern piece of the Payment Unit, and serves as the northern Boundary for the southern piece of the Payment Unit and does not have boundary line trees painted. 4 -Boundary line trees are marked at eye level with three (3) Orange horizontal slash marks and a spot at ground level with the eye level marks facing into the interior of the Payment Unit.

-Forest Service Road 853 is the Boundary on the west side of the Payment Unit and does not have boundary line trees painted.

-Boundary line trees are marked at eye level with three (3)

horizontal slash marks and a spot at ground level with the eye level marks facing into the interior of the Payment Unit.

5

Orange

CT2.355# - INDIVIDUAL TREES (08/2004)

BT2.35 notwithstanding, the following individual trees are Marked with paint above and below stump height:

Cut Tree Marking. Individual trees to be cut are Marked in all or parts of the following Payment Units. Areas of cut tree marking are shown on the Sale Area Map with the symbol CTM.

See Table CT2.355# - Individual Trees, Cut Tree Marking

Leave Tree Marking. Individual trees to be left uncut are Marked in all or parts of the following Payment Units. Unmarked trees meeting Utilization Standards in AT2 shall be cut. Areas of leave tree marking are shown on the Sale Area Map with the symbol LTM.

See Table CT2.355# - Individual Trees, Leave Tree Marking

Table CT2.355# - Individual Trees Designation Table

Cut Tree Marking.

Individual trees to be removed are marked the following payment units. Areas of cut tree marking are shown on the Sale Area Map with the symbol CTM.

Payment Unit	Paint Color
1	Blue

Leave Tree Marking

Individual trees to be retained are marked in the following payment units. Areas of leave tree marking are shown on the Sale Area Map with the symbol LTM.

Payment Unit	Paint Color			
2, 3, 4, 5	Orange			

CT3.34 - EMERGENCY RATE REDETERMINATION (06/2022)

Forest Service shall redetermine rates for each species if, upon Purchaser's application, Forest Service determines that, because of changes in the timber market since the award date or the last rate redetermination under this provision, the Producer Price Index identified in AT17 has declined by 25 percent or more. Rates shall be redetermined under BT3.3 and for species where the rates declined, and shall be considered established under BT3.1 for Payment Units described therein at the time of Purchaser's application. Increases in species rates will not be considered. This provision shall not apply during the period of a Contract Term Extension.

CT4.211 - DOWNPAYMENT (07/2022)

The downpayment amount shown in AT15 may not be applied toward any other payment required under the provisions of this contract, except damages determined pursuant to BT9.4, transferred to other timber sales, or refunded until:

- (a) stumpage value representing 25 percent of the total bid value of the timber sale is shown on Timber Sale Account to have been cut, removed, and paid for, or
- (b) the estimated value remaining to be cut and removed, as shown on Timber Sale Account, is equal to or less than the amount of the downpayment, or
- (c) if 36 CFR 223.49(e) is applicable, the estimated value remaining to be cut and removed, as shown on Timber Sale Account, is equal to or less than the amount of the downpayment.

For lump sum timber sales, the downpayment may be applied to payment for release of the single payment

If Forest Service makes a determination that this contract should not have been included under increased downpayment requirements (36 CFR 223.49(e)), the downpayment shall be revised and applied in accordance with 36 CFR 223.49(f).

Notwithstanding CT4.212, the downpayment amount shown in AT15 shall be redetermined for rates redetermined under BT3.31, BT3.32, BT3.33 or CT3.34. The revised downpayment amount shall be equivalent to 10 percent of the total redetermined value, plus 20 percent of the bid premium. If at time of award, a higher or different downpayment requirement was required, the redetermined downpayment amount will be at the downpayment rate required at time of award and based on total redetermined value.

This provision shall be applicable where BT4.211 is referenced elsewhere in the contract.

CT4.212 - TEMPORARY REDUCTION OF DOWNPAYMENT (08/2009)

Notwithstanding BT4.211 or CT4.211, upon the Purchaser's written request Forest Service may temporarily reduce the downpayment when Purchaser's scheduled operations are delayed or interrupted for 30 or more consecutive days, or the contract term is extended for 30 or more consecutive days for any of the following reasons:

- (1) Forest Service requests or orders Purchaser to delay or interrupt scheduled operations for reasons other than breach;
- (2) Purchaser interrupts or delays scheduled operations to work on a sale designated by the Forest Service as in urgent need of harvesting; or
- (3) An adjustment of the contract term authorized upon a determination of substantial overriding public interest, including a market-related contract term addition, or an urgent removal contract term extension under 36 CFR 223.53.

When Purchaser is not cutting or removing timber under contract during a qualifying period of delay, interruption, or extension listed above the downpayment may be reduced to \$1000 or 2 percent of the downpayment amount stated in the contract, whichever is greater. The Purchaser must restore the downpayment to the full amount stated in the contract within 15 days from receipt of the bill for collection and written notice from the Contracting Officer that the basis for temporarily reducing the downpayment no longer exists. Purchaser shall not cut or remove timber on a contract where the downpayment has been temporarily reduced until the downpayment amount stated in the contract is fully restored.

Sale Name: Curt Pond Page 145 Contract 2400-6T, (6/06)

CT4.213 - PERIODIC PAYMENT SCHEDULE (04/2023)

Purchaser shall make periodic payments for stumpage value, as shown in AT16.

If Purchaser has not paid the amount(s) stated in AT16 as stumpage for quantity removed by the periodic payment determination date(s), Forest Service shall issue a bill for collection for the difference between the required amount and payments made by Purchaser. If payment(s) fall due on a date other than a normal billing date, the payment date shall be extended to coincide with the next Timber Sale Account billing date.

The amount of the periodic payment(s) will be reduced if the payment(s) would result in Purchaser's credit balance for timber charges exceeding the Current Contract Value.

Only cash may be used for this purpose. No other form of payment is acceptable. Forest Service will apply the payments to subsequent charges on this contract under the terms of BT4.212.

Periodic payment amount(s) shown in AT16 will be revised when periodic payment amount(s) have not been reached at time of rate redetermination under BT3.3. When shown in AT16, the initial payment amount will be equal to 1) or 2), whichever is greater:

- 1) 35 percent of the sum of:
 - a) the Current Contract Value following the rate redetermination; and
- b) the total value of timber shown on the timber sale statement of account as having been cut, removed, and paid for prior to establishing redetermined rates. Or
- 2) 50 percent of the sum of estimated quantities at bid premium rates.

When shown in AT16, the additional payment amount will be equal to 75 percent of the sum of:

- 1) the Current Contract Value following the rate redetermination; and
- 2) the total value of timber shown on the timber sale statement of account as having been cut, removed, and paid for prior to establishing redetermined rates.

Periodic payment determination date(s) that have not been reached shall be adjusted one day for each additional day of contract time granted, except when additional contract time is granted under CT8.212, periodic determination date(s) that have not been reached shall be delayed 1-month for each month added to the contract?s term. Periodic payment determination date(s) shall not be adjusted for Contract Term Extension under B8.23.

This provision shall be applicable where BT4.213 is referenced elsewhere in the contract.

CT4.3 - PAYMENT GUARANTEED BY BOND (08/2021)

To guarantee payment, Purchaser may furnish and maintain an acceptable surety bond. The penal sum of such surety bond shall be the maximum amount of the payment guaranteed. For payment purposes, penal sum of the surety bond shall be in lieu of the performance bond furnished under CT9.1.

<u>CT4.31</u> - <u>BLANKET BOND</u> (08/2021)

If Purchaser furnishes an acceptable bond in accordance with CT4.3 to guarantee payment for timber from this and other timber sales within the same National Forest, the amount of such bond shall be allocated to such timber sales by Forest Service. When there is to be no timber cutting hereunder for 30 days or more and payment of current charges has been made, the allocation to this timber sale shall be reallocated to other timber sales at Purchaser's request. Purchaser shall not start cutting hereunder until this timber sale receives an allocation that will meet the obligation for payment guarantee.

CT4.4 - PAYMENTS NOT RECEIVED (08/2012)

- (a) Payments are due and payable on the date of issue indicated on the bill for collection. When a payment for timber cut and other charges is not received at the location designated by Forest Service by the date specified in the bill for collection, Contracting Officer will suspend all or any part of Purchaser's Operations until payment or acceptable payment guarantee is received. Other charges include, but are not limited to:
- (i) Slash disposal and road maintenance deposits;
- (ii) Cooperative work at rates established by specific agreement under BT4.218;
- (iii) Damages pursuant to BT9.4;
- (iv) Road use fees;
- (v) Restoration of downpayment pursuant to BT4.22;
- (vi) Periodic payments pursuant to BT4.213;
- (vii) Extension Deposits pursuant to BT4.217; and
- (viii) Other mandatory deposits.
- (b) Failure to pay amounts due by the date specified in the bill for collection shall be considered a breach under BT9.3. The 30-day notice period prescribed therein shall begin to run as of the end of business on the date specified for receipt of payments. If the performance or payment is guaranteed by surety bond, the surety will receive a copy of the written notification of breach. Demand will be made on the surety or other institution providing the guarantee or bond instrument for immediate payment 10 days after issuance of written notification of the breach.
- (c) Pursuant to the Debt Collection Improvement Act of 1996, as amended, if payment is not received by Forest Service within 15 days after the date of issue indicated on the bill for collection:
- (i) Simple interest shall be assessed at the Current Value of Funds Rate as established by the Secretary of the Treasury. Interest will begin to accrue as of the date of issue indicated on the initial bill for collection.
- (ii) Debtors will be assessed administrative charges, in addition to the delinquent amount due. Administrative charges are those additional costs incurred by the Government in processing, handling, and collecting delinquent debts.
- (iii) A penalty charge of six (6) percent per annum will be assessed on any portion of a debt delinquent more than 90 days. This penalty charge is in addition to interest and administrative charges under paragraphs (c)(i) and (c)(ii). The penalty charge shall accrue from the date of issue indicated on the bill for collection and shall be assessed on all outstanding amounts, including interest and administrative costs assessed under paragraphs (c)(i) and (c)(ii).
- (iv) Payments will be credited on the date received by the Federal Depository or Collection Officer designated on the bill for collection.
- (d) Forest Service remedies for Purchaser's failure to make payment for timber cut and other charges when due, except for accrual of interest, suspension of all or any part of Purchaser's Operations, and administrative offset, shall be stayed for so long as:
- (i) A bona fide dispute exists as to Purchaser's obligation to make such payment and
- (ii) Purchaser files and prosecutes a timely Claim.

CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Purchaser shall maintain roads in accordance with the following Contract Road Maintenance Requirements Summary:

See Contract Road Maintenance Requirements Summary Table.

Contract Road Maintenance Requirements Summary Table

	Termini			P	Applicable Prehaul Road Maintenance Specification						cation	s	
Road	From	То	Miles	1020	1040								
851	0	.15	.15		P								
853	0	.65	.65		P								
853A	0	.15	.15		P								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

	Termini		Termini		ini		licabl	e Duri	ng Hau	l Road	Maint	enance	Speci	ficati	ons
Road	From	То	Miles	1020	1040										
853	0	.65	.65		P										

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

	Termini			Ap	Applicable Post Haul Road M			Maintenance Specifications			ns		
Road	From	То	Miles	1020	1040								
851	0	.15	.15		P								
853	0	.65	.65	P	P								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

SECTION 4. ROAD MAINTENANCE ACTIVITY SPECIFICATIONS

INCLUDED SPECIFICATIONS

Activity No.	Activity Specification Title
1010	Slide and Slump Repair
1020	Surface Blading (Dozer)
1030	Surface Blading (Grader)
1040	Spot Surface Course Placement
1050	Cyclic Surface Course Placement
3010	Drainage Structures
3020	Ditch Cleaning
3050	Waterbars
4020	Roadway Mowing and Clearing

CT6.2 - IMPROVEMENTS (08/2001)

The Purchaser is authorized to construct buildings, sawmills, or other improvements on National Forest System land that are necessary to manufacture the timber included in this contract.

CT6.222# - PROTECTION OF SPECIAL AREAS (08/2001)

The Purchaser shall not conduct logging operations within the boundaries of the following areas: A 150-ft buffer around Curt Pond in Unit 3.

Logging shall be permitted in the following areas only during the following specified times: No logging is permitted.

The locations of these areas are shown on Sale Area Map and are marked on the ground by the following means: The special area was marked with three orange and white alternating boundary stripes.

CT6.24# - SITE SPECIFIC SPECIAL PROTECTION MEASURES. (07/2022)

Unless agreed otherwise, the following special protection measures apply:

See Special Measures Areas (SMA) Table.

Designation methods:

- (a) SMA boundary designated by n/a.
- (b) SMA is shown on Sale Area Map and SMA boundary designated by n/a.
- (c) SMA is only shown on Sale Area Map.

Unless agreed otherwise, sale operations listed below are not permitted during the period(s) specified:

See Limited Operating Period(s) Table.

Areas subject to limited operating periods are not subject to special protection measures listed in BT6.24(a)(i)-(iv) except where such areas overlap.

CT6.24# Special Measures Areas (SMA) Table

SMA Type	Designation Method	Special Protection Measure in Addition to BT6.24
All Payment	N/A - covers entirety	Limited Tree Felling Period Due To Payment Unit
Units	of Sale Area	Proximity To Bat Hibernaculum

CT6.24# Sale Limited Operating Period(s) Table

Payment Units	Operation Restricted	Period Operations are Not Permitted				
ALL	Tree Felling	SEPTEMBER 1 - DECEMBER 1				

CT6.341 - PREVENTION OF OIL DISCHARGES. (07/2022)

If Purchaser maintains storage facilities for oil or oil products on Sale Area, Purchaser shall take appropriate preventative measures to ensure that any harmful discharge of such oil or oil products does not enter into or upon any navigable waters, adjoining shorelines, or other waters of the United States, as prescribed in 40 CFR 110. As soon as Purchaser has knowledge that measures, as described in BT6.34 fail to prevent a discharge into or upon navigable waters or adjoining shorelines of the United States, Purchaser shall notify the Forest Service Representative the National Response Center and any other appropriate State agencies. In accordance with 40 CFR 110.6, all harmful discharges that occur as a direct or indirect result of Purchaser's operations, regardless of whether such discharges are caused by Purchaser's employees, agents, Subcontractors, or their employees or agents, directly or indirectly, as a result of Purchaser's Operations must be reported.

Harmful discharges of oil are those that violate applicable State water quality standards, cause a film or sheen on the water's surface, or leave sludge or emulsion beneath the surface of the water or adjoining shorelines regardless of the amount of material discharged (40 CFR 110.3). As such reporting is not triggered by the amount of the discharge but by the presence of the criteria prescribed in 40 CFR 110.3. Harmful discharges meeting the criteria in 40 CFR 110 must be reported by Purchaser. Purchaser shall take whatever initial action may be safely accomplished to control all reportable discharges. Appropriate actions include but are not limited to containment, sorbents or dispersants as needed or as prescribed by the Spill Prevention Control and Countermeasures Plan pursuant to 40 CFR 112. Purchaser shall prepare a Spill Prevention Control and Countermeasures (SPCC) Plan pursuant to EPA requirements as stated in 40 CFR 112 when the following conditions are met:

- (a) Purchaser maintains above ground storage facilities, including mobile storage, for oil or oil products on the Sale Area and the total storage capacity for these products exceeds 1,320 gallons in either a single container of greater than 1,320 gallons, or in multiple containers of 55 gallons or greater, and
- (b) there is a reasonable expectation that a harmful discharge could reach navigable waters of the United States, adjoining shorelines or other waters as prescribed in 40 CFR 112.

Reasonable expectation for a discharge reaching navigable waters is based on the location of the storage facility to streams, ditches, gullies, or permanent water bodies that could be impacted as well as drainage patterns, soil conditions, precipitation runoff and the volume of material potentially spilled. The SPCC Plan shall outline measures which will prevent discharges from reaching navigable waters, adjoining shorelines, or other waters of the United States. According to Section 112.1(d)(1)(i), the determination of reasonable expectation for a harmful discharge must be based solely upon consideration of the geographical and locational aspects of the facility. If a Purchaser makes a determination that, due to the location, the facility cannot reasonably be expected to discharge oil as described in Section 112.1(b), Purchaser should be prepared to provide the rationale and any supporting documentation, if requested by the Contracting Officer, that explains why the facility does not have an SPCC Plan.

Sale Name: Curt Pond Page 150 Contract 2400-6T, (6/06)

CT6.401# - CONDUCT OF LOGGING (09/2004)

Unless otherwise agreed in writing, the Purchaser shall take the following measures to minimize breakage of logs and to protect residual trees and other National Forest resources:

<u>Applicable</u> Within Payment Unit(s) <u>ALL</u>, the skidding pattern shall be approved by Forest Service in advance of felling and main skid roads/trails shall be located on the ground in advance of felling.

Not Applicable To avoid unnecessary turning of logs in Payment Unit(s) Not Applicable, the Purchaser shall fell with the lead of the trees toward skid trails. The Purchaser shall employ directional felling techniques such as wedging, jacking, cable winching, or other methods, as needed to direct the fall of the tree.

<u>Applicable</u> Outside of clearcutting areas and authorized clearings, tractors shall be equipped with a winch to facilitate skidding. Products shall be winched (end-lined) as needed to protect resources or residual trees from unnecessary damage.

<u>Not Applicable</u> In areas shown on Sale Area Map with the symbol W, all ground-based skidding equipment shall be confined to approved skid roads or trails and all Included Timber shall be winched to the skidder before transfer to the log landing. Winching may be required for distances up to N/A feet.

 $\underline{\text{\ensuremath{Not Applicable}}} \text{ In Payment Unit(s)} \underline{\text{\ensuremath{Not Applicable}}} \text{ , skidding of products greater than} \underline{\text{\ensuremath{N/A}}} \text{ feet in length is prohibited.}$

CT6.5# - STREAMCOURSE PROTECTION (06/2002)

The following are required in addition to the Standard Provisions under BT6.5:

<u>Not Applicable</u> Fords may be permitted with written authorization in locations containing rock or rock-fragment bottoms or where streams can be protected with corduroy or gravel.

<u>Applicable</u> All vehicles are prohibited within a <u>orange</u> Marked boundary along either side of Streamcourses that are shown on the Sale Area Map. Vehicles will be allowed to cross Streamcourses only at locations designated by the Forest Service or as essential to construction or removal of culverts or bridges.

Sale Name: Curt Pond Page 151 Contract 2400-6T, (6/06)

CT6.601# - REVEGETATION PLAN AND SPECIFICATIONS (08/2006)

Where soil has been disturbed by Purchaser's operations and vegetation is needed to minimize erosion, Purchaser shall take appropriate measures according to the following specifications or other agreed stabilization measures:

Temporary road cuts, fill slopes, and shoulders shall be seeded and fertilized within 15 days of construction during the seeding season(s).

Temporary road surfaces, landings, and skid trails shall be seeded when not to be used for a period exceeding 60 days during the seeding season(s).

Temporary road cuts, fill slopes, and other soil disturbance within 25 feet slope distance of a streamcourse shall be seeded and mulched within 3 days of the disturbance.

Exposed soil on temporary roads, skid trails and landings no longer needed for the Purchaser's operations shall be seeded and fertilized within 30 days of discontinued use during the seeding season(s). Soil tilling to cover seed may be required under dry site conditions.

Bare areas or roads with soil compaction will require harrowing, disking or ripping. Fertilizer shall be applied and mixed thoroughly with the soil prior to seeding. Due to compaction, it may be necessary to till the soil to a depth of 6 inches or more.

The seeding season(s) shall be during the inclusive listed below, unless otherwise agreed.

See CT6.601# - Revegetation Plan and Specifications, Seeding Season(s) Table

The following kinds and amounts per acre of seed and fertilizer shall be applied, unless otherwise agreed:

See CT6.601# - Revegetation Plan and Specifications, Fertilizer and Seed Table

<u>Applicable</u> Mulch at the rate of <u>2200 (50 bales)</u> pounds per acre shall be applied. The Forest Service will identify the areas where mulch is required in addition to those specified elsewhere in this contract. Hay, straw, pine straw or shredded bark or other mulch acceptable to the Forest Service may be used as mulching material.

Applicable The Forest Service shall agree to the timing of the seeding operations.

<u>Applicable</u> Seeding operations shall not begin without the presence of a Forest Service representative.

Applicable Other revegetation specification: Log landings shall be ripped at minimum of 12 inches in depth prior to seeding and mulching. Fertilize and lime all landings prior to ripping.

If the Forest Service performs such work as provided under a written cooperative agreement (16 U.S.C. 572), the Purchaser shall make the following deposit:

See CT6.601# - Revegetation Plan and Specifications, Cooperative Deposit Table

CT6.601# - REVEGETATION PLAN AND SPECIFICATIONS, SEEDING SEASONS TABLE

The seeding season(s) shall be during the inclusive listed below, unless otherwise agreed.

Seeding Season	Dates					
Season 1	March 1- May 15					
Season 2	August 15 - October 31					

The following kinds and amounts per acre of seed and fertilizer shall be applied, unless otherwise agreed:

Material	Rate/Acre	Estimated Acres
ANNUAL RYEGRASS	15	10.9
OATS	15	10.9
WINTER WHEAT	45	10.9
PELLETIZED LIME	250	4.5
MULCH	50	4.5
10-10-10 FERTILIZER	50	4.5

If the Forest Service performs such work as provided under a written cooperative agreement (16 U.S.C. 572), the Purchaser shall make the following deposit: Purchaser Performance Required

Lump	Sum Amount
	N/A

Amount	Per	Unit	of	Volume
		N/A		

CT6.63# - TEMPORARY ROADS (08/2004)

<u>Not applicable</u> Unless otherwise agreed in writing, Temporary Road construction shall not be scheduled to occur outside the seeding season(s) listed in CT6.601#.

<u>Applicable</u> Unless otherwise agreed in writing, Temporary Road construction shall not be scheduled to occur outside the Normal Operating Season(s) listed in AT13.

The location and clearing widths of all Temporary Roads shall be agreed to and all timber within the clearing limits shall be paid for before construction is started. Temporary roads shall follow the general contour insofar as practical with maximum grades not to exceed 10 percent for lengths up to 200 feet. Construction shall include frequent broad-based dips or breaks in grade as necessary to remove runoff from the road. Clearing width shall not exceed that needed for safe and efficient operations, and the travel way shall not exceed 12 feet except at turnouts and landings. Crossings shall be located perpendicular to any stream or drainage.

Concurrent with Temporary Road construction, the Purchaser shall install straw or hay bales, silt fence or brush/slash barriers at the base of the fill along Temporary Roads adjacent to Streamcourses and at other sensitive areas shown on Sale Area Map per the following requirements:

See Table CT6.63# - Temporary Roads, Silt Barrier Table

At Streamcourse crossings, cut and fill slopes and other disturbed areas within 25 feet slope distance of the Streamcourse shall be protected by seeding and mulching the same day construction occurs

As necessary to attain stabilization of roadbed and cut and fill slopes of Temporary Roads, the Purchaser shall employ such measures as outsloping, revegetation, mulching, drainage dips, water spreading ditches and silt barriers.

Unless otherwise agreed, cut banks and fill slopes shall be sufficiently sloped to facilitate revegetation.

The Purchaser shall place and maintain the following depth of gravel or crushed stone on all Temporary Roads at the following locations:

See Table See Table CT6.63# - Temporary Roads, Gravel Requirements Table

Purchaser shall maintain all erosion control structures such as silt barriers, water-spreading ditches and broad based dips in a functional condition during Purchaser's Operations. Purchaser shall stabilize and close to vehicular traffic all Temporary Roads prior to periods of inactivity.

Except for Temporary Roads to remain open under BT6.631, after a Temporary Road has served Purchaser's purpose, the Purchaser shall give notice to the Forest Service and shall remove bridges and culverts, eliminate ditches, out-slope roadbed, remove ruts, remove outside berms by pulling the material back onto the road surface, effectively block the road to normal vehicular traffic, and build cross ditches and water bars as staked or otherwise marked on the ground by Forest Service unless agreed otherwise in writing. When bridges and culverts are removed, associated fills shall also be removed to the extent necessary to restore channel to natural size, slope and bottom, and to permit normal maximum flow of water and protection of adjacent resources.

Table CT6.63# - Temporary Roads, Gravel Requirements Table

Location	Distance (feet)	Percent Grade	No. Inches of Gravel or Crushed Stone
Approaches to surfaced roads for a distance back from the surfaced road.	100	Any	4
Streamcourse crossings for a distance on either side of the Streamcourse.	N/A		4
Steep grades of short distances	Where Needed	Any	4
Wet or erosive prone soils	Where Needed		4
Dips, moist sites, erosive prone soils, and fills over culverts	Where Needed		4

Sale Name: Curt Pond Page 155 Contract 2400-6T, (6/06)

CT6.65 - SKID TRAILS AND FIRE LINES (08/2001)

At locations where terrain or other conditions prevent practicable construction of cross ditches and water-spreading ditches, the Forest Service may designate that ground debris consisting of root mat, humus, leaf and needle litter, or slash (as defined in CT6.7#) existing in the immediate area be placed on skid trails or fire lines. At such locations, the Purchaser shall place sufficient ground debris to slow and disperse runoff. At other locations the Forest Service and the Purchaser may agree to use ground debris, singly or in combination with other methods, to control erosion.

CT6.7# - SLASH TREATMENT (08/2004)

Slash is defined as all vegetative debris resulting from the Purchaser's operations, including limbs, tops, cull logs, bark, wood chunks, pushed-out stumps, damaged brush, and damaged residual trees. Tops from felled trees and all trees to be removed from roads, landings, or other construction clearings shall be completely felled and not left leaning or hanging in other trees. Slash associated with construction of Specified Roads is construction slash subject to treatment according to road construction specifications.

Other Ownership. The Purchaser shall conduct operations so that slash does not enter non-National Forest System lands, as shown on Sale Area Map. In event slash is deposited on other ownership, the Purchaser shall immediately remove such slash. The Contracting Officer may agree in writing to other treatment requirements if the Purchaser provides a written slash disposal agreement between the Purchaser and the landowner.

Roads and Other Clearings. Along roads available for public use the Purchaser shall immediately remove slash from traveled surfaces, shoulders, and drainage facilities. Other slash along roads available for public use and all slash along roads not available for public use shall be removed from the clearing limits within four days after adjacent skidding or yarding to each landing is complete. In areas where skidding or yarding is delayed or interrupted, slash shall be removed within ten days after being created.

Trails open to public use shall be kept free of slash. Slash within the clearing limits of powerlines, telephone lines, pipelines, and similar clearings shall be removed within ten days after adjacent skidding or yarding to each landing is substantially complete.

Slash removed from roads and other clearings shall be scattered outside the clearing limits, or otherwise disposed of as agreed. The time requirements for completion of slash removal may be changed by written agreement, except where immediate removal is required.

Other Treatment Areas. The Purchaser shall complete slash treatment in other areas as described below. The Forest Service and the Purchaser shall jointly agree to a schedule for completion of such slash treatment, which shall be included in the Purchaser's Annual Operating Schedule required under BT6.31.

Applicable At or adjacent to log landings, delimbing areas, and similar areas of slash accumulation within all payment units, concentrations of slash greater than 4 feet in height and 20 feet in length, measured at greatest distances, shall be lopped and scattered to lie within 3 feet of the ground

CT6.8 - MEASURING (08/2001)

The estimated quantity of timber has been determined by tree measurement in accordance with the methods described in the Timber Cruising Handbook (FSH 2409.12), a copy of which may be examined in the Forest Supervisor's or the Ranger's Offices.

CT7.201 - TRUCK, TRACTOR AND POWER SAW MUFFLERS (08/2001)

Effective muffler systems installed by the manufacturer as standard equipment shall be maintained on exhausts of trucks, power saws and other internal combustion engines used in the Purchaser's Operations.

CT7.202# - FIRE FIGHTING EQUIPMENT (08/2001)

When the Forest Service advises the Purchaser that local fire weather conditions are becoming critical, the Purchaser shall keep with gasoline chain saws at all times One shovel and one ABC Fire Extinguisher and take precautionary measures requested by the Forest Service. The Purchaser shall act as custodian of fire fighting equipment furnished by the Forest Service. Equipment shall be stored in sealed boxes provided for this purpose and shall be transported to locations in the immediate vicinity of current logging and milling operations on Sale Area. The Forest Service shall be reimbursed for any damage to or loss of fire fighting equipment furnished by the Forest Service, which occurs on Negligently-Caused Fires or as a result of using equipment for unauthorized purposes.

CT7.22 - EMERGENCY FIRE PRECAUTIONS (08/2001)

The Purchaser shall limit or restrict operations in accordance with the Fire Danger Rating schedule shown below. The Forest Service will determine Fire danger ratings by using the National Fire Danger Rating System.

The Forest Service shall notify the Purchaser of predicted fire danger that may limit or restrict operations. In all cases, the actual weather elements shall govern over the predicted weather elements in determining Fire Danger. Fire danger ratings are based on a severity index from A (low) to E (highest).

Fire Danger Rating: Limitations or Restrictions on Purchaser Operations:

A to C: Normal fire precautionary operations

C+ to D (Very High) Forest Service may suspend any or all of Purchaser's operations.

E (Extreme) In addition to above restrictions, internal combustion engines

or other spark-producing equipment shall not be operated within any areas of the timber sale without specific written approval by the Forest Service.

CT8.212 - MARKET-RELATED CONTRACT TERM ADDITION (04/2023)

The term of this contract may be adjusted when a drastic reduction in wood product prices has occurred in accordance with 36 CFR 223.52. The Producer Price Index used to determine when a drastic reduction in price has occurred is stated in AT17. Purchaser will be notified whenever the Chief determines that a drastic reduction in wood product prices has occurred. If the drastic reduction criteria specified in 36 CFR 223.52 are met for 2 consecutive calendar quarters, after contract award date, Contracting Officer will add 1 year to the contract term, upon Purchaser's written request. For each additional consecutive quarter such a drastic reduction occurs, Contracting Officer will, upon written request, add an additional 3 months to the term during Normal Operating Season, except that no single 3-month addition shall extend the term of the contract by more than one year. Contracting Officer must receive Purchaser's written request for a market-related contract term addition before the expiration of this contract.

No more than 3 years shall be added to a contract's term by market-related contract term addition unless the following conditions are met:

- (i) The sale was awarded after December 31, 2006; and
- (ii) A drastic reduction in wood product prices occurred in at least ten of twelve consecutive quarters during the contract term, but not including the quarter in which the contract was awarded.

For each qualifying quarter meeting the criteria in paragraphs (i) and (ii) of this provision, the Forest Service will, upon the Purchaser's written request, add an additional 3 months during the normal operating season to the contract, except no single 3-month addition shall extend the term of a contract by more than 1 year.

In no event shall a revised contract term exceed 10 years as a result of market-related contract term addition.

Additional contract time may not be granted for those portions of the contract that have a required completion date or for those portions of the contract where Contracting Officer determines that the timber is in need of urgent removal or that timber deterioration or resource damage may result from delay, or where timber is designated by diameter and delay may change the treatment as a result of trees growing into or out of the specified diameter range(s).

Sale Name: Curt Pond Page 158 Contract 2400-6T, (6/06)

CT8.64 - DEBARMENT AND SUSPENSION CERTIFICATION (03/2018)

Pursuant to 2 CFR 180 and 2 CFR 417, Purchaser shall certify and obtain certifications from its Subcontractors regarding debarment, suspension, ineligibility, and voluntary exclusion, including additional Subcontractors obtained after award of this contract. 'Subcontractors' are participants in lower tier covered transactions.

Purchaser may rely upon a certification of a prospective Subcontractor that it is not proposed for debarment under 48 CFR 9.4, debarred, suspended, ineligible, or voluntarily excluded from participating in covered transactions or timber sales, unless Purchaser knows that the certification is erroneous.

Purchaser shall keep the certifications of its Subcontractors on file until timber sale Termination Date and any extensions thereof, and will provide a copy at the written request of Contracting Officer. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this Subsection. The knowledge and information of Purchaser is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

If Purchaser knowingly enters into a timber sale transaction with a person who is proposed for debarment under 48 CFR 9.4, suspended, debarred, ineligible, or voluntarily excluded from participation in covered transactions or timber sales, in addition to other remedies available to the Government, Forest Service may pursue available remedies, including suspension and/or debarment.

Contracting Officer shall provide a copy of Forms AD-1047, Certification Regarding Debarment, Suspension and Other Responsibility Matters-Primary Covered Transactions, and AD-1048, Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions to the Purchaser.

Purchaser shall complete form AD-1047 and provide to the Contracting Officer upon request.

Purchaser shall require each Subcontractor to complete form AD-1048 and provide to the Contracting Officer upon request.

CT9.1 - PERFORMANCE BOND (08/2021)

As a further guarantee of the faithful performance of the provisions of this contract, Purchaser delivers herewith and agrees to maintain a surety bond in the dollar amount stated in AT14, unless the amount is adjusted as provided in CT9.11 or BT9.13. In lieu of surety bond, Purchaser may deposit into a Federal Depository, as directed by Forest Service under BT4.21, and maintain therein, cash in the dollar amount stated in AT14.

Any adjustment or extension of time for completion of this contract beyond 1 year may be granted only with the consent of surety on bond or delivery of a new bond. Should the sureties on the bond delivered herewith, or any bond delivered hereafter in connection with this contract, become unsatisfactory to Forest Service, Purchaser shall, within 30 days of receipt of demand, furnish a new bond with surety satisfactory to Forest Service.

CT9.11 - BOND REDUCTION (08/2021)

Upon Purchaser's written request, Contracting Officer shall redetermine the amount of Purchaser's performance bond to an amount not less than Purchaser's remaining obligations, including the value of Included Timber remaining on Sale Area, plus the estimated cost of uncompleted work required of Purchaser and any unpaid billings due on the timber sale. Contracting Officer shall provide written notice of the redetermined amount to Purchaser and to Purchaser's surety. Similarly, Contracting Officer shall report to Purchaser in writing the amount of deposited cash required thereafter if such deposits exist in lieu of a surety bond.

As soon as security for the performance of this contract or the settlement of Claims incident thereto is no longer necessary, appropriate notice shall be given to surety or deposits that may have been made in lieu of surety bond shall be returned to Purchaser, subject to the conditions in BT9.5.

Sale Name: Curt Pond Page 160 Contract 2400-6T, (6/06)

FS-2400-6T Contracts (6/06)

SECTION 1. GENERAL

Purchaser's maintenance responsibility begins (1) after purchaser performs Prehaul Maintenance on a road listed in the Road Maintenance Requirements Schedule; or (2) for all other roads, when Purchaser begins to use the road. Occasional travel by Purchaser's light vehicles, prior to beginning of construction clearing or logging operations in the area accessed by the road, does not constitute beginning of use. Purchaser is not required to perform routine maintenance during periods of inactivity. During periods of inactivity, Forest Service will perform maintenance only as required to meet its needs.

The Purchaser shall maintain roads, commensurate with the Purchaser's use, in accordance with the Road Maintenance Requirements Summary and Road Maintenance Specifications. Performance of road maintenance work by the Purchaser may be required prior to, during, or after each period of use. The timing of work accomplishment shall be based on the Purchaser's operating schedule under Standard Provision BT6.31.

If the Purchaser elects to use different roads than those listed in the Road Maintenance Requirements Summary, the Contracting Officer or designee shall determine the Purchaser's commensurate share of road maintenance and/or revise road maintenance deposits.

Unless the Contracting Officer or designee agrees in writing otherwise, prehaul maintenance shall be completed on any portion of road prior to hauling on that portion.

The Purchaser shall attend to the following situations as they occur and concurrently with sale operations: remove slides, fallen timber and other obstructions and overhanging brush obstructing road sight distance. Excess material resulting from any maintenance activity shall not be placed at locations where it will wash into streams.

The Forest Service shall prepare a revised Road Maintenance Requirements Schedule to reflect changes in the original haul route.

SECTION 2. ROAD MAINTENANCE DEFINITIONS

Wherever the following terms are used in the Road Maintenance Specifications, the meaning shall be:

Base Course. Material placed on the Subgrade to distribute concentrated wheel loads.

Berm. Curb or dike constructed to prevent Roadway runoff water from discharging onto embankment slope.

Borrow. Select Material taken from designated borrow sites.

<u>Crown, Inslope, and Outslope</u>. The cross slope of the Traveled Way to aid in drainage and traffic maneuverability.

<u>Culverts</u>. A conduit or passageway under a road, trail, or other obstruction. A culvert differs from a bridge in that it is usually entirely below the elevation of the Traveled Way.

Sale Name: Curt Pond Page 161 Contract 2400-6T,(6/06)

FS-2400-6T Contracts (6/06)

<u>Drainage Dip</u>. A dip in the Traveled Way which intercepts surface runoff and diverts the water off the Traveled Way. A Drainage Dip does not block the movement of traffic.

<u>Drainage Structures</u>. Manufactured structures which control the runoff of water from the Roadway including Inslope, overside drains, aprons, flumes, downdrains and downpipes.

<u>Lead-off Ditches</u>. A ditch used to transmit water from a Culvert, Drainage Structure or Drainage Dip outlet to the natural drainage area.

<u>Maintenance Activity</u>. Items of work leading to the minor restoration and upkeep of a road and necessary to sustain the road's anticipated traffic.

Material. Any substance specified for use in the performance of the work.

<u>Prehaul Maintenance</u>. Road maintenance work to be accomplished prior to the roads use. Roads receiving prehaul maintenance shall be shown on the Sale Area Map.

<u>Roadbed</u>. The portion of a road between the intersection of Subgrade and sideslopes, excluding that portion of the ditch below Subgrade.

Roadside. A general term denoting the area adjoining the outer edge of the Roadway.

Roadway. The portion of a road within the limits of excavation and embankment.

<u>Shoulder</u>. That portion of Roadway contiguous with Traveled Way for accommodation of stopped vehicles, for emergency use, and lateral support of Base and Surface Course, if any.

<u>Slide</u>. A concentrated deposit of materials from above or on backslope extending onto the Traveled Way or Shoulders, whether caused by mass land movements or accumulated ravelling.

<u>Slough</u>. Material eroded from the backslope which partially or completely blocks the ditch, but does not encroach on the Traveled Way so as to block passage of traffic.

<u>Slump</u>. A localized portion of the Roadbed which has slipped or otherwise become lower than that of the adjacent Roadbed and constitutes a hazard to traffic.

<u>Subgrade</u>. Top surface of Roadbed upon which Base Course or Surface Course is constructed. For roads without Base Course or Surface Course, that portion of Roadbed prepared as the finished wearing surface.

<u>Surface Course</u>. The Material placed on the Base Course or Subgrade to enhance traction, distribute concentrated wheel loads and resist abrasion and the effects of climate. Surface Course may be referred to as surfacing.

Traveled Way. That portion of Roadway, excluding Shoulders, used for the movement of vehicles.

<u>Turnouts</u>. That portion of the Traveled Way constructed as additional width on single lane roads to allow for safe passing of vehicles.

<u>Waterbar</u>. A dip in the Roadbed which intercepts surface runoff and diverts the water off the Roadway. A Waterbar is not designed to be traversable by logging trucks.

Sale Name: Curt Pond Page 162 Contract 2400-6T,(6/06)

FS-2400-6T Contracts (6/06)

SECTION 3. ROAD MAINTENANCE REQUIREMENTS SCHEDULE

Contract Road Maintenance Requirements Summary

	Termini		Applicable Prehaul Road Maintenance Specification							ication	IS		
Road	From	To	Miles	1020	1040								
851	0	.15	.15		P								
853	0	.65	.65		P								
853A	0	.15	.15		P								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

	Termini		Applicable During Haul Road Maintenance Specification								ions		
Road	From	To	Miles	1020	1040								
853	0	.65	.65		P								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

	Termini		Applicable Post Haul Road Maintenance Specifications								ns		
Road	From	To	Miles	1020	1040								
851	0	.15	.15		P								
853	0	.65	.65	P	P								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

SECTION 4. ROAD MAINTENANCE ACTIVITY SPECIFICATIONS

INCLUDED SPECIFICATIONS

Activity No.	Activity Specification Title
1010	Slide and Slump Repair
1020	Surface Blading (Dozer)
1030	Surface Blading (Grader)
1040	Spot Surface Course Placement
1050	Cyclic Surface Course Placement
3010	Drainage Structures
3020	Ditch Cleaning
3050	Waterbars
4020	Roadway Mowing and Clearing
4050	Seeding
6020	Miscellaneous Structures
7070	Road Closure

FS-2400-6T Contracts (6/06)

ACTIVITY 1020 - SURFACE BLADING (DOZER)

DESCRIPTION

1.1 Surface blading is keeping a native or aggregate surfaced Roadbed in a condition to facilitate traffic and provide proper drainage. It includes maintaining the Crown, Inslope or Outslope of the Traveled Way, Turnouts, and Shoulder; repairing Berms; blending approach road intersections; and cleaning bridge decks, Drainage Dips, and Lead-off Ditches. This work may be accomplished using a crawler tractor with a dozer blade capable of angling.

REQUIREMENTS

- 3.1 Surface blading shall be performed before, during, and after Purchaser's use as often as necessary to facilitate traffic and proper drainage.
- 3.2 The surface blading shall preserve the existing cross-section. Ruts, chuckholes and corrugations that affect the smoothness of ride do not have to be removed unless they become excessive or interfere with proper drainage. Surface Course Material which has been displaced to the Shoulders or Turnouts shall be returned to the Traveled Way. The blading operation shall be conducted to conserve surface Material and to provide for a thorough mixing of the Material being worked.
- <u>3.3</u> On native surfaced roads, Material generated from backslope Sloughing, and ditch cleaning may be blended with the surface Material being worked. On aggregate surfaced roads this Material shall not be blended with Surface or Base Course Material unless agreed otherwise.
- 3.4 Roadway backslopes shall not be undercut.
- <u>3.5</u> Drainage Dips and Lead-off Ditches shall be cleaned and maintained to retain the existing line, grade, and cross-section.
- 3.6 Intersecting roads shall be bladed for a distance of 50 feet to assure blending of the surfaces.
- 3.7 Rocks or other Material remaining on the Traveled Way after the final pass that are 4 inches in diameter or larger shall be removed. The unsuitable Material shall be disposed of by sidecasting unless agreed otherwise.
- <u>3.8</u> Material resulting from this activity shall not remain on or in structures, such as Culverts, cattle guards, ditches and Drainage Dips.
- 3.9 Material resulting from this activity, plus any accumulated debris, shall be removed from bridge decks and the deck drains opened.

Sale Name: Curt Pond Page 164 Contract 2400-6T,(6/06)

FS-2400-6T Contracts (6/06)

ACTIVITY 1040 - SPOT SURFACE COURSE PLACEMENT

DESCRIPTION

<u>1.1</u> Spot surface course placement includes subgrade preparation, furnishing, spreading and shaping Materials in accordance with the Requirements.

MATERIALS

2.1 Surface course Material will be in accordance with the Requirements, 3.2.

REQUIREMENTS

- <u>3.1</u> Subgrade Preparation. Prepare subgrade to receive surface course Material at locations as designated on-the-ground by the Forest Service on roads listed below. Prepare the subgrade by shaping the Roadbed to approximately the original cross-section and consistent with adjacent sections.
- 3.2 Furnish and spread Material at spot locations designated on the ground by the Forest Service as follows.

Road Number	Road Name	During Haul	Type Material	Quantity (C.Y./Tons)
851	FSR-851	Prehaul	#57 or #2 stone	25
851	FSR-851	During haul	#57 or #2 stone	0
851	FSR-851	Post haul	#57 or #2 stone	25
853	FSR-853	Prehaul	#57 or #2 stone	50
853	FSR-853	During haul	#57 or #2 stone	25
853	FSR-853	Post haul	#57 or #2 stone	50
853A	FSR-853A	Prehaul	#57 or #2 stone	25
853A	FSR-853A	During haul	#57 or #2 stone	0
853A	FSR-853A	Post haul	#57 or #2 stone	0

3.3 Variations. The purchaser will be required to furnish weight or volume tickets to the Forest Service for the amount of surface course material placed. When it is mutually agreed that all or part of the surface course Material is not needed, the estimated cost of surfacing not placed shall be charged to the Timber Sale Account in accordance with BT8.31.

Sale Name: Curt Pond Page 165 Contract 2400-6T,(6/06)