



United States Forest
Department of Service
Agriculture

Greater Sage-grouse Record of Decision

Idaho and Southwest Montana
Nevada
Utah



In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at http://www.ascr.usda.gov/complaint_filing_cust.html and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov.

USDA is an equal opportunity provider, employer, and lender.

Greater Sage-grouse Record of Decision for

Idaho and Southwest Montana,
Nevada and Utah

and Land Management Plan Amendments for the

Ashley National Forest
Beaverhead-Deerlodge National Forest
Boise National Forest
Caribou National Forest
Challis National Forest
Curlew National Grassland
Dixie National Forest
Fishlake National Forest
Humboldt National Forest
Manti-La Sal National Forest
Salmon National Forest
Sawtooth National Forest
Targhee National Forest
Toiyabe National Forest
Uinta National Forest
Wasatch-Cache National Forest

Prepared by:
USDA Forest Service
September 2015

FOREWORD

The landscape and culture of the Interior West are characterized by the iconic sagebrush steppe ecosystems that are valued and used by people with a long and deep connection to the land. At this point in our history, we have identified a need and desire to create a new balance between the use and protection of this landscape to conserve its important attributes, including greater sage-grouse. We have embarked on a journey to do this.

This journey has involved a multi-faceted effort that includes both planning and on-the-ground projects across multiple states. We have come together through working groups, task forces, councils, and meetings with the public, Tribes, state and federal agencies, counties, and associations.

Collectively, we've worked across a large landscape for the common goal of conserving greater sage-grouse. This landscape includes multiple jurisdictions with a diversity of authorities, responsibilities, geography, resources and needs that lead to similar but different plans and actions. For instance, the states involved in this effort have taken approaches appropriate to their situation towards this common goal; and the Forest Service and the Bureau of Land Management (BLM) have developed plans that provide a level of consistency across the federal lands that they manage, while incorporating aspects of each state's plan.

Our efforts have not and could not be expected to result in one overall plan agreed to by everyone across the entire landscape. However, we have achieved an unprecedented level of collaboration to achieve a significant set of accomplishments that will benefit greater sage-grouse and the sagebrush steppe ecosystem.

This Record of Decision (ROD) represents the Forest Service's contribution and commitment to the conservation of greater sage-grouse and the sagebrush steppe ecosystem that is vital to the survival of greater sage-grouse. Our decision was made after carefully listening and considering concerns raised by the states, grazing permittees, Tribes, industry, and others.

The land management plan (LMP) amendments, as outlined in this decision, provide the overall direction and guidance for management activities on National Forest System lands. The actual changes on the ground, however, will occur as project-level decisions and resulting actions are implemented.

We fully recognize that as a result of this decision there will be changes in how National Forest System lands and uses are managed and, as actions are being implemented, they will have impacts on some users. For instance, many users will be contributing to greater sage-grouse conservation by changing their use or operations on National Forest System lands. These changes may be challenging for some users, yet we have shown that when we work together we can be successful.

It is incumbent upon us to continue working at the local level to find ways to achieve the goals outlined in this decision and associated LMP amendments. We understand this will not occur instantaneously and that to be successful implementation must proceed in a thoughtful way that is collaborative and transparent with our federal, state, and local partners.

We understand and recognize that grazing permittees will be impacted by this decision, and we are committed to working closely with them during implementation to ensure that greater sage-grouse conservation and their operations can be harmonized, as much as possible, and that adequate transition time is provided consistent with the analysis. To help accomplish this, this decision allows for necessary time to gather additional site-specific data that may be needed to work with permittees and others to address impacts to those users as we implement actions for the conservation of the greater sage- grouse.

The LMP amendments establish a solid foundation to work from that provides a level of certainty about management of National Forest System lands. Through our future experiences implementing the plan amendments, completing additional project analysis, conducting monitoring and additional research, we will continue to learn more about these landscapes, and the wildlife and uses they support. It will be incumbent upon us to embrace an attitude of continual learning and adaptation.

The large landscape that we are working on, and the associated diverse group of stakeholders affected and interested in this effort, provides an opportunity to take advantage of each other's knowledge and capacity and, using our varied strengths, work in partnership to conserve greater sage-grouse while continuing the important uses on our National Forest System lands.

To date through this effort, we've established new ways of working together that have resulted in significant accomplishments. We're committed to building on these successes and exploring additional ways to strengthen our efforts to work together.

Nora Rasure

Regional Forester
Intermountain Region

Leanne Marten

Regional Forester
Northern Region

SUMMARY

This ROD is the culmination of an unprecedented planning effort in cooperation with the U.S. Department of Interior, BLM to conserve Greater Sage-grouse (GRSG) habitat on National Forest System (NFS) lands that are administered by the U.S. Department of Agriculture, Forest Service and BLM-administered lands. The Forest Service, as a cooperating agency with the BLM, has developed a targeted, multi-tiered, collaborative landscape-level conservation strategy. This strategy is based on the best available science that offers the highest level of protection for GRSG in the most important habitat areas to address the specific threats identified in the 2010 U.S. Fish and Wildlife Service (USFWS) “warranted but precluded” decision, and the USFWS 2013 Conservation Objectives Team (COT) report. This ROD approves the attached LMP amendments for the GRSG Great Basin planning region for the Curlew National Grassland and the Ashley, Beaverhead-Deerlodge, Boise, Caribou-Targhee, Dixie, Fishlake, Humboldt-Toiyabe, Manti-La Sal, Salmon-Challis, Sawtooth, and Uinta-Wasatch- Cache National Forests.

The GRSG, an iconic species of the sagebrush steppe ecosystem, currently occupies only 56% of its historic range and populations have continued to decline for the past 40 years. In 2010, the USFWS determined that, due to loss of habitat and lack of adequate regulatory mechanisms, listing GRSG under the Endangered Species Act (ESA) was “warranted but precluded” by other priorities.

The Forest Service manages approximately 8% of the remaining GRSG habitat, and we have a responsibility under the National Forest Management Act and applicable regulations to provide for the diversity of plant and animal communities, and provide habitat for viable populations of native and desired non-native vertebrate species. The conservation measures in the attached LMP amendments fulfill this responsibility as well as our commitment to the Forest Service mission to sustain the health, diversity, and productivity of the nation’s forests and grasslands to meet the needs of present and future generations.

The conservation measures presented in this ROD and the LMP amendments protect the GRSG and its habitat, and also more than 350 other wildlife species associated with the sagebrush steppe ecosystem, which is widely recognized as one of the most endangered ecosystems in North America. Reversing the slow degradation of this valuable ecosystem will also benefit local economies and a variety of rangeland uses including sustainable livestock grazing, recreation, and continued sustainable economic development in a manner that safeguards the long-term sustainability, diversity, and productivity of these important and iconic landscapes and the Western culture.

The management direction in the LMP amendments is accomplished through land use allocations that limit or eliminate new surface disturbance in Priority Habitat Management Areas and Sagebrush Focal Areas, and minimize surface disturbance in General Habitat Management Areas. The LMP amendments also include a suite of other management actions, such as the establishment of disturbance limits, GRSG habitat objectives, lek buffers, mitigation requirements, monitoring protocols, adaptive management triggers and responses, and targeted restoration and habitat improvements. The cumulative effect of these measures is to conserve, enhance, and restore GRSG habitat across the remaining range of the species in the Great Basin region and provide greater

certainty that Forest Service LMP decisions will lead to conservation of GRSG and other species associated with the sagebrush steppe ecosystem.

The GRSG conservation measures approved by this decision, in addition to other state, federal, and local partners' GRSG conservation actions, represent an unprecedented, collaborative, landscape-level conservation effort. Through past and future partnerships and cooperation, we intend to manage the sagebrush steppe ecosystem to achieve our common goal to conserve GRSG and its habitat. The Forest Service is proud to be a partner in this collaborative landscape-level conservation effort.

TABLE OF CONTENTS

Foreword	4
Summary	6
Table of Contents	8
Background	12
National Greater Sage-grouse Planning Strategy.....	12
Planning Area.....	15
Decision Area	17
Decision	23
Decision Rationale	26
How the Decision Addresses the Threats.....	27
Habitat Conversion to Agriculture.....	27
Urbanization	27
Infrastructure	27
Recreation, Commercial Use, and Travel Management	28
Fire 29	
Invasive Plants	30
Conifer Encroachment.....	30
Grazing	31
Range Management Structures	31
Free-roaming Equids.....	32
Energy Development.....	32
Mining.....	34
Climate Change	35
Disease and Predation	35
Other Plan Direction	36
Monitoring.....	36
Mitigation.....	37
Adaptive Management.....	37
Lek Buffers.....	39
Disturbance Cap	39
Density Cap.....	40
Sagebrush Focal Areas.....	40
Protest Resolution	41
Idaho and Southwestern Montana.....	41
Nevada.....	41
Utah.....	42
Modifications and Clarifications	42
Unique Aspects of the Great Basin Sub-regional LMP Amendments	45
Idaho and Southwest Montana	45
Nevada	45

Utah.....	46
State of Wyoming - Portions of the Uinta, Wasatch, Cache, Ashley National Forests.....	46
Alternatives	55
Alternatives Considered.....	55
Alternative A – No Action Alternative.....	55
Alternative B – National Technical Team Report Alternative.....	56
Alternative C – Citizen Groups' Recommended Alternative One.....	56
Alternative D – Draft LMP Amendments' Preferred Alternative.....	57
Alternative E – State/Governor’s Alternative.....	57
Alternative E - State of Wyoming, Portions of the Uinta, Wasatch, Cache, Ashley National Forests.....	58
Alternative F – Citizen Groups' Recommended Alternative Two	59
Environmentally Preferred Alternative.....	59
Alternatives Considered but Not Analyzed in Detail.....	59
Public Involvement.....	61
Interagency Coordination	61
Bureau of Land Management	61
State Governments	62
Consultation with American Indian Tribes	62
Endangered Species Act Section 7 Consultation	62
Findings Required by Laws and Regulations.....	63
Civil Rights and Environmental Justice.....	63
Valid Existing Rights	64
National Historic Preservation Act.....	64
National Forest Management Act.....	65
Finding of Non-significance.....	65
Significance Determination	67
Viable Population Determination.....	68
Endangered Species Act	69
Clean Air Act.....	69
Clean Water Act.....	69
National Environmental Policy Act.....	70
Transition to New Management Direction.....	70
Current Plan Direction	70
Greater Sage-grouse Plan Amendment Direction.....	71
Direction Timeframes.....	71
Grazing Transition.....	71
Lands and Realty Transition	72
Approval	73
Contact Person.....	74
List OF Attachments – Land Management Plan Amendments	74

Attachment A – Greater Sage-grouse Idaho and Southwest Montana Plan Amendment.....	75
Forest Service Plan Components	75
General Greater Sage-grouse.....	75
Adaptive Management	78
Lands and Realty	79
Wind and Solar	80
Greater Sage-grouse Habitat	81
Livestock Grazing.....	82
Fire Management.....	83
Wild Horse and Burro	85
Recreation	86
Roads/Transportation	86
Minerals.....	87
GLOSSARY OF TERMS AS USED IN THIS PLAN.....	92
Maps.....	101
Attachment B – Greater Sage-grouse Nevada Plan Amendment	108
Forest Service Plan Components	108
General Greater Sage-grouse.....	108
Adaptive Management	114
Lands and Realty	114
Wind and Solar	116
Greater Sage-grouse Habitat	116
Livestock Grazing.....	118
Fire Management.....	119
Wild Horse and Burro	121
Recreation	122
Roads/Transportation	123
Minerals.....	124
Glossary of Terms as Used in this Plan.....	129
Maps.....	138
Attachment C – Greater Sage-grouse Utah Plan Amendment	139
Forest Service Plan Components	139
General Greater Sage-grouse.....	139
Adaptive Management	143
Lands and Realty	143
Wind and Solar	145
Greater Sage-grouse Habitat	145
Livestock Grazing.....	146
Fire Management.....	148
Recreation	150
Roads/Transportation	151
Minerals.....	152
GLOSSARY OF TERMS AS USED IN THIS PLAN.....	158
Maps.....	167
Attachment D – Greater Sage-grouse Wyoming Plan Amendment.....	173
Forest Service Plan Components	173
Greater Sage-grouse Habitat	173
Timing, Distance, Density, and Disturbance.....	177

Infrastructure 179
Lands and Realty 179
Wind Energy Development..... 181
Livestock Grazing..... 181
Fire Management..... 183
Recreation 185
Roads/Transportation 186
Minerals..... 188
Predators 191
Glossary of Terms as Used in this Plan..... 192
Appendix A – Greater Sage-Grouse Monitoring Framework..... 201
Appendix B – Mitigation Strategy 248
Appendix C – Adaptive Management 253

BACKGROUND

In March 2010, the USFWS published their 12-Month Finding for Petitions to List the greater sage-grouse (*Centrocercus urophasianus*) (GRSG) as threatened or endangered (75 Federal Register 13910, March 23, 2010). In that finding, the USFWS concluded that the GRSG was warranted but precluded for listing as a threatened or endangered species. A warranted, but precluded determination is one of three results that may occur after a petition is filed by the public to list a species under the Endangered Species Act of 1973 (ESA). This finding indicates that immediate publication of a proposed rule to list the species is precluded by higher-priority listing proposals; that is, a species should be listed based on the available science, but listing other species takes priority because they are more in need of protection. In their decision, the USFWS identified the inadequacy of regulatory mechanisms as a significant threat to GRSG. In their decision, the USFWS identified the inadequacy of regulatory mechanisms (i.e., LMP conservation measures) as a significant threat to GRSG.

As part of their 2010 finding, the USFWS reviewed the status of and threats to the GRSG in relation to the five listing factors provided in Section 4(a)(1) of the ESA. Of the five listing factors reviewed, the USFWS determined that Factor A, “the present or threatened destruction, modification, or curtailment of the habitat or range of the GRSG,” and Factor D, “the inadequacy of existing regulatory mechanisms,” posed “a significant threat to the GRSG now and in the foreseeable future” (75 Federal Register 13910, March 23, 2010).

In light of the 2010 “warranted” determination by the USFWS, and specific threats summarized in the COT Report, the Forest Service and the BLM recognized the need to incorporate explicit objectives and concrete conservation measures into their LMPs and resource management plans (RMPs), respectively, to conserve GRSG habitat and potentially avoid the need to list the species under the ESA. The goal of incorporating these specific conservation measures into Forest Service LMPs and BLM RMPs, is to protect, enhance, and restore GRSG and its habitat and to provide sufficient regulatory certainty such that the need for listing the species under the ESA can be avoided.

National Greater Sage-grouse Planning Strategy

In August 2011, the BLM chartered the National Greater Sage-grouse Planning Strategy to evaluate the adequacy of BLM RMPs and to revise and amend existing RMPs throughout the range of the GRSG to incorporate management actions intended to conserve, enhance, and restore GRSG habitat. In December 2011, a Notice of Intent was published in which the BLM and the Forest Service announced their intent to prepare environmental impact statements (EIS) and Supplemental EISs to incorporate GRSG Conservation Measures into Land Use Plans across the range of the species.

In March 2012, the Forest Service chartered an agency-specific strategy to coordinate with the BLM to develop new or revised regulatory mechanisms through LMPs to conserve and restore GRSG and its habitat on NFS lands on a range-wide basis. Also in March 2012, a Memorandum of Understanding between the Forest Service, BLM, and USFWS was signed to coordinate and cooperate in conducting environment analysis and preparing EISs for amendment of LMPs to incorporate conservation measures to protect, restore, and enhance for the GRSG.

Science-based decision-making and collaboration with State and local partners were fundamental to the National GRSG Planning Strategy. The LMPs and RMPs address threats to GRSG identified by State fish and wildlife agencies, the GRSG National Technical Team (NTT), the USFWS in the context of its listing determination, and the Conservation Objectives Team (COT) Report.

The NTT, comprised of BLM, USFWS, USGS, NRCS, and State specialists, completed *A Report on National Greater Sage-Grouse Conservation Measures* in December 2011

(<http://www.blm.gov/style/medialib/blm/co/programs/wildlife/Par.73607.File.dat/GrSG%20Tech%20Team%20Report.pdf>). This report identified science-based management considerations for the GRSG (e.g.,

conservation measures) necessary to promote sustainable GRSG populations that focused on the threats (75 FR 13910) in each of the regional Western Association of Fish and Wildlife Agencies (WAFWA) Sage-Grouse Management Zones. The NTT Report proposed conservation measures based on habitat requirements and other life history aspects of GRSG, and described the scientific basis for the conservation measures proposed within each program area. The Report also emphasized the importance of standardizing monitoring efforts across the WAFWA Sage-Grouse Management Zones (Figure 1).




Figure 1. Greater Sage-grouse WAFWA Management Zones, Priority Areas for Conservation, and Populations.

In 2012, the USFWS convened a Conservation Objectives Team (COT) consisting of State and Federal representatives to produce recommendations regarding the degree to which threats need to be reduced or ameliorated to conserve the GRSG so that it would no longer be in danger of extinction or likely to become in danger of extinction in the foreseeable future. The final, peer-reviewed Conservation Objectives Report, published in February 2013, (<http://www.fws.gov/greatersagegrouse/documents/COT-Report-with-Dear-Interested-Reader-Letter.pdf>) provided an overview of the threats to the GRSG's survival based upon the USFWS 2010 listing determination and an assessment of the extent to which these threats affected remaining GRSG populations.

Additional science-based reviews by the US Geological Survey (USGS Report Conservation Buffer Distance Estimates for GRSG – A Review (Open File Report 2014-1239) and related scientific literature provided further guidance on specific issues that arose in developing the Forest Service's LMPs and the BLM's RMP Revisions and Amendments.

The National GRSG Conservation Strategy has been coordinated under two administrative planning regions: the Rocky Mountain Region and the Great Basin Region. The regions were drawn roughly to correspond with the threats identified by USFWS in the 2010 listing decision, along with the WAFWA Management Zones (MZs) framework (Stiver et al. 2006). Due to differences in the ecological characteristics of sagebrush across the range of the greater sage-grouse, WAFWA delineated seven Management Zones (MZs I-VII) based primarily on floristic provinces. Vegetation found within a MZ is similar and sage-grouse and their habitats within these areas are likely to respond similarly to environmental factors and management actions. WAFWA management zones will be used to identify and address cross-state issues, such as regional mitigation and adaptive management monitoring and response, through WAFWA GRSG Conservation Teams.

The Great Basin Region is comprised of Forest Service planning efforts in Idaho, Nevada, Utah and portions of Wyoming. This region falls within WAFWA MZs III (Southern Great Basin), IV (Snake River Plain), and V (Northern Great Basin). The Rocky Mountain region is comprised of Forest Service planning efforts in Wyoming and Colorado. This region falls within WAFWA MZs I (Great Plains), II (Wyoming Basin) and a portion of VII (Colorado Plateau)

Consistent with the National Greater Sage-grouse Planning Strategy, the BLM prepared 15 EISs, with associated proposed RMP amendments and revisions in the Great Basin region (Idaho and Southwest Montana, Nevada and Northeast California, Utah, Oregon) and the Rocky Mountain region (Wyoming, Northwest Colorado, South Dakota, North Dakota, Montana). The Forest Service was involved in the development of five of the EISs; Idaho and Southwest Montana, Nevada and Northeast California, Utah, Wyoming, and Northwest Colorado. This ROD is supported by analysis completed in the three EISs in the Great Basin region; Idaho and Southwest Montana, Nevada and Northeast California, and Utah.

These three EISs provide a set of management alternatives focused on specific conservation measures across the range of the GRSG (Figure 2) to address the threats identified in the 2010 USFWS warranted but precluded determination. The BLM completed separate Records of Decisions (RODs) and RMPs under their planning authorities for both regions. These documents are posted at <http://www.blm.gov/wo/st/en/prog/more/sagegrouse.html>. The Forest Service Great Basin region and Rocky Mountain region RODs and the associated LMP amendments are available at: <http://www.fs.usda.gov/r4/>.



Figure 2. Greater Sage-grouse Planning Strategy Boundaries.

The draft LMP amendments/EISs incorporated analysis and input from the public, organizations, Native American Tribes, and local, state, and other federal agencies. The three draft environmental impact statements (DEIS) were published in the fall of 2013. The final environmental impact statements (FEIS) for the proposed LMP amendments were made available on May 29, 2015, for a 30-day protest period.

Planning Area

The Forest Service Great Basin planning area is composed of three sub-regional planning areas, Idaho/Southwest Montana (Boise, Beaverhead-Deerlodge, Caribou, Challis, Salmon, Sawtooth, and Targhee, National Forests, and the Curlew National Grassland), Nevada (Humboldt and Toiyabe National Forests), and Utah and Wyoming (Ashley, Dixie, Fishlake, Manti-LaSal, Wasatch-Cache, and Uinta National Forests). In addition to lands in Utah, the Utah sub-region planning area also includes portions of the Ashley, and Uinta- Wasatch- Cache National Forests that extend into the State of Wyoming. A separate draft and final EIS was prepared for each of the three sub-regions (Figure 3). Each sub-region conducted its own planning effort with input from local cooperators, stakeholders, and members of the public.




Figure 3. National Forest System Lands within the Great Basin Region Planning Area.

The Great Basin region planning area boundaries include all lands in the Great Basin region of the National Great Sage-grouse Planning Strategy, regardless of jurisdiction. Table A displays the amount of surface acres that are administered by specific Federal agencies, States, local governments, and lands that are privately owned in the GRSG Great Basin region planning area. The planning area includes other NFS lands that are not identified as habitat management

areas¹ for GRSG affected by these amendments. The LMP amendments do not establish any additional management direction for these lands, which will continue to be managed according to the existing land use plan for the areas.

Table A. Acres of Surface Land Management in the Forest Service Great Basin Region Planning Area.

Surface Land Management/Ownership	ID/SW MT	NV/NECA ¹	Utah	Total
BLM	12,449,000	45,359,000	20,387,200	78,195,200
Forest Service	13,252,400	9,719,900	7,396,300	30,368,600
Private	13,637,700	11,857,800	10,818,200	36,313,700
Bureau of Indian Affairs (tribal)	343,600	922,000	1,140,000	2,405,600
USFWS	121,900	805,900	121,900	1,049,700
Other	414,400	326,100	30,400	770,900
State	2,646,100	195,600	5,137,200	7,978,900
National Park Service	511,700	160,100	1,365,600	2,037,400
Other Federal	562,200	3,200	0	565,400
Bureau of Reclamation	116,300	431,200	800	548,300
Local government	0	17,800	0	17,800
Department of Defense	127,400	402,000	1,812,300	2,341,700
Total	44,182,700	70,200,600	48,209,900	162,593,200

Source: BLM GIS 2015.

¹ All NFS lands analyzed in the NV/NECA draft and final EISs are within Nevada.

² Data rounded to the nearest 100.

Decision Area

The Forest Service decision area for GRSG habitat management in the Great Basin region LMP amendments is NFS lands within GRSG habitat management areas and lek buffers outside habitat management areas (Figure 4). These amendments are limited to providing land use planning direction specific to conserving GRSG and its habitat.

¹ In the joint BLM and Forest Service FEISs, GRSG priority, important, other, and general habitat areas, were called “management areas,” which is a term already used in existing LMPs. To avoid confusion, the mapped areas of this decision with area-specific direction (priority, important, other, and general habitat management areas, Anthro Mountain, and sagebrush focal areas), are to be treated as “overlays” to existing management area in existing LMPs, rather than replacing those existing management areas.




Figure 4. National Forest System Lands within the Great Basin Region Decision Area.

To protect the most important GRSG habitat areas, the planning effort began with mapping areas of important habitat across the range of the GRSG. In collaboration with State fish and wildlife agencies, the BLM and the Forest Service identified areas as preliminary priority habitat (PPH) and preliminary general habitat (PGH). The draft land use plans used PPH and PGH to analyze the impacts of the decisions that the Forest Service and the BLM were proposing in the plans. PPH and PGH were identified as Priority Habitat Management Areas (PHMA) and General Habitat Management Areas (GHMA) in the Proposed LMP Amendments/FEISs to identify the management decisions that apply to those areas. The designated GRSG Habitat Management Areas on NFS lands in the decision area include: PHMA, GHMA, Other Habitat Management Areas (OHMA,

applicable only to Nevada); and Important Habitat Management Areas (IHMA, applicable only to Idaho). Table B identifies surface acres of habitat management areas in the decision area.

Table B. *Acres of Greater Sage-grouse Habitat Management Areas on National Forest System Lands in the Great Basin Region.*¹

National Forest System Surface Acres	PHMA	GHMA	OHMA	IHMA	Anthro Mountain	Total by sub-region
Idaho/SW Montana EIS	575,900	580,800		415,900		1,572,600
Nevada/NECA EIS	986,400	796,100	621,400			2,403,900
Utah EIS	736,700	80,500			41,200	858,400
Total						4,834,900

¹ Administrative boundaries were used to define NFS lands within each EIS. Non-NFS land inholdings were removed for these calculations.

² Data rounded to the nearest 100.

PHMA, GHMA, OHMA, IHMA, and Anthro Mountain are defined as follows:

- **PHMA** – NFS lands identified as having the highest habitat value for maintaining sustainable GRSG populations. The boundaries and management strategies for PHMAs are derived from and generally follow the Preliminary Priority Habitat boundaries. Areas of PHMAs largely coincide with areas identified as Priority Areas for Conservation (PACs) in the COT report (Figure 1).
- **GHMA** – NFS lands that are occupied seasonal or year-round habitat outside of PHMA where some special management would apply to sustain GRSG populations. The boundaries and management strategies for GHMAs are derived from and generally follow the Preliminary General Habitat boundaries.
- **OHMA** – In Nevada, NFS lands identified as unmapped habitat in the Draft LMP Amendment/EIS that are within the planning area and contain seasonal or connectivity habitat areas. With the generation of updated modeling data (Spatially Explicit Modeling of GRSG habitat in Nevada; Coates et al. 2014,) the areas containing characteristics of unmapped habitat were identified and are now referred to as OHMAs. Specific GRSG protective measures may be applied in OHMA at the project level.
- **IHMA** – In Idaho, high value habitat and populations that provide a management buffer for the priority and sagebrush focal management areas and connect patches of priority and sagebrush focal management areas. The areas encompass areas of generally moderate to high conservation value habitat and/or populations and, in some conservation areas, include areas beyond those identified by USFWS as necessary to maintain redundant, representative, and resilient populations. The areas are typically adjacent to priority and sagebrush focal management areas but generally reflect somewhat lower greater sage-grouse population status and/or reduced habitat value due to disturbance, habitat fragmentation, or other factors. No important habitat management areas are designated within the southwestern Montana conservation area
- **Anthro Mountain** – In Utah, based on a review of telemetry data, lek distribution data, the distribution of suitable habitat, and the presence of existing disturbance across the landscape, portions of Anthro Mountain, Utah were mapped as “Anthro Mountain” and, while not specifically designated as PHMA, they include the similar management allocations and actions as those applicable to PHMA.

The decision area also includes **sagebrush focal areas** (Figure 5), which are a sub-set of PHMA and are defined as follows:

- Areas identified by the U.S. Fish and Wildlife Service that represent recognized “strongholds” for greater sage-grouse that have been noted and referenced as having the highest densities of greater sage-grouse and other criteria important for the persistence of the species.




Figure 5. Greater Sage-grouse Sagebrush Focal Areas by Proclaimed National Forest System Unit.

SFAs maximize protection from new surface disturbance, given that they contain high-quality sagebrush habitat, highest breeding densities, have been identified as essential to conservation and persistence of the species, represent a preponderance of current federal ownership and, in some cases, are adjacent to protected areas that serve to anchor the conservation importance of the landscape.

The LMP amendments provide direction in SFAs to avoid future surface disturbance. In SFAs, there will be NSO with no exceptions for oil, gas, and geothermal development and a recommendation will be made that these areas be withdrawn by the Secretary of Interior from mineral entry under the General Mining Act of 1872, as amended. In SFAs, valid existing rights, as in all habitat, will be recognized and be able to proceed in accordance with their legal rights. Acres of SFAs on proclaimed national forest units (Table C) and on ranger districts (table D) in the Great Basin region are displayed below.

Table C. Acres Sagebrush Focal Areas within Proclaimed Forest Units in the Great Basin Region.¹

Proclaimed Forest	Acres
Ashley National Forest	0
Beaverhead-Deerlodge National Forest	0
Boise National Forest	0
Caribou National Forest	0
Challis National Forest	188,500
Curlew National Grassland	0
Dixie National Forest	0
Fishlake National Forest	0
Humboldt National Forest	566,600
Manti-La Sal National Forest	0
Salmon National Forest	900
Sawtooth National Forest	58,600
Targhee National Forest	100
Toiyabe National Forest	0
Uinta National Forest	0
Wasatch-Cache National Forest	47,700
Total	362,400

Source: FS GIS 2015.

¹ Data rounded to the nearest 100.

Table D. Acres Sagebrush Focal Areas within Ranger Districts in the Great Basin Region.¹

Administrative Forest	Ranger District	Acres
Caribou-Targhee National Forest	Dubois Ranger District	100
Humboldt-Toiyabe National Forest	Jarbidge Ranger District	176,700
Humboldt-Toiyabe National Forest	Mountain City Ranger District	218,300
Humboldt-Toiyabe National Forest	Santa Rosa Ranger District	172,200
Salmon-Challis National Forest	Challis Yankee Ranger District	23,900
Salmon-Challis National Forest	Leadore Ranger District	900
Salmon-Challis National Forest	Lost River Ranger District	164,600
Sawtooth National Forest	Minidoka Ranger District	58,600
Uinta-Wasatch-Cache National Forest	Logan Ranger District	700
Uinta-Wasatch-Cache National Forest	Ogden Ranger District	47,000
Total		863,000

Source: FS GIS 2015.

¹ Data rounded to the nearest 100.

As new information about GRSG habitat becomes available, including seasonal habitats, in coordination with the State wildlife agency and USFWS, and based on best available scientific information, the Forest Service may revise the GRSG habitat management area maps and associated management decisions through LMP amendment/revision, as appropriate.

DECISION²

This ROD approves the four Great Basin region sub-regional LMP amendments to the existing LMPs (Table E) for NFS lands in Idaho and Southwest Montana (Attachment A, maps 1 to 6), Nevada (Attachment B, map 1), and Utah (Attachment C, maps 1 to 6), and lands on the Uinta-Wasatch-Cache, and Ashley National Forests in the Utah sub-region that are located within the boundaries of the State of Wyoming (Attachment D; Attachment C maps 2 and 6)(figure 4). This ROD and the LMP amendments apply only to NFS lands within the Great Basin region and do not affect valid existing rights on said lands.

Table E. Land Management Plans in Idaho, Southwest Montana, Utah, and Nevada Amended by this Decision.

Sub-region	National Forest System Unit	Date of Current LMP
Idaho and Southwest Montana	Beaverhead-Deerlodge National Forest	2009
	Boise National Forest	2003
	Caribou National Forest	2003
	Challis National Forest	1987
	Curlew National Grassland	2002
	Salmon National Forest	1988
	Sawtooth National Forest	2003
	Targhee National Forest	1997
Nevada	Humboldt National Forest	1986
	Toiyabe National Forest	1986
Utah/Wyoming	Ashley National Forest	1986
	Dixie National Forest	1986
	Fishlake National Forest	1986
	Manti-La Sal National Forest	1986
	Uinta National Forest	2003
	Wasatch-Cache National Forest	2003

In the three Great Basin region DEISs, the Forest Service considered five action alternatives and a no-action alternative (see Alternative sections below). The action alternatives included the preferred alternative (Alternative D in Idaho and Southwest Montana, Nevada, and Utah, also Alternative E in Idaho only, and Alternative D in those portions of the Utah sub-region in Wyoming).

In developing the proposed LMP amendments for the FEIS, modifications were made to the preferred alternative in the DEISs. The modifications were based on public comments, internal review, new information, best available science, the need for clarification in the plans, and ongoing coordination with States and other stakeholders across the range of the GRSG. This decision selects Alternative D (Idaho and Southwest Montana, Nevada, and Utah) and Alternative E (Idaho and Southwest Montana) from the FEISs, with modifications. The proposed LMP amendments in the

² If any inconsistencies exist between the language contained in this Record of Decision and the land management plan amendments, the language as written in the land management plan amendments will prevail.

FEISs, with slight variations (see Modification and Clarification section), became the attached LMP amendments.

The attached LMP amendments (Appendices A, B, C, and D) provide conservation measures to conserve, enhance, and restore GRSG and its habitat by reducing, eliminating, or minimizing threats to GRSG and its habitat. LMP direction is expressed as desired conditions, objectives, standards and guidelines. The NTT Report contained appendices that provided best management practices, some of which were determined to be necessary to meet the purpose and need have been incorporated into the attached LMP amendments as guidelines.

Mitigation will be required that provides a net conservation gain to the GRSG including consideration of any uncertainty associated with the effectiveness of such mitigation. Implementation of the LMP amendment direction within the designated GRSG habitat management areas will be consistently and systematically monitored. Management decisions will be adjusted through an adaptive management process consistent and in accordance with applicable law. Mitigation, monitoring, and adaptive management details are provided in those sections below.

The Forest Service will assess and address impacts from activities using the lek buffer-distances as identified in the USGS Report Conservation Buffer Distance Estimates for GRSG – A Review (Open File Report 2014-1239). This decision incorporates the buffers as guidelines in the LMPs. Lek buffer details are provided in that section below.

A disturbance cap of 3% in PHMA was established in accordance with recommendations contained in the NTT Report in the Great Basin region. Disturbance will be calculated based on established Biologically Significant Units³ developed by interagency teams for each of the three planning efforts in the Great Basin region, as well as at the proposed project scale analysis area, and will include proximity to leks in the calculation. Southwestern Montana will use a 3% disturbance cap until the State of Montana Strategy, which uses a 5% disturbance cap for all lands and all disturbances, is fully implemented. The BLM in Montana has developed conditions to be met before the change in the disturbance cap. Discretionary activities that might result in disturbance above 3% (5% in Montana when fully implemented) at the Biologically Significant Unit and proposed project area would be prohibited unless approved by the forest supervisor with concurrence from the regional forester after review of new or site-specific information that indicates the project would result in a net conservation gain at the Biologically Significant Unit and proposed project area scale.

The LMP amendments for Anthro Mountain and Wyoming also incorporated a cap on the density of energy facilities to encourage consolidation of structures and to reduce habitat fragmentation. The cap is set at an average of one facility per 640 acres in PHMA in a project authorization area.

Within PHMA, the LMP amendments provide an added level of protection to limit or eliminate new surface disturbance through the delineation of SFAs, derived from areas identified by the USFWS as “strongholds” essential for the species’ survival. Details regarding SFAs are provided in that section below.

³ A geographical/spatial area within GRSG habitat that contains relevant and important habitats that is used as the basis for comparative calculations to support evaluation of changes to habitat. A Biologically Significant Unit, or subset of the unit, is used in the calculation of the anthropogenic disturbance threshold and in the adaptive management habitat trigger.

Although management direction identified in the LMP amendments is final and effective upon the signing of this ROD, they do not commit the Forest Service to on-the-ground site-specific projects or actions (for exceptions see Transition section below). Subsequent NEPA analysis may be conducted, as necessary, for such implementation actions.

The LMP amendment decisions are made in accordance with the transition provisions of the current planning regulations, which permit use of the 1982 regulations for the purpose of amending the plans. However, in accordance with the current regulations at 36 CFR 219.17(c), no obligations remain for project planning from the 1982 regulations.

The LMP amendments include direction that addresses mitigation, monitoring, and adaptive management strategies, which were described in the FEISs. However, the FEISs discuss the strategies in narrative form and contain extraneous information, which is not appropriate for inclusion in LMP amendment language. The Forest Service has clearly and succinctly captured the substance of the mitigation, monitoring, and adaptive management strategies from the FEIS to include as forest plan direction in the attached LMP amendments for Idaho and Southwest Montana, Utah, and Nevada (Appendices A, B, C, and D).

The LMP amendments incorporate GRSG and GRSG habitat plan-level management decisions as:⁴

Desired conditions – Descriptions of specific social, economic, and/or ecological characteristics of the plan area, or a portion of the plan area, toward which management of the land and resources should be directed. Desired conditions must be described in terms that are specific enough to allow progress toward their achievement to be determined, but do not include completion dates.

Objectives – Concise, measurable, and time-specific statements of a desired rate of progress toward a desired condition or conditions. Objectives should be based on reasonably foreseeable budgets.

Standards – Mandatory constraints on project and activity decision making, established to help achieve or maintain the desired condition or conditions, to avoid or mitigate undesirable effects, or to meet applicable legal requirements.

Guidelines – Constraints on project and activity decision making that allows for departure from its terms, so long as the purpose of the guideline is met. Guidelines are established to help achieve or maintain a desired condition or conditions, to avoid or mitigate undesirable effects, or to meet applicable legal requirements.

⁴ Plan component definitions are based on generally accepted meanings under the 1982 rule and the Forest Service Plan Wording Style Guide 2009, http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5260265.pdf.

DECISION RATIONALE

The approved LMP amendments meet the purpose and need to identify and incorporate appropriate LMP decisions to conserve, enhance, and restore GRSG habitat by reducing, eliminating, or minimizing threats to GRSG habitat. They provide management direction through desired conditions, standards and guidelines regarding what can and cannot occur on NFS lands in the Great Basin region in GRSG habitat. These standards and guidelines are intended to reduce the disturbances occurring in the habitat and for the disturbances that do occur, to limit the duration, timing, and location of activities to best protect GRSG during all of its life stages. Implementation of the direction contained in the standards and guidelines may require additional analysis at the time of project- and activity-specific proposals.

This decision provides the best opportunity for a balance of management activities to respond to the purpose and need, issues, and public comments. This decision seeks to balance interests of the public at large and those with special interests in the resources of the planning area while providing standards and guidelines that will conserve, enhance, or restore sagebrush and associated habitats for the long-term viability of the GRSG. These interests include managing future forest and grassland activities to provide sustainable habitat conditions, while continuing to provide for recreation and access opportunities, livestock grazing, access to locatable mineral resources, development of renewable energy resources, and active habitat restoration efforts on NFS lands in accordance with the Multiple-Use Sustained-Yield Act of 1960, NFMA, and the existing LMPs. While meeting these interests, the decision provides methods to achieve resilient and resistant ecosystems, and improve GRSG habitat.

The LMP amendments provide a comprehensive and effective conservation strategy for addressing the threats identified by the USFWS such that the need for additional protections under the ESA may be avoided. The LMP amendment strive to conserve the GRSG and its habitat on NFS lands in the Great Basin region consistent with measures identified or recommended in the NTT or COT reports.

The suite of desired conditions, objectives, standards, and guidelines in the LMP amendments increases the regulatory mechanisms and reduces the former amount of implementation flexibility that the USFWS described in its 2010 finding. Standards and guidelines have been developed to provide direction for the potential activities that can occur in GRSG habitat. Standards may only be modified or removed through an LMP amendment. Guidelines are written with inherent flexibility for site-specific project adjustments. However, if an adjustment is necessary to effectively address specific circumstances, it must be supported by analysis that the purpose for the guideline can still be effectively met. A LMP amendment is necessary to remove the applicability of the guideline to the project.

This decision is consistent with all laws, regulations, and agency policy. The potential direct, indirect, and cumulative effects and reasonably foreseeable activities have been considered. The potential impacts identified in the FEISs and the potential for irreversible and irretrievable commitment of resources in the project area have also been considered. This ROD is based on the documentation in the FEISs and the associated project record, public comments, and the DEISs.

With the above in mind, this decision meets the purpose and need to identify and incorporate appropriate regulatory mechanisms to conserve, enhance, and/or restore GRSG habitats by reducing, eliminating, or minimizing threats to GRSG habitat. Amending the LMPs will provide long-term consistency in managing sage-grouse habitat on National Forest System lands in the Great Basin region.

How the Decision Addresses the Threats

In the context of its 2010 finding, the USFWS identified a number of specific threats to GRSG in the Great Basin region. This section highlights the major plan components that are included in the attached LMP amendments that were developed to address threats to the GRSG and its habitat as identified in the USFWS 2010 listing determination and COT Report.

Habitat Conversion to Agriculture

Managing National Forest System lands for desired conditions will minimize or eliminate the threat of agricultural conversion. Furthermore, lands classified as PHMA and GHMA will be retained in Federal management unless: (1) the agency can demonstrate that disposal of the lands will provide a net conservation gain to the GRSG or (2) the agency can demonstrate that the disposal of the lands will have no direct or indirect adverse impact on conservation of the GRSG. In Idaho, Important Habitat Management Areas (IHMA) would also be retained. In Nevada, the majority of Other Habitat Management Area (OHMA) lands would also be retained. In Utah, habitat in Anthro would also be retained. Retaining these lands under Federal management will secure a base level of lands available to provide GRSG habitat.

Urbanization

Urban and exurban development results in direct and indirect negative effects on GRSG including direct and indirect habitat losses, disturbance, and introduction of new predators and invasive plant species.

Lands classified as PHMA and GHMA will be retained in Federal management unless: (1) the agency can demonstrate that disposal of the lands will provide a net conservation gain to the GRSG or (2) the agency can demonstrate that the disposal of the lands will have no direct or indirect adverse impact on conservation of the GRSG. In Idaho, IHMA would also be retained and in Nevada, the majority of OHMA lands would be retained. In Utah, habitat in Anthro would also be retained. Retaining these lands under federal management will secure a base level of lands available to provide GRSG habitat. The Forest Service is also addressing the threat of urbanization through restrictions on infrastructure including roads, power lines, and other features that result in direct and indirect negative impacts on GRSG and its habitat. The management actions associated with restrictions on infrastructure are described in a following subsection.

Infrastructure

Development of infrastructure (e.g., roads, pipelines, power lines, cellular towers) results in habitat loss and fragmentation and may cause GRSG habitat avoidance. Additionally, infrastructure can provide sources for the introduction of invasive plant species and predators.

Generally, new development would not be authorized, be restricted, or be allowed only if it resulted in a net conservation gain to the GRSG or its habitat. In all instances, any adverse impacts associated with development would be compensated with habitat protection or restoration activities that produce a net conservation gain for the GRSG. While the majority of restrictions apply to PHMA, restrictions on development in GHMA are less stringent and can accommodate a limited amount of disturbance. Effects of infrastructure projects, including siting, will be minimized using the best available science, updated as monitoring information on current infrastructure projects becomes available.

In all PHMA in the Great Basin region and on the portions of the Uinta-Wasatch-Cache, Ashley National Forests that extend into the State of Wyoming,, new rights of way and development for transmission lines, pipelines, and related infrastructure will be avoided by placing restrictions on land use authorizations. Minor rights-of-way, including roads, are also restricted in PHMA. Exceptions would be limited and based on rationale that explicitly demonstrates that adverse impacts will be avoided or that residual impacts could be mitigated.

In all PHMA in the Great Basin region, development of tall structures should be restricted within 2.0 miles from the perimeter of occupied leks. Also, new recreation facilities or expansion of existing facilities would not be authorized in PHMA, unless necessary for visitor safety or doing so results in a net conservation gain to GRSG or their habitats.

GHMA in Utah and Idaho would be available to rights-of-way for infrastructure due to the limited extent of the habitat as well as the large percentage of GRSG contained in PHMA in those states. While the majority of restrictions apply to PHMA on those portions of the Uinta, Wasatch, Cache, Ashley National Forests that extend into the State of Wyoming, restrictions on development in GHMA are less stringent and can accommodate a limited amount of disturbance.

In the three Great Basin region LMP amendments, renewable energy development (solar and wind) will not be authorized in PHMAs. On those portions of the Uinta, Wasatch, Cache, Ashley National Forests that extend into the State of Wyoming, utility-scale and/or commercial energy development in PHMA will be restricted.

Also, new recreation facilities or expansion of existing facilities would not be authorized in PHMA on those portions of the Uinta, Wasatch, Cache, Ashley National Forests that extend into the State of Wyoming, unless necessary for visitor safety or doing so results in a net conservation gain to GRSG or their habitats.

Recreation, Commercial Use, and Travel Management

Recreational activities within GRSG habitats can result in habitat loss and fragmentation (e.g., creation of unauthorized routes) and both direct and indirect disturbance to the birds (e.g., noise, disruptive lek viewing, and dispersed camping).

In the three Great Basin region LMP amendments and those portions of the Uinta, Wasatch, Cache, Ashley National Forests that extend into the State of Wyoming, to minimize habitat loss and disturbance, authorization of new temporary recreation facilities or activities that result in loss of GRSG habitat or would have long-term negative impacts on GRSG or their habitats will not be approved. New facilities or expansion of existing facilities (e.g., roads, trails, camp grounds)

will not be authorized on NFS lands unless the development results in a net conservation gain to GRSG habitat or is necessary for visitor safety. During renewal, amendment, or reauthorization, terms and conditions in existing permits and operating plans will be modified to protect and/or restore GRSG habitat. On NFS lands, travel is limited to designated roads and trails within the forest transportation system as shown on official motor vehicle use maps.

Fire

Fire represents one of the most immediate threats to GRSG habitat. Annual invasive grasses are prone to frequent, recurring wildland fire, which further exacerbates the conversion of habitat to annual invasive grasses. Recognizing the nature and extent of this threat, the LMP amendments include specific guidance to fight the spread of cheatgrass and other invasive species, position wildland fire management resources for more effective rangeland fire response, and accelerate the restoration of fire-impacted landscapes to native grasses and sagebrush. In addition, the LMP amendments include guidance that restricts prescribed fire use in 12-inch or less precipitation zones unless necessary to facilitate restoration of GRSG habitat consistent with desired conditions or for pile burning. The exception for pile burning does not apply on the NFS lands in the Utah sub-region that are located within the boundaries of the State of Wyoming: Uintah, Wasatch, Cache and Ashley National Forests. If prescribed fire is for restoration the associated NEPA analysis must identify how the project would move towards GRSG desired conditions, why alternative techniques were not selected, and how potential threats to GRSG habitat would be minimized.

Resilience and resistance concepts that were incorporated into the draft and final EISs focus, on restoring GRSG habitats to provide the greatest conservation benefit to GRSG populations. The Fire and Invasives Assessment Team (FIAT) is an interagency approach developed by managers and scientists to identify, protect, and restore sagebrush communities. It includes a step-wise process by which habitat conservation, restoration, and rehabilitation is applied to specific areas deemed important to these populations.

Strategies to prevent, suppress, and restore fire-impacted landscapes will be identified by the Fire and Invasives Assessments for all Sage-grouse management habitat areas in the Great Basin region. These Assessments will provide a list of findings, recommendations, and considerations to protect, maintain, and enhance GRSG habitat. The Assessments will also include a spatially consistent, repeatable landscape prioritization process to capture resistance to invasive annual grasses and resilience to disturbance principles. Lastly, the Assessments will compare the importance of GRSG habitat relative to the level or magnitude of the threat for fire operations, fuels management, invasive species, conifer encroachment, and restoration/Burned Areas Emergency Rehabilitation. The intent of the landscape prioritization is to help inform where management actions and out-year program planning would be most advantageous for the forest or grassland to conserve, protect, and enhance GRSG habitat.

In all fire responses, the first priority is the management of risk to firefighters and the public. GRSG habitat will be protected from loss due to unwanted wildfires or damages resulting from management related activities, while using Forest Service risk management protocols to manage for firefighter and public safety and other high priority values.

Invasive Plants

The establishment of annual grass species, particularly cheatgrass, into the sagebrush ecosystem has had profound impacts on GRSG habitats in the Western United States. Annual grass species provide a fuel source for wildfire ignitions that have altered (shortened) fire periodicity and replaced millions of acres of historically suitable GRSG sagebrush habitat with annual grasslands. With each subsequent fire, ecological conditions increasingly favor annual grasses, with a corresponding decline of native grasses and forbs as well as a decline in the sagebrush itself. While other invasive plant species may degrade ecosystem function, the USFWS identified annual grass species as one of the primary threats facing GRSG and its habitat, particularly in Great Basin region environments.

These LMP amendments have specific guidance, which is consistent with the current science, to address the threat from invasive species on the remaining sagebrush habitat and to restore habitats that have been altered as a result of invasive species encroachment, with the objective of establishing 10 to 30% sagebrush canopy cover on 70% or more of lands capable of producing sagebrush. The LMP amendments also have guidance that aims for a variety of sagebrush-community compositions without invasive species within greater sage-grouse landscapes.

When treating sagebrush habitats, resilience and resistance concepts (FIAT) will be applied to prioritize and implement project decisions based on the LMP amendments. Fire and fuels projects will be focused on retention of sagebrush dominated communities that are important to the current connectivity of GRSG populations. Restoration projects will focus on sagebrush communities where site conditions and management actions favor the recovery of perennial grass and forb species as understory components in sagebrush communities that are being encroached by invasive species. Rehabilitation projects will focus on the of recovery post-fire sagebrush communities where sagebrush habitats have been largely replaced by annual grasslands. These areas require intensive reclamation actions and may take decades before they can function as GRSG habitats.

Conifer Encroachment

GRSG are negatively impacted by the expansion of conifers in their habitat. GRSG avoid these areas of expansion, and as the conifers increase in abundance and size, the underlying habitat quality for GRSG diminishes and the overall availability of sagebrush is reduced. Additionally, conifers can provide habitat for predators, increasing mortality of GRSG.

Management of lek habitat includes managing the vegetation such that there are either no trees or they are uncommon within 1.86 miles of leks and removing conifers that are encroaching into GRSG habitat, with the objective of less than 10% conifer canopy cover. Persistent woodlands will be avoided when removing encroaching conifers.

In the Great Basin region, excluding the NFS lands in the Utah sub-region that are located within the boundaries of the State of Wyoming, this decision forecasts site-specific project work to remove conifers for the next 50 years. NFS units will remove invading conifers and other undesirable species based on estimates of treatments required to achieve and/or maintain the desired habitat conditions for GRSG.

Grazing

Livestock grazing will be managed to achieve or maintain desired conditions in GRSG seasonal habitats, as described in table 1 of the attached LMP amendments. For breeding and nesting, a lek-centric approach will be applied to vegetation management for grazing that is independent of PHMA, GHMA, IHMA, or SFA designations. Grazing guidelines will apply in GRSG habitat on NFS lands within a buffer distance of 4 miles (Nevada and Utah), 6.2 miles (Idaho and Southwest Montana), and 5.3 miles on those portions of the Uinta, Wasatch, Cache, and Ashley National Forests that extend into the State of Wyoming around all occupied leks (those occurring both on and off NFS lands) as well as new leks discovered and documented by the State. These buffer distances represent an area where approximately 90% of the hens from a lek may nest based upon state specific data.

Specifically, livestock grazing would be managed to maintain residual perennial grass height to provide for adequate GRSG nesting cover to increase the likelihood of successful nests. Grazing guidelines are described in Table 3 of the attached Great Basin region LMP amendments and Table 2 for the NFS lands in the Utah sub-region that are located within the boundaries of the State of Wyoming. During the breeding and nesting season, perennial grass height should be allowed to grow to at least or maintained at a height of 7” until June 15 in Idaho/Montana and Utah and until June 30 in Nevada and on those portions of the Uinta, Wasatch, Cache, and Ashley National Forests that extend into the State of Wyoming, to provide essential concealment cover to protect nesting GRSG from predation. After eggs hatch, 4” of perennial grass cover should be maintained in the uplands throughout the summer and into the fall. This provides 4” of residual perennial cover the following spring during lekking and nest initiation in March and April before spring growth. Grazing guidelines may be adjusted based upon local ecological site capability. Drought and degraded habitat condition should not be used to adjust table values.

During the brood-rearing season as upland vegetation dries out in mid/late summer, broods move to riparian/mesic areas that are rich in forbs and insects. When grazing occurs during the brood-rearing/summer season, an average of 4” of herbaceous vegetation should be retained in riparian/ mesic meadows. Due to extensive dispersal capabilities of broods, riparian/mesic meadow herbaceous vegetation will be retained in all GRSG habitat with greater than 10% sagebrush cover irrespective of lek buffers to provide essential brood-rearing habitat for young GRSG. All GRSG habitat will be identified with local field verification.

Sheep camps would not be located within 1.2 miles from the perimeter of a lek during lekking season, and the trailing of livestock would be minimized during breeding and nesting seasons.

When grazing permits are waived without preference or obtained through permit cancellation, the full range of administrative authorities for future allotment management, including, but not limited to allotment closure, vacancy status for resource protection, establishment of forage reserve, re-stocking, or livestock conversion as management options to maintain or achieve desired habitat conditions would be considered.

Range Management Structures

Structures that support range management activities can have negative impacts on GRSG habitats by increasing fragmentation (e.g., fences and roads) or diminishing habitat quality (e.g.,

concentrating ungulates in winter habitats). Fences can have both a positive and negative impact on GRSG and its habitat.

Range developments that do not impact GRSG or that provide a conservation benefit to GRSG, such as the positive impact of fences for protecting important seasonal habitats, may be permitted. Under this decision, the negative impact of fences on GRSG will be minimized. Methods to be applied include marking fences in high-risk areas for collision and locating fences to limit or eliminate the impact on GRSG.

This decision also applies additional guidance to range management improvements in priority GRSG habitat compared to current plan direction. These include prohibiting fence construction or reconstruction within 1.2 miles from the perimeter of occupied leks unless the collision risk can be mitigated through design features or markings, not constructing new permanent livestock facilities (e.g., windmills, water tanks, corrals) and not constructing water developments in priority habitat unless they are beneficial to GRSG. An example of a water development that is beneficial to GRSG is a trough that has a functional overflow pipe that transports water away from the trough and creates a wet area that may provide increased forbs and insect diversity. Exclusion of livestock from the wet area established to benefit GRSG may be necessary.

On NFS lands in the Utah sub-region that are located within the boundaries of the State of Wyoming, livestock facilities, except fences, should not be constructed within 0.6 miles from the perimeter of occupied leks in PHMA. In GHMA, new permanent livestock facilities should not be constructed within 0.25 miles of occupied leks.

Free-roaming Equids

(Nevada and Idaho and Southwest Montana only)

Within PHMAs, GMHAs and SFAs, the Appropriate Management Levels (AMLs) for Wild Horse and Burro (WHB) Territories may be adjusted where GRSG management standards are not being met due to degradation that is at least partially attributed to WHB populations. Management of WHB territories within PHMAs, GHMAs and SFAs will consider 1) prioritizing gathers when WHB exceed upper limit of established AMLs, 2) managing at the lower limit of the AMLs, 3) removal of wild horse and burros outside of WHB territories and 4) exclusion of wild horse and burros immediately following an emergency situation, such as fire, floods or drought.

Energy Development

With the exception of a few areas in Utah and in eastern Nevada, there is low potential for fluid minerals in the Great Basin region. However, to ameliorate any threat to GRSG and its habitat from energy development, the Forest Service will limit energy development in PHMAs. Specifically, with the exception of Nevada for geothermal leasing, all PHMA will be managed as No Surface Occupancy (NSO) without waivers or modifications for fluid mineral leasing. Exceptions could be granted, with unanimous concurrence from a team of agency GRSG experts from the USFWS, Forest Service, and State wildlife agency, if there would be no direct, indirect, or cumulative effects to GRSG or their habitats or granting the exception provides an alternative to a similar action occurring on a nearby parcel and the exception provides a clear net

conservation gain to GRSG. SFAs also have a NSO stipulation and there will be no waivers, exceptions, or modifications for fluid mineral leasing.

On NFS lands in the Utah sub-region that are located within the boundaries of the State of Wyoming, the Forest Service will limit energy development in PHMAs. Exceptions must be limited (e.g., safety needs) and based on rationale (e.g., monitoring, modeling, or best available science) that explicitly demonstrates that adverse impacts to GRSG will be avoided with the exception.

Leks in GHMAs are also protected through controlled surface use and timing limitation stipulations, for leasing fluid minerals, which would ensure that habitat is protected during seasonal use.

Impacts from existing projects to GRSG populations will be reduced to the maximum extent possible within the conditions of the existing lease. Forest Service staff will encourage new development on non-habitat acres in PHMA, co-location of drilling rigs and infrastructure for existing development, and new development outside of PHMA, where possible.

As an additional measure to reduce surface disturbance in GRSG habitat, the LMP amendments include language to limit disturbance and surface occupancy to areas least harmful to GRSG and to work with operators to minimize impacts to GRSG and their habitat, such as locating facilities in non-habitat areas first and then in the least suitable habitat.

In PHMAs, solar and wind development will not be authorized and, with the exception of Idaho and Utah (for wind only), development in GHMAs will be restricted. Development in GHMA would only be authorized if it could be demonstrated that potential projects had no impact or that residual impacts to GRSG and its habitat could be mitigated. On those portions of the Uinta, Wasatch, Cache, Ashley National Forests that extend into the State of Wyoming, utility-scale and/or commercial energy development in PHMA will be restricted.

Additionally, the Forest Service will not issue new discretionary authorizations in PHMA unless all existing discrete anthropogenic disturbances cover less than 3% of the total GRSG habitat within the Biologically Significant Unit and the proposed project area, regardless of ownership, and the new use will not cause exceedance of the disturbance cap.

On NFS lands in the Utah sub-region that are located within the boundaries of the State of Wyoming, the Forest Service will not authorize surface disturbance and disruptive activities in PHMA and SFAs unless all existing discrete anthropogenic disturbances cover less than 5% of the suitable habitat in the surrounding area using the current Density Disturbance Calculation Tool process or its replacement and the new use will not cause exceedance of the 5% disturbance cap. A cap on the density of energy and mining facilities will encourage consolidation of structures and reduce habitat fragmentation. Additionally on these NFS lands, energy and mining activities are limited to no more than an average of one pad or mining operation per 640 acres in a proposed project area in PHMA.

Mining

To address the threat to GRSG habitat posed by mining activities, the Forest Service LMP amendments include the following direction:

Coal: When consenting to new underground coal leases, the Forest Service will include a lease stipulation prohibiting the location of surface facilities in PHMA. The Forest Service will not authorize new appurtenant surface facilities for related to existing underground mines unless no technically feasible alternative exists.

On NFS lands in the Utah sub-region that are located within the boundaries of the State of Wyoming, stipulations, as described under the timing, distance, density, and disturbance section of the attached Wyoming LMP amendment, would be applied to coal exploration and new coal lease projects

Leased Fluid Minerals: Leaseholders will be required to avoid and minimize surface disturbances and disruptive activities consistent with the rights granted in the lease.

Locatable Minerals: A portion of the SFAs, if they overlap with designated Wilderness, within the planning area are currently withdrawn from mineral development. The Forest Service will recommend to the Secretary of the Interior that areas, not already withdrawn, be withdrawn from locatable mineral entry under the General Mining Act of 1872, as amended, subject to valid existing rights. All other lands not previously withdrawn will remain open to locatable mineral development in accordance with the General Mining Act of 1872, as amended.

Mineral Materials: PHMAs are closed to new mineral material sales except for free use permits and the expansion of existing active pits if the following criteria are met: the proposed activity is within the disturbance cap; the activity is subject to the mitigation framework; and all other applicable LMP amendment direction is met.

On those portions of the Uinta, Wasatch, Cache, Ashley National Forests that extend into the State of Wyoming, mineral material permits will be subject to all timing, distance, density, and disturbance restrictions and will include appropriate requirements for reclamation of the site to maintain, restore, or enhance desired habitat conditions.

Non-energy Leasable Minerals: The Forest Service will recommend to the BLM that that expansion or readjustment of existing leases avoid, minimize, or mitigate effects to GRSG. Recommendation to the BLM will also be made to protect GRSG and its habitats when issuing prospecting permits, exploration licenses and leases, or readjusting leases.

Unleased Fluid Minerals: In PHMAs, any new oil and gas leases must include a no surface occupancy stipulation. There will be no waivers or modifications. In SFAs, there will be no surface occupancy and no waivers, exceptions, or modifications for fluid mineral leasing.

On those portions of the Uinta, Wasatch, Cache, Ashley National Forests that extend into the State of Wyoming, in PHMAs and GHMAs, new oil and gas leases may be offered consistent with and subject to the leasing stipulations in the timing, distance, density, and disturbance section of the plan amendment.

Climate Change

The implications of climate change pose significant concern in the conservation of GRSG and its habitat. The LMP amendment direction focuses on areas that have the greatest potential for conserving and restoring the connectivity of sagebrush habitats that are most important to GRSG populations. Hence, management priorities focus on ensuring the resilience of sagebrush habitats that provide opportunities for preserving ecosystem resiliency and connectivity for those habitats important to GRSG populations.

The LMP amendments and supporting documents accomplish this in several ways. The habitat designations identify specific geographic areas where management actions focus on retaining system resiliency for GRSG populations. For example, management guidance in the LMP amendments sets goals and objectives and describes habitat conservation and restoration measures intended to build resilience in the sagebrush steppe landscape to the impacts of climate change. The coordinated landscape approach to addressing rangeland fire and invasive species described in the Integrated Rangeland Fire Management Strategy (http://www.forestsandrangelands.gov/rangeland/documents/IntegratedRangelandFireManagementStrategy_FinalReportMay2015.pdf) will further this effort. The FIAT assessments were used to support development of the fire management strategies that are specifically designed to identify landscapes of high resistance and resilience and to provide management direction in prioritizing conservation and management actions. Additionally, by limiting or eliminating anthropogenic surface disturbance in GRSG habitats, particularly in contiguous SFAs, and restoring habitat through mitigation efforts, the connectivity and availability of sagebrush habitat are expected to increase, thus contributing to the resiliency of these habitats under a changing climate.

Disease and Predation

West Nile Virus is a significant mortality factor for GRSG when an outbreak occurs, given the bird's lack of resistance and the increase of water sources associated with development throughout the range of the species. Where GRSG habitat is not limited and is of good quality, predation is not a significant threat to the species. Landscape fragmentation and improper grazing that reduces concealment cover increases the effects of predation on this species, potentially resulting in a reduction in GRSG productivity and abundance in the future.

The Forest Service does not have primary management authority for either disease or predator management related to wildlife resources, including GRSG. However, project design features during implementation will reduce habitat that supports disease vectors and will minimize opportunities for predation events. Limiting disturbance will also reduce new opportunities for avian predator perches and nesting structures. In addition, the Forest Service will continue to collaborate with State agencies and other partners when efforts focused on GRSG disease or predation reduction are implemented.

Other Plan Direction

This section highlights other components that are presented in the attached LMP Amendments that were developed to maintain, restore, or enhance GRSG and its habitat.

Monitoring

The Forest Service will monitor the implementation of the LMP amendment direction within the designated GRSG habitat management areas (i.e., PHMAs, GHMAs, IHMAs, OHMAs, and Anthro Mountain). This monitoring will be based on The Greater Sage-Grouse Monitoring Framework developed by the Interagency Greater Sage-Grouse Disturbance and Monitoring Sub-team, May 30, 2014. The Framework describes the currently expected course of action to implement GRSG monitoring and includes methods, data standards, and intervals of monitoring at broad- and mid-scales; consistent indicators to measure descriptions for each of the scales; analysis and reporting methods; and the incorporation of monitoring results into adaptive management.

The Monitoring Framework describes how the Forest Service expects to conduct implementation monitoring (i.e., are decisions being implemented in a timely manner, are actions taken consistent with the plan decisions and are the decisions and implementation actions achieving the desired conservation goals) and effectiveness monitoring of the LMP amendments decisions. Effectiveness monitoring includes monitoring disturbance in habitats, as well as landscape habitat attributes. To monitor habitats, the Forest Service expects to measure and track attributes of GRSG habitat management areas at the broad scale and attributes of habitat availability, patch size, linkage/connectivity habitat, edge effect, and human disturbances at the mid-scale. Disturbance monitoring should measure and track changes in the amount of sagebrush in the landscape and changes in the human footprint, including changes in density of energy development.

The Framework also describes the need for fine-scale and site-specific habitat monitoring that may vary by area depending on existing conditions, habitat variability, threats, and land health. Indicators at the fine and site scales should be consistent with the Sage-Grouse Habitat Assessment Framework; however, the values for the indicators could be adjusted for local conditions.

The Framework includes methods for analyzing and reporting for districts, forests, and regions; geospatial and tabular data for disturbance mapping (e.g., geospatial footprint of new permitted disturbances); and management action effectiveness. An annual Implementation Monitoring Report will describe the number and types of authorized actions in each of the sage-grouse management areas and will document whether the authorized actions are in conformance with the applicable LMP.

The Monitoring Framework, Appendix A to the LMP amendments describes the expected management approach to implement monitoring.

Mitigation

When authorizing new land uses that result in habitat loss or degradation, the Forest Service will require mitigation that provides a net conservation gain to the GRSG. Analysis of mitigation will include consideration of any uncertainty associated with the effectiveness of such mitigation. This will be achieved by avoiding, minimizing, and compensating for impacts by applying beneficial mitigation actions. Mitigation will follow the regulations from the Council on Environmental Quality (40 CFR, Part 1508.20 Mitigation; e.g. avoid, minimize, and compensate). Any compensatory mitigation for residual impacts to GRSG will be durable, timely, and in addition to what would have resulted without the compensatory mitigation. Appendix B to the attached LMP amendments describes the currently expected course of action to implement this GRSG mitigation.

In Nevada, the Forest Service is working with the BLM to develop a framework to use the State's Conservation Credit System (CCS). The Forest Service may pilot the use of the State of Nevada's CCS to enhance mitigation options, improve habitat on NFS lands by authorizing credit development projects, and provide for mitigation where the FS lacks authority to require sufficient measures to achieve a net conservation gain.

The Mitigation Strategy, Appendix B to the LMP amendments describes the expected management approach to implement these standards.

Adaptive Management

Adaptive management triggers are essential for identifying when potential management changes are needed to continue meeting GRSG conservation objectives. The Forest Service will adjust management decisions through an adaptive management process consistent and in accordance with applicable law. The adaptive management strategy includes soft and hard triggers and responses. These triggers are not specific to any particular project, but identify habitat and population thresholds outside of natural fluctuations or variations. Triggers are based on the key metrics that are being monitored, which habitat loss and population declines within the Biologically Significant Unit. Adaptive management with specific triggers provide additional certainty that the regulatory mechanisms included in the LMP amendments are robust and able to respond to a variety of conditions and circumstances quickly and effectively to conserve GRSG habitat.

Soft triggers represent an intermediate threshold indicating that management changes are needed at the implementation level to address habitat or population losses. If a soft trigger is tripped, the Forest Service response will be to apply more conservative or restrictive conservation measures to mitigate for the causal factors identified in the decline of any of the key metrics, with consideration of local knowledge and conditions. During implementation of this LMP amendment, inter-agency teams in Idaho, Southwest Montana, Nevada, Utah, and Wyoming will evaluate the key metrics for populations and habitat on an annual basis. These evaluations will be used to assess the need for adjustments in management activities and provide recommendations for change to Forest Service line officers. Forest Service representation on these teams will include a biologist with GRSG expertise and will be identified by the appropriate Regional Forester. The Working Group will recommend to the appropriate Forest Service line officer, also to be identified by the appropriate Regional Forester, any

adjustment to management activities actions as a result of tripping a soft trigger. These adjustments will be made to preclude tripping a “hard” trigger, which signals more severe habitat loss or population declines.

On those portions of the Uinta, Wasatch, Cache, Ashley National Forests that extend into the State of Wyoming, the Adaptive Management Working Group in Wyoming will evaluate the key metrics on an annual basis.

Hard triggers represent a threshold indicating that immediate action is necessary to stop a severe deviation from GRSG conservation objectives set forth in the attached LMP Amendments. Hard triggers and responses to hard triggers are discussed in the Adaptive Management Appendix C. Upon determination that a hard trigger has been tripped, the Forest Service in Idaho will apply the plan components from PHMA to IHMA and consider the recommendations of the Sage-Grouse Implementation Team. In Southwest Montana, the Forest Service will consider the recommendations of the Sage-Grouse Implementation Team. In Nevada, the Forest Service will implement the appropriate response for the program areas contributing to the causal factors. In Utah, the Forest Service will implement the appropriate automatic response to causal factors contributing to the trigger. In the event that new scientific information becomes available demonstrating that the hard trigger response would be insufficient to stop a severe deviation from GRSG conservation objectives as set forth in the LMP amendments, the Forest Service will immediately assess what further actions may be needed to protect GRSG and its habitat and ensure that conservation options are not foreclosed.

On NFS lands in the Utah sub-region that are located within the boundaries of the State of Wyoming, within 14 days of a determination that a hard trigger has been tripped, the Adaptive Management Working Group in Wyoming, as appropriate, will convene to develop an interim response strategy and initiate an assessment to determine the causal factor or factors for the decline. The Forest Service will implement an interim response strategy when it is agreed upon by all members of the Implementation Team or Working Group. Upon completion of the causal factor assessment, the interim response strategy will be modified to address the causal factors. If a specific causal factor is identified, then discretionary authorizations for activities unrelated to the causal factor may resume. In the event that new scientific information becomes available demonstrating that the hard trigger response would be insufficient to stop a severe deviation from GRSG conservation objectives as set forth in the LMP amendments, the Forest Service will immediately assess what further actions may be needed to protect GRSG and its habitat and ensure that conservation options are not foreclosed.

The hard and soft trigger data will be analyzed as soon as they become available after the signing of the ROD and then at a minimum, analyzed annually thereafter.

The Adaptive Management Appendix C to the LMP amendments describes the management approach to implement these standards.

Lek Buffers

The Forest Service will assess and address impacts from activities using the lek buffer-distances as identified in the *USGS Report Conservation Buffer Distance Estimates for GRSG – A Review* (Open File Report 2014-1239) <http://pubs.usgs.gov/of/2014/1239/pdf/ofr2014-1239.pdf>. The lek buffer-distances specified as the lower end of the interpreted range will be applied in the report unless justifiable departures are determined to be appropriate (as subject to applicable laws and regulations, such as the General Mining Act of 1872, as amended, valid existing rights, etc.). The Forest Service will use the most recent active or occupied lek data available from the applicable State wildlife agency to determine lek locations. The lek buffers are incorporated as guidelines in the LMP amendments

Disturbance Cap

A 3% disturbance cap in PHMA was established in accordance with the recommendations contained in the NTT Report. Disturbance will be calculated at two scales: first, at a BSU scale, determined in coordination with the applicable State, and second, for the proposed project area. BSUs are geographic units of PHMA that contain relevant and important GRSG habitat. BSUs are used solely for the calculation of anthropogenic disturbance cap and in some LMP amendments, the adaptive management habitat triggers.

If the 3% anthropogenic disturbance cap is exceeded on lands (regardless of land ownership) within PHMA in any given BSU, no further discrete anthropogenic disturbances (subject to applicable laws and regulations, such as the General Mining Act of 1872, as amended, and valid existing rights) will be permitted on NFS lands within PHMAs in that BSU until the BSU is below the cap.

Discretionary activities that might result in disturbance above 3% at the Biologically Significant Unit and proposed project area would be prohibited unless approved by the forest supervisor with concurrence from the regional forester after review of new or site-specific information that indicates the project would result in a net conservation gain at the Biologically Significant Unit and proposed project area scale.

Southwestern Montana will use a 3% disturbance cap until the State of Montana Strategy, which uses a 5% disturbance cap for all lands and all disturbances, is fully implemented. The BLM in Montana has developed conditions to be met before the change in the disturbance cap. These conditions are outlined in the Idaho/Southwest Montana FEIS Appendix G and will be met on NFS lands before changing to a 5% disturbance cap.

A disturbance cap of 5% was established on NFS lands in the Utah sub-region that are located within the boundaries of the State of Wyoming, which applies to PHMA at the project scale and is largely consistent with the State of Wyoming's Core Area Strategy, which includes a more inclusive formula for calculating disturbance (i.e., all lands, fine scale, and all disturbance [including fire] using the Density and Disturbance Calculation Tool [DDCT]). The Wyoming LMP amendment also establishes screening criteria and conditions for new anthropogenic activities in PHMA and GHMA to ensure a net conservation gain for sage-grouse populations and habitat, consistent with the State of Wyoming Core Area Protection strategy.

Within existing utility corridors within the Great Basin region, an exception to the disturbance cap is provided in designated utility corridors for purposes of achieving a net conservation gain to GRSG. This exception is limited to projects that fulfill the use for which the corridors were designated (e.g., transmission lines and pipelines) within the designated width of a corridor. This exception will concentrate future ROW surface disturbance in areas of existing disturbance and avoid new development of infrastructure corridors in PHMAs consistent with guidance in the COT report.

The potential for the development of valid existing rights will be considered when authorizing new projects in PHMA.

Density Cap

In Utah for Anthro Mountain the LMP amendment incorporated a cap on the density of energy facilities to encourage consolidation of structures and to reduce habitat fragmentation. Within mapped greater sage-grouse habitat, disturbance will be limited to an average of one disturbance per square mile (640 acres). Disturbance should be clustered in areas of habitat most distal from leks or areas of habitat least important to sage-grouse. In the portion of the Ashley and Uinta-Wasatch-Cache National Forests that are in Wyoming the LMP amendment provides that: In priority habitat management areas and sagebrush focal areas, limit the density of activities related to oil and gas development or mining activities to no more than an average of one pad or mining operation per 640 acres, using the current Density Disturbance Calculation Tool process or its replacement. The one facility per 640 density decision does not apply to Idaho, Nevada, or other parts of Utah.

Sagebrush Focal Areas

The LMP amendments also identify Sagebrush Focal Areas (SFAs) (Tables C and D). The USFWS memorandum, *Greater Sage-grouse: Additional Recommendations to Refine Land Use Allocations in Highly Important Landscapes* (USFWS 2014) (<http://www.fws.gov/greaterSageGrouse/documents/ESA%20Process/GRSG%20Strongholds%20memo%20to%20BLM%20and%20USFS%20102714.pdf>) and associated maps provided by the USFWS identified the SFAs. These areas represent recognized “strongholds” for GRSG that have been noted as having the highest densities of GRSG and other criteria important for the persistence of the species. In the LMP amendments the SFAs are a subset of PHMAs, with additional protections, as noted in the LMP amendments.

Within PHMA, the LMP amendments provide an added level of protection to limit or eliminate new surface disturbance through the delineation of SFAs, derived from areas identified by the USFWS as “strongholds” essential for the species’ survival. The SFAs reflect a subset of these strongholds, since the USFWS map included areas that are not NFS lands or were outside the planning area. SFAs consist of areas of largely intact priority habitat, primarily under Federal management, with greater GRSG bird densities and high resistance and resilience to fire (Figure 5).

Protest Resolution

In accordance with 36 C.F.R. § 219.59, Use of Other Administrative Review Processes, the Forest Service waived current objection procedures of this subpart and instead adopted the BLM's protest procedures outlined in 43 C.F.R. § 1610.5-2, Protest Procedures. BLM's planning regulations at 43 CFR 1610.5-2 allow any person who participated in the planning process and has an interest that may be adversely affected by BLM's planning decisions to protest proposed planning decisions within 30 days from the date the Notice of Availability of the Proposed LMP Amendments/FEISs were published in the Federal Register (May 29, 2015). After careful consideration of all issues raised in these protests, the Deputy Chief for the National Forest System concluded the responsible planning team followed all applicable laws, regulations, and policies and considered all relevant resource information and public input in developing the Proposed LMPs/FEISs. The Forest Service resolved protests without making significant changes to the Proposed LMP Amendments/FEISs, though minor clarifications were made and are summarized below under Modifications and Clarifications. The decisions on the protests will be summarized in the protest report available at: http://www.blm.gov/wo/st/en/prog/planning/planning_overview/protest_resolution/protest_reports.html.

Below are descriptions of the protest resolution process for each of the three sub-regional efforts.

Idaho and Southwestern Montana

For the Idaho and Southwestern Montana GRSG Proposed LMP Amendment/FEIS, the Forest Service and the BLM received 20 letters of protest within the protest period. Of these, 19 protesting parties had standing and included protest issues. Protest issues included, but were not limited to, allegations regarding the following:

- The National Environmental Policy Act (e.g., the statement of purpose and need for the LMP amendments, the range of alternatives considered, and the analysis of impacts);
- The National Forest Management Act and associated regulations (e.g., viability and coordination with state and local governments); and
- Greater sage-grouse management direction (e.g., adaptive management, habitat objectives; mitigation).

Nevada

For the Nevada GRSG Proposed LMP Amendment/FEIS, the Forest Service and the BLM received 40 letters of protest within the protest period. Of these, 38 protesting parties had standing and included protest issues. Protest issues included, but were not limited to, allegations regarding the following:

- The National Environmental Policy Act (e.g., the statement of purpose and need for the LMP amendments, the range of alternatives considered, and the analysis of impacts);
- The National Forest Management Act and associated regulations (e.g., viability and coordination with state and local governments); and

- Greater sage-grouse management direction (e.g., adaptive management, habitat objectives; mitigation).

Utah

For the Utah GRSG Proposed LMP Amendment/FEIS, the Forest Service and the BLM received 42 letters of protest within the protest period. Of these, 41 protesting parties had standing and included valid protest issues. Protest issues included, but were not limited to, allegations regarding the following:

- The National Environmental Policy Act (e.g., the statement of purpose and need for the LMP amendments, the range of alternatives considered, and the analysis of impacts);
- The National Forest Management Act and associated regulations (e.g., viability and coordination with state and local governments); and
- Greater sage-grouse management direction (e.g., adaptive management, habitat objectives; mitigation).

Modifications and Clarifications

During preparation of the LMP amendments for all three sub-regions, minor changes were made to the proposed LMP amendments to correct errors and to clarify decisions. Changes made since the proposed LMP amendments were published on May 29, 2015, are hereby adopted by this ROD.

The following language was modified.

- Adaptive Management, Monitoring, Mitigation – As a result of Forest Service internal reviews, the adaptive management, monitoring, and mitigation direction in each LMP amendment and the associated appendices were revised to better align with Forest Service policy and regulations and to clearly and succinctly capture the substance of the direction.
- Grazing - Modification was made to the grazing direction to clarify that the Forest Service will consider the full range of administration authorities available during future allotment management.
- Noise – Modification was made to clarify what anthropogenic activities should not be considered in the ambient baseline measurement.
- Occupied Anthro Mountain- Renamed to Anthro Mountain.

The following direction was added to the LMP amendments for clarity purposes.

- Lands and Realty – The best available science and monitoring should be used to inform infrastructure siting in GRSG habitat.
- Disturbance cap exemption (NV) – Within existing designated utility corridors, the 3% disturbance cap may be exceeded at the project scale if the site specific NEPA analysis

indicates that a net conservation gain to the species will be achieved. This exception is limited to projects that fulfill the use for which the corridors were designated (e.g., transmission lines, pipelines) and the designated width of a corridor will not be exceeded as a result of any project co-location.

- Disturbance cap exemption (ID/SWMT and UT) - Discretionary activities that might result in disturbance above 3% at the Biologically Significant Unit and proposed project area would be prohibited unless approved by the forest supervisor with concurrence from the regional forester after review of new or site-specific information that indicates the project would result in a net conservation gain at the Biologically Significant Unit and proposed project area scale. Within existing designated utility corridors, the 3% disturbance cap may be exceeded at the project scale if the site specific NEPA analysis indicates that a net conservation gain to the species will be achieved. This exception is limited to projects that fulfill the use for which the corridors were designated (e.g., transmission lines, pipelines) and the designated width of a corridor will not be exceeded as a result of any project co-location.
- Development of valid existing rights - Consider the likelihood of surface disturbing activities as a result of development of valid existing rights when authorizing new projects in priority habitat management areas.
- Direction associated with landownership adjustment was modified to include land exchanges as a means of disposal.

Several glossary definitions were deleted due to the fact that the terms were not referenced in the LMP amendments. If not already contained in the proposed LMP amendment glossary, the following terms and definitions were added to the glossary for clarification.

- Forage reserve – Designation for allotments on which there is no current term permit obligation for some or all of the estimated livestock grazing capacity and where there has been a determination made to use the available forage on the allotment to enhance management flexibility for authorized livestock use (FSH id_2209.13-2007-1).
- Forest transportation system – Roads, trails, and areas designated for motor vehicle use that provide access to National Forest System lands for both motorized and non-motorized uses in a manner that is socially, environmentally, and economically sustainable over the long term, enhances public enjoyment of National Forest System roads, and maintains other important values and uses.
- Livestock conversion – To change the kind of livestock authorized to graze on National Forest System lands (e.g., a change from sheep to cows).
- Permit cancellation - Action taken to permanently invalidate a term grazing permit in whole or part.

- Restriction/restrict – A limitation or constraint, not a prohibition, on public land uses and operations. Restrictions can be of any kind, but most commonly apply to certain types of vehicle use, temporal and/or spatial constraints, or certain authorizations.
- Waived without preference – A permittee waives a term grazing permit to the United States without identifying a preferred applicant (i.e., a third party that has purchased either permitted livestock, base property, or both).

The following definitions were slightly revised for clarity purposes.

- Co-locate - Installation of new linear improvements (i.e., communication towers, electrical lines, other rights-of-way, or designated corridors) in, or on, or adjacent to existing linear improvements.
- General habitat management area - NFS lands that are occupied seasonally or year-round habitat outside of PHMA where some special management would apply to sustain GRSG populations. The boundaries and management strategies for GHMAs are derived from and generally follow the Preliminary General Habitat boundaries.
- Priority habitat management area - NFS lands identified as having highest habitat value for maintaining sustainable GRSG populations. The boundaries and management strategies for PHMAs are derived from and generally follow the Preliminary Priority Habitat boundaries. Areas of PHMAs largely coincide with areas identified as Priority Areas for Conservation (PACs) in the COT report.
- In the Nevada LMP amendment, a biologically significant unit was further explained as a unit where GRSG interactions have been documented between two or more population management units (Areas delineated based on aggregations of GRSG lek locations, where the potential for short-term genetic interchange among populations is high.), which represent local GRSG population habitats and seasonal use areas in the sub-region.
- In the Utah, LMP amendment, a biologically significant unit was further explained as the total PHMA area associated with a GRSG population area.

UNIQUE ASPECTS OF THE GREAT BASIN SUB-REGIONAL LMP AMENDMENTS

The LMP amendments and their associated EISs were developed through three planning efforts across the Great Basin region. A landscape-scale approach was used to achieve a common set of management objectives across the range of GRSG recognizing, in particular, the importance of addressing the threat of rangeland fire and the challenge of restoring fire-impacted landscapes and implementing measures to limit anthropogenic disturbance in important habitats. Within this framework, management actions were developed and incorporated into the sub-regional plans that are tailored to achieve these objectives and accommodate differences in resource conditions, severity of threats, and state-specific management approaches.

This flexible landscape approach provided the opportunity to incorporate recommendations resulting from collaboration with local cooperators and public comments in each planning area. The plans and their future implementation are strengthened by the contributions of local partners and their knowledge, expertise, and experience.

Idaho and Southwest Montana

The Idaho and Southwestern Montana LMP amendment adopted specific aspects of the State of Idaho's Conservation Plan for GRSG. The most significant aspect adopted from the State's plan is a third tier of habitat management area, IHMA. IHMA are National Forest System lands that provide a management buffer for PHMA and connect patches of PHMA. IHMA encompasses areas of generally moderate to high conservation value habitat and/or populations, but that are not as important as PHMA. In a landscape that is most threatened by fire and invasive species, this three-tiered approach allows land managers to focus suppression and restoration resources on those areas of highest importance while providing an acceptable additional level of flexibility in IHMA and GHMA since development is not as great a threat. The three tiers also serve as the foundation for an adaptive management approach that includes habitat and population hard and soft triggers that when hit require shifting IHMA to PHMA to maintain sufficient PHMA to support populations.

The Idaho LMP amendment also includes a modified disturbance calculation to account for effective habitat, which was developed by the BLM in concert with the Idaho Fish and Game, Forest Service, and USFWS. The decisions affecting Southwestern Montana in the LMP amendment follow the Montana approach and do not include IHMA.

Nevada

The Nevada LMP amendment is unique from other Great Basin region LMP amendments regarding how the sub-regional habitat map was developed. The LMP amendment uses the 2014 Coates maps, developed locally using the best available science and included Other Habitat Management Areas, where mitigation for disturbance will be required based on impacts to the specific habitat values such as connectivity.

Decisions for NFS lands in the State of Nevada incorporate key elements of the State of Nevada Greater Sage-Grouse Conservation Plan (State of Nevada 2014) including consideration of the State of Nevada Conservation Credit System (Nevada Natural Heritage Program and Sagebrush Ecosystem Technical Team 2014) as the LMP amendment is implemented and as projects are proposed within the planning area.

The Nevada LMP amendment also allows for an exception to geothermal NSO, which is an energy development priority for the State, if a team of experts advises on project-mitigation measures, mitigation is consistent with the Mitigation Strategy (Appendix B), and the project is consistent with the disturbance protocols. Because there is no potential for coal development on NFS in Nevada, the LMP amendment does not address this threat.

Utah

The Utah LMP amendment adopts some key strategies of the GRSG conservation plans or directives developed by the State of Utah (Conservation Plan for Greater Sage-Grouse in Utah) and the State of Wyoming (Executive Orders 2011-05 and 2013-3), which establishes conservation measures to protect, restore, and enhance GRSG and also focuses conservation and restoration within key areas deemed most valuable to GRSG. Additionally, within GHMA, the Utah LMP amendment allows for wind energy and high voltage transmission ROW development (consistent with the mitigation framework for the LMP amendment), as well as oil and gas development, which is open with standard constraints.

The LMP amendment provides additional flexibility for development in GHMA because 96% of the breeding GRSG in Utah are within PHMAs. Within GHMA, the Utah LMP amendment allows for wind energy and high voltage transmission ROW development, as well as oil and gas development. The Utah LMP amendment also integrates the strategy of focusing on the improvement of GRSG habitat through vegetation treatments by setting treatment objectives established to increase areas available as GRSG habitat and reducing threats from wildfire.

State of Wyoming - Portions of the Uinta, Wasatch, Cache, Ashley National Forests

The Wyoming LMP amendment is built upon the foundation for GRSG management established by and complementary to the Governor's Executive Order 2011-05, Greater Sage Grouse Core Area Protection (Core Area Strategy) (Wyoming Office of the Governor 2011) (<http://will.state.wy.us/sis/wydocs/execorders/EO2011-05.pdf>) and updated Executive Order (<http://www.blm.gov/style/medialib/blm/wy/programs/wildlife/SG.Par.27910.File.dat/WY-SGoverview.pdf>), by establishing similar conservation measures and focusing restoration efforts in the same key areas most valuable to the GRSG. Recognizing that the USFWS has found that "the core area strategy . . . if implemented by all landowners via regulatory mechanisms, would provide adequate protection for sage-grouse and their habitats in the state," the Forest Service plan amendment, works to ensure that any impacts not addressed through avoidance and minimization will be addressed through compensatory mitigation. However, unlike the Core Area Strategy, the

Forest Service plans commit to achieving a net conservation gain for GRSG in PHMA for new authorizations.

The Wyoming LMP amendment also allows for high-voltage transmission lines and major ROWs and wind energy, leasable minerals, and mineral material development in GHMA with required design features and best management practices. Fluid mineral in PHMA is limited to NSO within a 0.6 mile radius around occupied leks in PHMA and 0.25 mile radius around occupied leks in GHMA, with timing limitations in core areas as well as density and disturbance caps, consistent with the Wyoming Core Area Strategy approach. Additionally, consistent with the Core Area Strategy, the Wyoming LMP amendment implements a 5% disturbance cap in PHMA and a more inclusive formula for calculating. The Wyoming LMP amendment also establishes screening criteria and conditions for new anthropogenic activities in PHMA and GHMA to ensure a net conservation gain for sage-grouse populations and habitat, consistent with the State of Wyoming Core Area Protection strategy.

No Sagebrush Focal Areas (SFAs) were identified in these areas.

Measures incorporated into the plans remain consistent with the range-wide objective of protecting, enhancing, and restoring GRSG habitat by reducing, eliminating, or minimizing threats to GRSG habitat. Table F provides a crosswalk between the threats to GRSG and their habitat identified in the COT Report and the key management responses in the LMP amendments developed to ameliorate these threats.

Table F. *Summary of Threat Responses in the Great Basin Region Plan Amendments to Greater Sage-grouse Threats.*

Threats to GRSG and its Habitat	Summary Threat Responses
All Threats	<p>Implement adaptive management, which allows for more restrictive management to be implemented if habitat or population hard triggers are tripped.</p> <p>Require and ensure mitigation that provides a net conservation gain to GRSG.</p> <p>Monitor implementation and effectiveness of conservation measures in GRSG habitats according to the Habitat Assessment Framework.</p>
All development threats, including mining, infrastructure, and energy development	<p>All</p> <p>Inform infrastructure siting in GRSG habitat through best available science and monitoring to minimize indirect effects.</p> <p>Consider the potential for the development of valid existing rights when authorizing new projects in PHMA.</p> <p>ID/SWMT</p> <p>PHMA: Implement an anthropogenic disturbance cap of 3% within the Biologically Significant Unit and proposed project analysis areas. Apply Anthropogenic Disturbance Exception Criteria and Anthropogenic Disturbance Development Criteria (Idaho only).</p> <p>IHMA: Implement the 3% disturbance cap. Apply Anthropogenic Disturbance Development Criteria.</p> <p>NV</p> <p>PHMA: Implement an anthropogenic disturbance cap of 3% within the Biologically Significant Unit and proposed project analysis areas. Discretionary activities that might result in disturbance above 3% at the Biologically Significant Unit and proposed project area would be prohibited unless approved by the forest supervisor with concurrence from the regional forester.</p>

Threats to GRSG and its Habitat	Summary Threat Responses
	<p>UT</p> <p>PHMA and Anthro Mountain: Apply an anthropogenic disturbance cap of 3% percent within the Biologically Significant Unit and proposed project analysis areas.</p> <p>PHMA (portions of Ashley and Uinta/Wasatch/Cache in Wyoming): Apply an anthropogenic disturbance cap of 5% of the suitable habitat in the surrounding area using the current Density Disturbance Calculation Tool process, with exceptions for locatable minerals.</p> <p>Anthro Mountain: Within mapped greater sage-grouse habitat, disturbance will be limited to an average of one disturbance per square mile (640 acres). Disturbance should be clustered in areas of habitat most distal from leks or areas of habitat least important to sage-grouse</p>
<p>Energy Development—Fluid Minerals, including geothermal resources</p>	<p>Work with the operator to locate fluid mineral development outside GRSG habitat on existing leases.</p> <p>PHMA: Open to fluid mineral leasing subject to No Surface Occupancy (NSO) without waiver or modification stipulation. In SFAs, NSO without waiver, modification, or exception.</p> <p>PHMA (portions of Ashley and Uinta/Wasatch/Cache in Wyoming; effects summarized in UT FEIS; fully disclosed in the WY FEIS and managed under the WY LMP amendment): Open to leasing subject to NSO stipulation within 0.6 mile of occupied leks, with TL stipulations during certain times of the year and within all PHMA and SFA.</p> <p>GHMA: Open to fluid mineral leasing subject to Controlled Surface Use and Timing Limitation stipulations.</p> <p>IHMA: Open to fluid mineral leasing subject to NSO stipulation without waiver or modification, and with limited exception. (ID/SWMT only)</p> <p>GHMA (portions of Ashley and Uinta/Wasatch/Cache in Wyoming): Open to leasing subject to NSO stipulation within 0.25 mile of occupied leks, with timing limitation stipulations up to 2 miles of an active lek during certain times of the year.</p> <p>Anthro Mountain: Special conditions of approval apply on existing fluid mineral leases, subject to valid existing rights. (UT only)</p>

Threats to GRSG and its Habitat	Summary Threat Responses
Energy Development—Wind Energy	<p>PHMA: Do not authorize (not available for wind energy development under any conditions)</p> <p>PHMA (portions of Ashley and Uinta/Wasatch/Cache in Wyoming): Restrict issuance (may be available for wind energy with special stipulations)</p> <p>Anthro Mountain: Do not authorize (not available for wind energy development under any conditions) (UT only)</p> <p>IHMA: Restrict issuance (may be available for wind energy development with special stipulations) (ID/SWMT only)</p> <p>GHMA: Restrict issuance (may be available for wind energy development with special stipulations) (NV only)</p>
Energy Development—Solar Energy	<p>PHMA: Do not authorize (not available for solar energy development under any conditions)</p> <p>GHMA: Do not authorize (not available for solar energy development under any conditions) (UT and NV only)</p> <p>Anthro Mountain: Do not authorize (not available for solar energy development under any conditions) (UT only)</p> <p>IHMA: Restrict issuance (may be available for solar energy development with special stipulations) (ID/SWMT only)</p> <p>GHMA: Restrict issuance (may be available for solar energy development with special stipulations) (NV only)</p>
Infrastructure—major Rights-of-Way (ROW)	<p>PHMA: Restrict issuance (may be available for major ROWs with special stipulations)</p> <p>Anthro Mountain: Restrict issuance a (may be available for major ROWs with special stipulations) (UT only)</p> <p>IHMA: Restrict issuance (may be available for major ROWs with special stipulations) (ID/SWMT only)</p> <p>GHMA: Restrict issuance (may be available for major ROWs with special stipulations)</p>

Threats to GRSG and its Habitat	Summary Threat Responses
Infrastructure—minor ROWs	<p>PHMA: Restrict issuance (may be available for minor ROWs with special stipulations)</p> <p>Anthro Mountain: Restrict issuance (may be available for minor ROWs with special stipulations) (UT only)</p> <p>IHMA: Restrict issuance (may be available for major ROWs with special stipulations) (ID/SWMT only)</p> <p>GHMA: Open to new if located within existing designated corridors or rights-of-way and includes special stipulations (ID/SWMT, NV)</p>
Mining—locatable minerals	<p>PHMA, GHMA, SFA: Only approve Plans of Operation if they include mitigation to protect GRSG and its habitat, consistent with the rights of the mining claimant as granted by the General Mining Act of 1872.</p> <p>IHMA: Only approve Plans of Operation if they include mitigation to protect GRSG and its habitat, consistent with the rights of the mining claimant as granted by the General Mining Act of 1872. (ID only)</p>
Mining—non-energy leasable minerals	<p>PHMA and GHMA: Recommend protections of GRSG and their habitat.</p> <p>Anthro Mountain: Recommend protections of GRSG and their habitat. (UT only)</p> <p>IHMA: Recommend protections of GRSG and their habitat. (ID/SWMT only)</p>
Mining—mineral materials	<p>PHMA: Closed area (do not authorize new disposal or development); free use may be authorized with special stipulations.</p> <p>Anthro Mountain: Closed area (do not authorize new disposal or development); free use authorized with special stipulations (UT only)</p> <p>IHMA: Free use may be authorized with special stipulations (ID/SWMT only).</p>

Threats to GRSG and its Habitat	Summary Threat Responses
Mining—coal	<p>ID/SWMT and UT</p> <p>PHMA, Anthro Mountain, and IHMA: Do not authorize new surface disturbances related to new coal mines.</p> <p>PHMA, Anthro Mountain, and IHMA: When consenting to new underground coal leases, include a lease stipulation prohibiting the location of surface facilities, other than ventilation shafts related to miner safety.</p> <p>NV</p> <p>Not applicable</p>
Livestock Grazing	<p>Adjust grazing management to move towards desired habitat conditions consistent with ecological site capability.</p> <p>PHMA, IHMA, GHMA: When grazing permits are waived without preference or obtained through permit cancellation, consider the agency’s full range of administrative authorities for future allotment management.</p>
Free-Roaming Equid Management	<p>Manage Wild Horse/Burro Territories in GRSG habitat within established Appropriate Management Level ranges to achieve and maintain GRSG habitat objectives.</p> <p>Consider adjusting appropriate management levels if GRSG habitat objectives are not being met if partially due to wild horse or burro populations.</p> <p>UT and ID/SWMT</p> <p>Not applicable.</p>
Range Management Structures	<p>Fences should not be constructed or reconstructed within 1.2 miles from the perimeter of occupied leks unless mitigated through design features or markings.</p> <p>New permanent livestock facilities should not be constructed within 1.2 miles from the perimeter of occupied leks.</p>

Threats to GRSG and its Habitat	Summary Threat Responses
Recreation	<p>ID/SWMT</p> <p>PHMA and IHMA: Do not authorize temporary recreation uses that result in loss of habitat or would negative impacts on GRSG or their habitats.</p> <p>PHMA and IHMA: Do not authorize new recreation facilities or expansion of existing unless development results in a net conservation gain to GRSG and/or their habitats or the development is required for visitor safety.</p> <p>NV</p> <p>PHMA and GHMA: Do not authorize temporary recreation uses.</p> <p>PHMA and GHMA: Do not authorize new recreation facilities or expansion of existing unless development results in a net conservation gain to GRSG and/or their habitats or the development is required for visitor safety.</p> <p>UT</p> <p>PHMA, Anthro Mountain, and GHMA: Do not authorize temporary recreation uses.</p> <p>PHMA, Anthro Mountain, and GHMA: Do not authorize new recreation facilities or expansion of existing unless development results in a net conservation gain to GRSG and/or their habitats or the development is required for visitor safety.</p>
Fire	<p>Protect sagebrush sage grouse habitat from loss due to unwanted wildfires or damages resulting from management related activities while using agency risk management protocols to manage for fire fighter and public safety and other high priority values. Design fuel treatments to reduce the spread and/or intensity of wildfire or the susceptibility of GRSG values to move away from desired conditions.</p> <p>Design fuel treatments to maintain, restore, or enhance GRSG habitat.</p> <p>Prescribed fire will not be used in 12-inch or less precipitation zones unless necessary to facilitate restoration of GRSG habitat consistent with desired conditions or for pile burning.</p>

Threats to GRSG and its Habitat	Summary Threat Responses
	<p>If it is necessary to use prescribed fire in GRSG habitat to facilitate site preparation for restoration of GRSG habitat consistent with desired conditions, the associated NEPA analysis must identify how the project would move towards GRSG desired conditions, why alternative techniques were not selected, and how potential threats to GRSG habitat would be minimized.</p>
<p>Non-native and Invasive Plant species</p>	<p>Consider using fire resistant non-native species in GRSG habitat to meet resource objectives, if analysis demonstrates that non-native plants will not damage GRSG habitat.</p> <p>Improve GRSG habitat by treating annual grasses.</p> <p>Actions and authorizations in GRSG habitat should include design features to limit the spread and effect of invasive and undesirable non-native plant species.</p>
<p>Sagebrush Removal</p>	<p>Avoid sagebrush removal in GRSG breeding and nesting and wintering habitats unless necessary to support attainment of desired habitat conditions.</p> <p>Sagebrush removal or manipulation, including prescribed fire, should be restricted unless the removal strategically reduces the potential impacts from wildfire.</p>
<p>Pinyon and/or Juniper Expansion</p>	<p>Remove conifers and other undesirable species encroaching into sagebrush habitats.</p>
<p>Agricultural Conversion and Ex-Urban Development</p>	<p>GRSG habitat will be retained in Federal management.</p>

ALTERNATIVES

Alternatives Considered

Each of the Great Basin region sub-regional planning efforts analyzed in detail a unique set of alternatives in the draft and final EISs. The alternatives were developed to provide direction for resource programs influencing land management to meet the overall purpose and need to conserve, enhance, and restore GRSG and its habitat. All management under any of the alternatives complied with Federal laws, rules, regulations, and policies.

Each alternative emphasized an altered combination of resource uses, allocations, and restoration measures to address issues and resolve conflicts among uses so that GRSG goals and objectives were met in varying degrees across the alternatives. The action alternatives offered a range of possible management approaches for responding to planning issues and concerns identified through public scoping to maintain or increase GRSG abundance and distribution in the planning area. While the LMP goal was the same across alternatives for each sub-region, each alternative contained a discrete set of objectives and management actions constituting a separate LMP amendment. The goal was met in varying degrees, with the potential for different long-range outcomes and conditions.

The relative emphasis given to particular resources and resource uses differed as well, including allowable uses, restoration measures, and specific direction pertaining to individual resource programs. When resources or resource uses are mandated by law or are not tied to planning issues, there are typically few or no distinctions between alternatives.

Alternative A – No Action Alternative

Alternative A meets the Council on Environmental Quality requirement that a No Action Alternative be considered. This alternative continues current management direction and derived from the existing LMPs, as amended. Goals and objectives for resources and resource uses are based on the most recent LMP decisions, along with associated amendments and other management decision documents. Laws, regulations, and Forest Service policies that supersede LMP decisions would apply.

Goals and objectives for NFS lands would not change. Appropriate and allowable uses and restrictions pertaining to activities, such as mineral leasing and development, recreation, construction of utility corridors, and livestock grazing, would also remain the same. The Forest Service would not modify existing or establish additional criteria to guide the identification of site-specific use levels for implementation activities.

This alternative was not selected because it did not meet the purpose and need of this action. This alternative did not include changes that are needed to be made to the existing decisions based on the USFWS 2010 listing determination that identified inadequacy of regulatory mechanisms as a significant threat to GRSG and its habitat. This alternative does not incorporate the best available science pertaining to GRSG or its habitat.

Alternative B – National Technical Team Report Alternative

Alternative B was based on the conservation measures contained within the NTT Report (note discussion in the Background section of this ROD). The BLM's Washington Office Instructional Memorandum Number 2012-044 directed the GRSG planning efforts to analyze the conservation measures developed by the NTT, as appropriate, through the land use planning process and NEPA.

Under Alternative B, rights-of-way in PHMA would not be authorized, and they would be restricted in GHMA. This alternative would close PHMA to fluid mineral leasing, mineral material sales, and non-energy leasable minerals, and would recommend withdrawal from locatable mineral entry in all PHMA. These management actions would reduce surface disturbance in PHMA and would minimize disturbance in GHMA, thereby maintaining GRSG habitat. Management actions for wildfire would focus on suppression in PHMA and GHMA, while limiting certain types of fuels treatments. Vegetation management would emphasize sagebrush restoration. Collectively, vegetation and wildfire management would conserve GRSG habitat. The best management practices proposed in the NTT report would be included as guidelines as part of Alternative B.

This alternative was not selected in its entirety because the majority of the conservation measures in the NTT Report, as appropriate and applicable, were applied primarily to PHMA, and few conservation measures in the Report were provided for in GHMA. As a result, most management actions in GHMA reverted back to the No Action Alternative, which was found to not meet the purpose and need for the amendments. Alternative B was not selected, in its entirety, because it does not best achieve the mix of multiple uses necessary to fully implement the mandate of NFMA.

Alternative C – Citizen Groups' Recommended Alternative One

Alternative C was based on a citizen groups' recommended alternative. This alternative emphasizes improvement and protection of habitat for GRSG and was applied to all occupied GRSG habitat. Alternative C limited commodity development in areas of occupied GRSG habitat, and closed or did not allow large portions of the planning area to many land uses. This included all GRSG habitat closed to livestock grazing, recommended for withdrawal, closed to fluid mineral leasing, closed to salable mineral and non-energy leasable mineral development, and no authorization of right-of-ways. The Utah Draft LMP Amendment/EIS combined this alternative with Alternative F (discussed below).

This alternative was not selected, in its entirety, because it limited the use of NFS lands in all GRSG habitat to such an extent that it did not give adequate accommodation to local needs, customs, and culture. For example, this alternative closed all allotments to livestock grazing, which is not required by best available science from GRSG and its habitats. Alternative C was also not selected in whole because it does not best achieve the mix of multiple uses necessary to fully implement the mandate of NFMA.

Alternative D – Draft LMP Amendments’ Preferred Alternative

Alternative D, which was identified as the Preferred Alternative in the Great Basin region DEISs, provides for opportunities to use and develop the planning area as well as conserving, maintaining, and enhancing GRSG and their habitat. Protective measures were applied to GRSG habitat, while still allowing for anthropogenic disturbances that require stringent mitigation measures. This alternative represents the mix and variety of management actions based on the analysis and best resolves the resource issues and management concerns while accommodating laws, regulations, and policies pertaining to Forest Service management. As a result of public scoping comments, internal review, and Cooperating Agency coordination on the Draft LMP Amendments/EISs, this alternative was modified to become the proposed LMP amendments and was analyzed in the FEISs. The Preferred Alternatives, with slight variations as noted in the sub-regional FEISs, became the Proposed Plans in the FEISs.

In PHMA under Alternative D, there would be limitation on disturbance in GRSG habitat by excluding wind and solar energy development, restricting all other ROW development, applying no surface occupancy stipulations to fluid mineral development, and closing PHMA to non-energy leasable mineral development and mineral material sales. These management actions would protect GRSG habitat, while allowing other activities, subject to conditions. In GHMA under Alternative D, allocation decisions varied across the Great Basin region. In GHMA under Alternative D, allocations are less stringent, but still aim to protect GRSG habitat (for example, applying moderate constraints and stipulations to fluid minerals in GHMA).

Under Alternative D, the Forest Service would support sagebrush/perennial grass ecosystem enhancements, would increase fire suppression in PHMA and GHMA, and would manage livestock grazing to maintain or enhance sagebrush and perennial grass ecosystems.

Alternative E – State/Governor’s Alternative

Alternative E, also a co-preferred alternative in the proposed LMP amendment for Idaho and Southwest Montana, is the alternative provided by the State or Governor's offices for inclusion and analysis in the DEISs. It incorporates guidance from specific State Conservation strategies and emphasizes management of GRSG seasonal habitats and maintenance of habitat connectivity to support population objectives. This alternative was identified as a co-Preferred Alternative in the Idaho and Southwestern Montana DEIS.

For Nevada, Alternative E would apply a strategy to avoid, minimize, and mitigate to reduce direct and indirect impacts on GRSG from surface-disturbing activities on NFS Lands. Effects on GRSG habitat from certain resource programs, such as grazing, lands and realty, wildfire management, and minerals, would not be directly addressed because allocation decisions were not part of the State’s plan resulting in regulatory uncertainty.

In Idaho, Alternative E would incorporate proposed GRSG protection measures recommended by the State of Idaho. Management in Montana would remain unchanged from the current LMPs (Alternative A). Alternative E addresses the following primary threats: fire, invasive weeds, and infrastructure development. It also includes guidance for several secondary GRSG threats such

as recreation, improper livestock grazing, and West Nile virus for Forest Service programs that affect GRSG or its habitat.

In Utah, Alternative E is based on the State of Utah's Conservation Plan for GRSG and would apply to all NFS lands in Utah. Alternative E was designed to eliminate the threats facing GRSG, while balancing the economic and social needs of the residents of Utah. Conservation measures would be applied to 11 areas that the State identified, called Sage-Grouse Management Areas (SGMAs). Emphasis would be placed on expanding GRSG habitat by aggressively treating areas where there are encroaching conifers or invasive species. Alternative E includes a limit on new permanent disturbance of 5% on habitat on State or federally managed lands within any particular SGMAs. Occupied habitat outside of the State-identified SGMAs would not receive new management protection. They would continue to be managed according to the GRSG actions in existing LMPs and conservation measures associated with existing activity-level plans.

This alternative was not selected, in its entirety, because some components of the State's plans were not consistent with the purposes, policies, and programs of Federal laws and regulations applicable to NFS Lands. However, many components were carried forward in the LMP amendments.

Alternative E - State of Wyoming, Portions of the Uinta, Wasatch, Cache, Ashley National Forests

Alternative E, which was identified as the Preferred Alternative in the DEIS, incorporates the guidance from BLM IM WY-2010-012, the Wyoming Governor's Executive Order (WY EO 2011-05) and additional management based on the NTT recommendations. This alternative emphasizes management of GRSG seasonal habitats and maintaining habitat connectivity to support population objectives established by the Wyoming Game and Fish Department and/or viable populations under NFMA implementing regulations. This guidance is consistent with guidelines provided in the Governor's Sage-Grouse Implementation Team's Core Population Area strategy and the Governor's Executive Order (WY EO 2011-05). In November 2010, the USFWS notified the State of Wyoming that their GRSG Core Area Strategy (EO 2010-4), "if implemented by all landowners via regulatory mechanism, would provide adequate protection for sage-grouse and their habitats in the state." As a result of this notification, the Forest Service's Wyoming LMP amendment is largely consistent with the measures outlined in the State of Wyoming's Core Area Strategy.

Alternative E uses the terms GRSG core habitat or core areas. Under this alternative, a surface disturbance cap of 5% per 640 acres is considered within GRSG core habitat.

As a result of public scoping comments, internal review, and Cooperating Agency coordination on the Draft LMP Amendments/EISs, this alternative was modified to become the proposed LMP amendments and was analyzed in the FEISs. The Preferred Alternatives, with slight variations as noted in the sub-regional FEISs, became the Proposed Plans in the FEISs. The Preferred Alternatives, with slight variations, became the Proposed Plans in the FEISs.

Alternative F – Citizen Groups' Recommended Alternative Two

Similar to Alternative C, Alternative F is also based on a citizen group recommended alternative. This alternative emphasizes improvement and protection of habitat for GRSG and defines different restrictions for GRSG habitat. Alternative F would limit commodity development in areas of occupied GRSG habitat and would close or designate portions of the planning area to some land uses. This alternative does not apply to the Utah planning effort, as it was combined with Alternative C. Under Alternative F, wildfire suppression would be prioritized in PHMA, while limiting certain types of fuels treatments necessary to protect GRSG habitat. Concurrent vegetation management would emphasize sagebrush restoration and enhancement. Alternative F would reduce livestock and wild horse and burro management utilization by 25% within PHMA and GHMA.

This alternative was not selected, in its entirety, because it limited the use of NFS Lands in PHMA and GHMA to such an extent that it did not give adequate accommodation to local needs, customs, and culture.

Environmentally Preferred Alternative

Alternative C, the conservation alternative, is the environmentally preferred alternative, as defined in 36 CFR 220.3. Question 6A of CEQ's 40 most-asked questions regarding CEQ's NEPA regulations defines that term to ordinarily mean the alternative which best protects, preserves, and enhances historic, cultural, and natural resources. Under that definition, Alternative C, as presented in each of the sub-regional LMP Amendments/FEISs is the most environmentally preferable because this alternative emphasizes improvement and protection of habitat for GRSG and was applied to all occupied GRSG habitat.

Alternative C would limit the use of NFS lands in all GRSG habitat to such an extent that adequate accommodation to local needs, customs, and culture would not be provided. NEPA expresses a continuing policy of the Federal government to "use all practicable means and measures . . . to foster and promote the general welfare, to create and maintain conditions under which man and nature can exist in productive harmony, and fulfill the social, economic, and other requirements of present and future generations of Americans" (Section 101 of NEPA).

Alternatives Considered but Not Analyzed in Detail

Federal agencies are required by NEPA to rigorously explore and objectively evaluate all reasonable alternatives and to briefly discuss the reasons for eliminating any alternatives that were not developed in detail (40 CFR 1502.14). Public comments received in response to the proposed action provided suggestions for alternative methods for achieving the purpose and need. Some of these alternatives may have been outside the scope to conserve, enhance, and/or restore habitat for GRSG; duplicative of the alternatives considered in detail; or determined to be components that would cause unnecessary environmental harm.

The alternatives listed below were considered, but dismissed from detailed consideration for reasons listed below.

- They would not meet the requirements of NFMA or other existing laws and regulations;
- They did not meet the purpose and need;
- The alternative was already captured within the range of alternatives analyzed in the FEISs;
- They were already part of an existing plan, policy, or administrative function; or
- They did not fall within the limits of the planning criteria.

For additional rationale as to why each of the alternatives listed below were not carried forward for detailed analysis, refer to Section 2.11 of each of the Proposed LMP Amendments/FEISs.

Idaho and Southwestern Montana

- USFWS-Listing Alternative
- Elimination of Recreational Hunting Alternative
- Predation Alternative
- Close All or Portions of PHMA or GHMA to OHV Use Alternative
- Consideration of Coal Mining Alternative

Nevada

- Close All or Portions of PHMA or GHMA to OHV Use Alternative
- Elko County Sage-Grouse Plan Alternative
- Increase Grazing Alternative

Utah

- USFWS-Listing Alternative
- Increase Livestock Grazing Alternative
- Make GRSG Habitat Available for Oil Shale and Tar Sands Alternative
- Citizen Proposed Alternatives (in their entirety)
- Adoption of the State of Utah's Sage-Grouse Management Areas as PHMA for all Alternatives
- Use of Other Habitat Maps Alternatives
- County Sage-Grouse Management Plans Alternative
- Conservation Objectives Team (COT) Report Alternative
- BLM Policies and Regulations Alternative

PUBLIC INVOLVEMENT

The scoping period for the National GRSG Planning Strategy, including the three planning areas in the Great Basin region, began with the publication of the Notice of Intent in the Federal Register on December 9, 2011, and ended on March 23, 2012. Beginning in December and ending in February of 2012, the Forest Service and the BLM hosted a series of public open house scoping meetings across Idaho, Southwestern Montana, Nevada, and Utah. A final National GRSG Planning Strategy Scoping Report was released in May 2012.

A Notice of Availability for the Idaho and Southwestern Montana, Nevada, and Utah Draft LMP Amendments/EISs was published in the Federal Register on November 1, 2013.

In the Great Basin region, Idaho and Southwestern Montana conducted seven public meetings; Nevada conducted seven public meetings, and Utah conducted eight public meetings between November 2013 and January 2014.

Comments on the Draft LMP Amendments/EISs received from the public and internal Forest Service and BLM review were considered and incorporated, as appropriate, into the proposed plan amendments. The Great Basin region received approximately 4,990 substantive comments, contained in 74,240 submissions. Public comments resulted in the addition of clarifying text, but did not significantly change the proposed LMP amendments.

A Notice of Availability for the Great Basin region final LMP Amendments/EISs was released on May 29, 2015. The release of the EPA's NOA initiated a 30-day public protest period and a 60-day governors' consistency review. In accordance with 36 C.F.R. § 219.59, Use of Other Administrative Review Processes, the Forest Service waived their objection procedures of this subpart and instead adopted the BLM's protest procedures outlined in 43 C.F.R. § 1610.5-2, Protest Procedures. See the Protest section for a full description of the protest period outcome.

INTERAGENCY COORDINATION

During development of the draft and final EISs and the LMP Amendments, the Forest Service coordinated with the BLM and the USFWS as cooperating agencies, and collaborated with the States of Idaho, Utah, and Nevada in the analysis of particular resources and in establishing direction to protect and/or restore GRSG habitat.

Bureau of Land Management

The Forest Service worked in partnership with the BLM to develop a collaborative, science-based, landscape-level GRSG conservation strategy. A Memorandum of Understanding between the Forest Service, BLM, and USFWS was signed in March 2012 to coordinate and cooperate in conducting environment analysis and preparing EISs for amendment of LMPs to incorporate conservation measures to protect, restore, and enhance for the GRSG. Also, in March 2012, the Forest Service chartered an agency-specific strategy to coordinate with the BLM to develop new or revised regulatory mechanisms through LMPs to conserve and restore GRSG and its habitat on NFS lands on a range-wide basis. The charter established Forest Service team membership in BLM GRSG teams

for effective coordination throughout the process at all organizational levels. The nine teams included Forest Service Washington Office, Regional Office, and Forest-level representatives.

In addition to formal agreements, the Forest Service and the BLM conducted five week-long Federal Family Meetings in Denver and Portland in August and September 2013 and February and September 2014. These gatherings served as an opportunity to share Forest Service and BLM efforts, to focus on workable solutions, and to continue to build trust for the common goal of conserving GRSG.

State Governments

In 2011, then Secretary of the Interior Ken Salazar sent letters to each of the State governors in Idaho and Southwest Montana, Nevada, and Utah asking for a report and recommendations on how to best move forward with a multi-State conservation sage-grouse plan. Most States across the range provided State conservation plans that were part of the range of alternatives analyzed in the FEISs. Components of these State conservation plans were used to develop the LMP amendments.

In addition, the Western Governors Association Sage Grouse Task Force was established in 2011 to identify and implement high priority conservation actions and integrate ongoing actions necessary to preclude the need for the GRSG to be listed under the ESA. This group, which includes designees from the 11 Western States where GRSG is found as well as representatives from USFWS, BLM, Natural Resources Conservation Service, Forest Service, US Geological Survey, and the Department of the Interior, played an integral role throughout this land use planning process.

Consultation with American Indian Tribes

In accordance with the National Historic Preservation Act and several other legal authorities and in recognition of the government-to-government relationship between individual tribes and the Federal government, the Forest Service conducted tribal consultation when preparing the three Great Basin region draft and final EISs and proposed LMP amendments. Coordination with tribes occurred throughout the planning process. In December 2011, letters were sent to 65 tribal governments providing initial notification of the planning effort, background information on the project, an invitation to be a cooperating agency, and notification of subsequent consultation efforts related to the planning process. Tribes have been participating in the planning process through numerous meetings and through personal contacts.

Endangered Species Act Section 7 Consultation

Consultation with USFWS is required under Section 7 (a)(2) of the ESA before the start of any Forest Service action that may affect any federally listed, threatened, or endangered species or its designated critical habitat. The Forest Service worked closely with the USFWS during the process of developing the proposed LMP amendments. The USFWS is a cooperating agency in this planning process and has been intimately involved in the interdisciplinary team process developing the alternatives and analyzing the effects.

The Forest Service initiated informal Section 7 consultation with letters to the USFWS before the release of the Draft LMP Amendments/EISs, and requested concurrence on which species would require consideration during consultation. Over the ensuing months, the Forest Service, BLM and USFWS held weekly consultation meetings to discuss the analysis methodology, species-specific analyses and the effects determinations in the biological assessment analysis. During this process, we identified the species that would not be affected and those that may be affected and would need formal consultation from the USFWS.

Before the release of the Proposed LMP Amendments/FEISs, the Forest Service submitted the biological assessments to the USFWS. With this submission, the Forest Service requested concurrence for the 13 species that may be affected by the action, but were not likely to be adversely affected and formal consultation for the one species (Utah prairie dog) that may be affected and was likely to be adversely affected by the action. The 13 species included Canada lynx, Utah prairie dog, California condor, Mexican spotted owl, autumn buttercup, clay phacelia, clay reed-mustard, last chance townsendia, shrubby reed-mustard, Uinta Basin hookless cactus, and Ute ladies'-tresses for the Utah FEIS; grizzly bear and Ute ladies'-tresses for the Idaho/SW Montana FEIS, and Webber's ivesia for the Nevada/California FEIS.

Across the three planning sub-regions the USFWS concurred with our "not likely to adversely affect" determination for the 13 species listed above and provided a biological opinion for the Utah prairie dog. In the biological opinion, conservation measures for Utah prairie dog were outlined to ensure the protection of this species. In consideration of a potential vegetation/habitat management conflict, the Forest Service developed a LMP amendment standard for the areas that GRSG priority habitat and identified Utah prairie dog habitat overlapped. The most current version of Utah prairie dog conservation measures developed by the USFWS will be used during project implementation. These conservation measures will provide direction to manage towards Utah prairie dog recovery, while striving to manage for GRSG habitat benefit.

FINDINGS REQUIRED BY LAWS AND REGULATIONS

This decision is consistent with national laws and regulations: specifically, NEPA, NFMA, ESA, the Clean Air Act, the Clean Water Act of 1972, and the National Historic and Preservation Act. It would not affect civil rights, environmental justice, or valid existing rights.

Civil Rights and Environmental Justice

The BLM and the Forest Service considered information on the presence of minority and low-income populations to assess the potential for disproportionately high and adverse impacts on minority or low-income populations. Consideration of impacts includes existence of high and adverse human health and environmental effects and the degree to which low-income populations are more likely to be exposed or vulnerable to those effects.

Conservation measures to protect, restore, and enhance and other requirements under this action would be implemented consistently across all identified habitat, with no discrimination over particular populations.

The planning area is within the traditional or historical use area of several tribes in Idaho, including hunting, however, the proposed management action would not affect the overall tribes' ability to hunt in the study area. The Summit Lake Tribe in Nevada expressed concern about negative impacts of the action on road projects and reservation boundary expansion; approval of these actions would be subject to further NEPA analysis. The proposed action may affect the economic efficiency of livestock operations managed by three tribes in Nevada, however, these tribes would not be disproportionately affected (i.e., they would experience the same adverse effects as other permit holders).

Several counties in some of the Great Basin region States have minority presence, and/or concentrations of low income populations considerably above that of State averages, and the BLM and Forest Service considered the possibility that potential adverse impacts resulting from the action could be concentrated in a few counties of minority or low income concern. However, based on available information about the nature and geographic incidence of impacts, specific minority populations, tribal populations, or low income populations are not expected to be exposed to disproportionately high and adverse impacts under any of the management alternatives considered, with the following exceptions:

Potentially disproportionately high and adverse impacts on low income populations in White Pine County (NV) and northern portions of Nye County (NV) related to potential reductions in livestock grazing under Alternatives C and F. Nye County populations may experience additional employment impacts associated with oil, gas, and wind energy development. Potential impacts would be lower under the selected alternative in comparison to some alternatives (e.g., Alternative C) where constraints on resource utilization activities are greater.

Valid Existing Rights

This decision does not affect valid existing rights on Federal lands. Valid existing rights may be held by other Federal, State or local government agencies or by private individuals or companies. Valid existing rights may pertain to mining claims, mineral or energy easements, rights-of-way, reciprocal rights-of-way, leases, agreements, permits, and water rights. The direction in the LMP amendments will be applied consistent with applicable valid existing.

National Historic Preservation Act

The National Historic Preservation Act and subsequent amendments require Federal agencies to consider the effects of their undertakings on historic properties. As required under the Act, site-specific project areas are subject to requirements for survey, identification of resources, determination of eligibility, evaluation of effect, consultation and resolution of adverse effects, if any. This decision is programmatic and does not authorize site-specific activities. Projects will comply fully with the laws and regulations that ensure protection of cultural resources. This decision complies with the NHPA and other statutes that pertain to the protection of cultural resources.

As required by the National Historic Preservation Act of 1966 as amended and its implementing laws and regulations (36 CFR 800), the Draft LMP Amendments/EISs were provided to the Idaho,

Montana, Nevada, and Utah State Historic Preservation Offices (SHPO) concurrently with its release to the public. The FEISs and proposed LMP amendments were also provided to the SHPOs.

National Forest Management Act

Finding of Non-significance

Under the National Forest Management Act (NFMA) (16 USC 1604 (f)(4), National Forest System LMP may be “amended in any manner whatsoever after final adoption and after public notice, and, if such amendment would result in a significant change in such plan, in accordance with subsections (e) and (f) of this section [of NFMA] and public involvement comparable to that required in subsection (d) of this section.” The applicable NFMA regulation at 36 CFR 219.10 (f) states: “Based on an analysis of the objectives, guidelines, and other contents of the forest plan, the Regional Forester shall determine whether a proposed amendment would result in a significant change in the plan.” Neither NFMA, nor its implementing regulations, defines the term “significant,” but instead permit the Forest Service to determine whether or not a proposed amendment will be significant.

The Forest Service Manual 1900, Section 1926, Land Management Planning Using Planning Regulations in Effect Before November 9, 2000, at FSM 1926.51 and 1926.52 provide guidance to assist in the determination whether a LMP amendment is significant.

FSM 1926.51, Changes to the Land Management Plan That are Not Significant, provides that changes that are not significant can result from:

1. Actions that do not significantly alter the multiple-use goals and objectives for long-term land and resource management.
2. Adjustments of management area boundaries or management prescriptions resulting from further on-site analysis when the adjustments do not cause significant changes in the multiple-use goals and objectives for long-term land and resource management.
3. Minor changes in standards and guidelines.
4. Opportunities for additional projects or activities that will contribute to achievement of the management prescription.

FSM 1926.52, Changes to the Land Management Plan That are Significant, provides the following examples that indicate circumstances that may cause a significant change:

1. Changes that would significantly alter the long-term relationship between levels of multiple-use goods and services originally projected (see section 219.10(e) of the planning regulations in effect before November 9, 2000 (see 36 CFR parts 200 to 299, revised as of July 1, 2000)).
2. Changes that may have an important effect on the entire LMP or affect land and resources throughout a large portion of the planning area during the planning period.

Ashley, Beaverhead-Deerlodge, Boise, Caribou, Challis, Dixie, Fishlake, Humboldt, Manti-LaSal, Salmon, Sawtooth, Targhee, Toiyabe, Uinta, and Wasatch-Cache National Forests

For these national forests, the acreages covered by this amendment (table G) are generally a small portion of the land acres. Because of this, the GRSG plan amendments change the LMPs for all the above listed national forests in the manner described at FSM 1926.51, 1, 2, and 4.

1. These LMP amendments identify actions that do not significantly alter the multiple-use goals and objectives for long-term land and resource management.
2. The LMP amendments do not establish new management prescription areas.
4. Projects necessary to support attainment of the Goals and Objectives of these LMPs would continue with implementation of the LMP amendments.

The analysis completed by the Forest Service does not indicate that the amendment to the Ashley, Beaverhead-Deerlodge, Boise, Caribou, Challis, Dixie, Fishlake, Humboldt, Manti-LaSal, Salmon, Sawtooth, Targhee, Toiyabe, Uinta, and Wasatch-Cache National Forests LMP amendments would significantly alter the long-term relationship between levels of multiple-use goods and services projected in the plan, or affect land and resources throughout a large portion of the planning area during the planning period as discussed under FSM 1926.52, nor will the amendments significantly alter the multiple use goals and objectives for long-term land and resource management as discussed under FSM 1926.51. The amendment may nonetheless require changes to commercial operations on NFS land that are permitted or authorized by the Forest Service from historical practices that may have social and economic impacts to operators.

Curlew National Grassland

This plan amendment covers 82% of the Curlew National Grassland; (table G) however, the GRSG LMP amendments change the 2002 Curlew Grassland Plan (2002 Plan) in the manner described at FSM 1926.51, 1, 2, and 4.

1. Grassland goals and objectives in the 2002 Plan focus primarily on maintaining and improving ecological conditions for GRSG and Columbian sharp-tailed grouse. The LMP amendments do not change this emphasis on managing for GRSG.
2. The plan amendments do not establish new management prescription areas.
4. Projects necessary to support attainment of the Goals and Objectives of the 2002 Plan would continue with implementation of the LMP amendments.

The analysis completed by the Forest Service does not indicate that the amendment to the Curlew National Grassland LMP amendment would significantly alter the long-term relationship between levels of multiple-use goods and services projected in the plan, or affect land and resources throughout a large portion of the planning area during the planning period as discussed under FSM 1926.52, nor will the amendments significantly alter the multiple use goals and objectives for long-term land and resource management as discussed under FSM 1926.51. The amendment may nonetheless require changes to commercial operations on NFS land that

are permitted or authorized by the Forest Service from historical practices that may have social and economic impacts to operators.

Significance Determination

I have determined that the GRSG LMP amendments are a change to a plan as described in FSM 1926.51; 1, 2, and 4 and are not a change to a plan as described at FSM 1926.52. Therefore, I find that these LMP amendments are non-significant for all of the plans being amended under this decision.

Table G. Acres of Greater Sage-grouse Habitat on Proclaimed National Forest System Lands within the Great Basin Region.^{1,2}

Forest Service Unit Name	Total Acres of NFS Lands	Total Acres of GRSG habitat intersecting NFS Lands	Percentage of GRSG habitat on NFS Lands
Ashley National Forest	1,401,200	242,600	17%
Beaverhead-Deerlodge National Forest	3,579,600	410,700	11%
Boise National Forest	2,950,800	131,500	4%
Caribou National Forest	1,348,200	33,200	2%
Challis National Forest	2,479,600	362,500	15%
Curlew National Grassland	74,700	61,100	82%
Dixie National Forest	1,965,100	246,100	13%
Fishlake National Forest	1,534,000	133,400	9%
Humboldt National Forest	2,618,600	1,140,000	44%
Manti-La Sal National Forest	1,414,100	109,600	8%
Salmon National Forest	1,796,800	76,900	4%
Sawtooth National Forest	1,892,600	571,600	30%
Targhee National Forest	1,691,900	90,200	5%
Toiyabe National Forest	4,230,500	644,400	15%
Uinta National Forest	885,500	42,400	5%
Wasatch-Cache National Forest	2,030,200	336,400	17%

Source: FS GIS 2015.

¹ Proclaimed boundaries were used to break down forests into individual units. Alterations to these boundaries were made for the Uinta NF and the Manti-La Sal NF, as well as the Wasatch-Cache NF and the Caribou NF due to discrepancies between the proclaimed unit and the administering unit. Inholdings were not removed from these calculations. Only PHMA and GHMA habitat categories were included for NV (Humboldt NF and Toiyabe NF).

² Data rounded to the nearest 100.

Viable Population Determination

The NFMA and 1982 planning rule requires that plans provide for diversity of plant and animal communities “based on the suitability and capability of the specific land and in order to meet multiple-use objectives . . .” 16 USC 1604 (g)(3)(B). The applicable 1982 regulation also requires that planning provide for diversity of plant and animal communities, consistent with multiple-use objectives. The regulations also provide that habitat are to be managed to maintain viable populations of native and non-native vertebrates (16 USC 1604 (g)(3)(B); 36 CFR 219.26; 36 CFR 219.19).

The statutory and regulatory requirements must be understood to operate within the physical constraints of the land. NFS units differ substantially in the inherent distribution and quality of GRSG habitat. Some NFS units occur at an elevation and in ecological settings such that they support certain life history needs, but not others. As a result, GRSG use NFS lands for only a portion of the year (e.g., for summer brood-rearing habitat). In contrast, other units provide year-round habitat. Differences among NFS units result largely from the environmental setting and therefore, the inherent capability of the environment to support particular sagebrush ecosystems and GRSG populations varies by geographic area.

Biological Evaluations prepared for each of the FEISs identified and evaluated the contribution of habitat on NFS lands to the maintenance of GRSG, based on the lands’ inherent capability and suitability to support GRSG. The biological evaluations assessed the sufficiency of habitat on NFS land in maintaining viable populations of GRSG and considered the contribution of habitat on NFS land to GRSG persistence. The evaluation also recognized the inherent limitations on the ability of NFS lands to meet needs for GRSG life history stages. The Biological Evaluations then evaluated the effects of Alternative D (also Alternative E in Idaho and Southwest Montana). The Biological Evaluations concluded that implementation of the GSRG amendments will provide habitat on NFS lands that will support persistent populations on each involved NFS unit. The amendments were developed to provide assurances that conservation and management actions would provide conditions to support the persistence of GRSG on the NFS units to meet the associated life-cycle requisites on those NFS lands that are suitable for and capable of providing habitat.

In the GRSG Great Basin sub-regions (Nevada, Idaho and Southwest Montana, and Utah), the primary concerns are the loss of GRSG habitat to invasive annual species (primarily grasses), uncharacteristic wildfires largely stemming from invasive annual species, and the encroachment of pinyon-juniper into historic sagebrush communities. The FEISs analyze actions and provide direction and the appendices provide direction to ameliorate these threats. Sagebrush community resistance and resilience concepts (Chambers et al. 2014) were used to identify habitats that are at the greatest risk from fire and invasive species. This analysis was used to inform the interagency FIAT (2014) effort, which focused on identifying areas where these threats most affect sage-grouse populations, and provided management and conservation guidance to ameliorate those threats to conserve the largest populations. The LMP amendments contain specific desired conditions, objectives, standards, and guidelines to conserve, manage, and restore habitats on NFS lands that support GRSG populations.

Collaborative land management is essential to effectively conserve a species or habitat; therefore, the Forest Service works in partnership with States when developing NFS LMPs. However, Forest Service LMPs may differ from State plans to meet our viable population requirement within each national forest. When this is the case, the Forest Service works with our State partners to develop direction that meets our viable population requirement, while considering State plan direction.

Similar to GRSG, other Forest Service sensitive species within the Great Basin region were reviewed within the biological evaluation to determine the impacts to these other species from this decision and ensure their persistence on Forest Service administered lands. The analysis determined that the individual sensitive species that utilize sagebrush communities have specific requirements at finer scales than sage-grouse, which differentiate their use of these habitats. However, protections for GRSG will likely either be neutral or will benefit these other species and these species are expected to persist on Forest Service administered lands.

Based on the analyses in the FEIS and the biological evaluations, the attached LMP amendments provide habitat for viable populations of GRSG and other sensitive species on NFS lands.

Endangered Species Act

The purpose of the Endangered Species Act of 1973 (ESA) is for the conservation of threatened and endangered plants and animals and their habitats. By its very nature, this LMP amendment seeks to conserve wildlife and plant habitats. The Forest Service, BLM, and USFWS have coordinated closely on potential impacts to threatened, endangered, and proposed species through the ESA section 7 consultation process. Throughout this process, in conjunction with the USFWS, the Forest Service has ensured compliance with the ESA. A summary of the results of ESA, section 7 consultation is found above under the section titled Endangered Species Act Section 7 Consultation.

Clean Air Act

The Forest Service is tasked through the Federal Clean Air Act of 1970 to provide particular protection to Air Quality Related Values. This decision is consistent with the Clean Air Act. There are no emissions related to implementation of this decision. This decision will result in additional restrictions on activities that emit air pollutants; none of the direction in the LMP amendments will produce adverse impacts to air quality. Implementation of the LMP amendment direction will not result in exceedance of Nevada Ambient Air Quality, Idaho Air Quality Division standards, the Montana Division of Environmental Quality, or the Utah Division of Air Quality regulations.

Clean Water Act

The Federal Water Pollution Control Act of 1948, expanded and reorganized in 1972 (Federal Water Pollution Control Amendments of 1972), is commonly known as the Clean Water Act (CWA). The objective of the CWA is to restore and maintain the chemical, physical, and biological integrity of the nation's waters. Nothing in this decision will change or modify standards, guidelines, and direction contained in the LMP amendments, best management practices, applicable Forest Service

manual and handbook direction, or the existing LMPs. Ongoing and future site-specific projects will adhere to these standards, guidelines, and direction, and by doing so will continue to be consistent with the Clean Water Act and amendments.

National Environmental Policy Act

Implementing regulations for NEPA (40 C.F.R. § 1909.15) were followed in preparing the FEIS. The range of alternatives was adequate to understand and analyze significant public issues. This decision adopts all practical means to avoid and/or minimize adverse effects to the environment that are relevant to this planning scale.

TRANSITION TO NEW MANAGEMENT DIRECTION

The FEISs and LMP amendments were developed with the understanding that when a plan is amended, existing permits must be made consistent with the amendments “as soon as practicable” (16 USC 1604(i)). Additionally, NFMA allows the Forest Service to conduct implementation “as soon as practicable” after the effective date of the ROD. Therefore, the grazing and lands and realty direction in the LMP amendments will be implemented over several years and will be consistent with valid existing rights, where applicable. This will allow time for close, careful, and considered consultation, cooperation, and coordination with all involved parties.

Current Plan Direction

Projects with decisions made on or after the effective date of this ROD must be consistent with the LMPs as amended by these GRSG amendments and approved by this ROD. Projects with decisions made before the effective date of the ROD may proceed unchanged. In developing the LMP amendments approved by this ROD, the effects of these earlier decisions were considered part of the baseline against which the alternatives were evaluated. Because earlier decisions were considered in the effect analysis, their implementation is not in conflict with the LMP amendments.

Future high voltage transmission lines will be restricted in PHMA, GHMA, IHMA (Idaho only), OHMA (Nevada only), and Anthro Mountain (Utah only). However, the planning, siting, and environmental review of a limited number of Presidential priority lines (Gateway West, Boardman to Hemingway, and Transwest Express, including those portions of Gateway South that are co-located) have been underway for a number of years. These lines are critical to expanding access to renewable sources of energy (especially wind) and to improving the reliability of the Western grid; therefore, planning for these lines will proceed consistent with the standards in the existing LMP and potential impacts to GRSG will be fully mitigated through (1) micro siting to adjust the route to avoid important habitat and leks, (2) transmission tower design to minimize the potential for adverse impacts to GRSG such as perching for predators, and (3) compensatory mitigation measures, such as habitat restoration and pre-suppression activities to reduce the risk of habitat loss due to fire, to offset any unavoidable impacts to a conservation gain standard. All other future authorizations in PHMA, GHMA, IHMA (Idaho/Southwest Montana only), OHMA (Nevada only), and Anthro Mountain (Utah only), other than the above identified excepted projects, must comply with the conservation measures outlined in these LMP amendments.

Additionally, under NFMA, “permits, contracts, and other instruments for the use and occupancy” of NFS lands are required to be consistent with the current land and RMP. However, this requirement is not absolute. In the plan revision context, NFMA specifically qualifies the requirement in three ways: (1) these documents must be revised only “when necessary,” (2) these documents must be revised “as soon as practicable,” and (3) any revisions are “subject to valid existing rights.” Use and occupancy agreements, which might require modification of pre-existing authorizations, include those for livestock grazing and lands special use permits.

Forests in the Great Basin region will undertake many management activities to implement the LMP amendments. Before such activities may proceed, they must first be proposed, and their effects must be analyzed in accordance with NEPA. Also, their consistency with the relevant amended plan must be determined.

Greater Sage-grouse Plan Amendment Direction

This decision is adding new plan components (desired conditions, objectives, standards, and guidelines) to the respective Forest Service Great Basin sub-regional LMPs. The LMP amendments to existing GRSG direction are attachments and appendices, by planning area, to this ROD. This decision supersedes direction in existing LMPs related to GRSG or its habitat, unless existing direction provide equal or greater protection for GRSG or its habitat.

In the joint BLM and Forest Service FEISs, GRSG priority, important (Idaho only), other (Nevada only), and general habitat areas, were called “management areas,” which is a term already used in existing LMPs. To avoid confusion, the mapped areas of this decision with area-specific direction (priority, important, other, and general habitat areas, and sagebrush focal areas), are to be treated as “overlays” to existing management area in existing LMPs, rather than replacing those existing management areas.

Direction Timeframes

Grazing Transition

Under NFMA, the Forest Service may conduct implementation “as soon as practicable” after the effective date of the ROD. Our expectation is to implement amended grazing guidance with a phased-in approach within 18-24 months after signing the ROD for the majority of our allotments. However, in some circumstances up to 36 months may be required for permit modification and full implementation. Therefore there will be no immediate change in grazing management or modification of term grazing permits upon signing this ROD and implementation will occur in a phased approach.

The first phase of implementation of the grazing guidance contained in the LMP amendments will be habitat mapping that identifies GRSG habitat and an evaluation of allotments (i.e. specific pastures and riparian/mesic areas). The Habitat Assessment Framework protocol (<http://sagemap.wr.usgs.gov/docs/rs/SG%20HABITAT%20ASSESSMENT%202010.pdf>) will be used to identify habitat condition at the allotment scale. Field visits with permittees may also be conducted to understand the new guidance and expectations, evaluate impacts, and explore collaborative solutions to effectively implement this guidance. In the second phase of

implementation, term grazing permits of affected allotments will be modified with new grazing guidance by the 2017 grazing season for most units and no later than 2018 grazing season for all units. In most cases, no additional site-specific NEPA analysis or decision is anticipated. If after a period of time (i.e. 1 to 3 years after modifying permits) of implementation and monitoring, it is determined that existing allotment management plan prevent attainment of standards, guidelines, or desired conditions, then new NEPA may be required to adjust the allotment management plans.

Lands and Realty Transition


Installation of perch deterrents or other anti-perching devices on tall structures (as defined in the LMP amendments) in GRSG nesting habitat will be required within 2 years of signing of this ROD. Otherwise, during renewal, amendment, or reissuance of existing authorizations, the protective stipulations in the LMP amendments related to noise, tall structures, guy wire removal, perch deterrent installation will be accomplished within a reasonable timeframe, as determined by the authorized officer. New authorizations that authorize infrastructure in GRSG habitat will include the protective stipulations in the LMP amendments related to noise, tall structures, guy wire removal, perch deterrent installation. When a lands special use authorization is revoked or terminated and no future use is contemplated, the authorization holder will be required to remove overhead lines and other infrastructure, within a reasonable timeframe as determined by the authorized officer, in compliance with 36 CFR 251.60(i).

APPROVAL

Based upon my review of all the alternatives, I approve the attached LMP amendments for the identified NFS lands in Idaho and Southwest Montana, Nevada, Utah, and Wyoming (Attachments A, B, C and D). This ROD and the LMP amendments become effective on the date this ROD is signed.

This decision is not subject to appeal; it constitutes final agency action and no further administrative remedies are available.


Approved by:



Nora B. Rasure
Intermountain Regional Forester

09/16/2015

Date



Leanne M. Marten
Northern Regional Forester

09/16/2015

Date

CONTACT PERSON

For additional information concerning this decision, contact:

Chris Iverson,
Deputy Regional Forester
Intermountain Region
Ogden, Utah
civerson@fs.fed.us
801-625-5605.

LIST OF ATTACHMENTS – LAND MANAGEMENT PLAN AMENDMENTS

Attachment A – Idaho and Southwest Montana GRSG Land Management Plan Amendment

Attachment B – Nevada GRSG Land Management Plan Amendment

Attachment C – Utah GRSG Land Management Plan Amendment

Attachment D – Wyoming GRSG Land Management Plan Amendment

Monitoring and Mitigation (applies to all plan amendments)

Appendix A - Monitoring Framework

Appendix B - Mitigation Strategy

Adaptive Management Plan (applies to NV, UT and ID plan amendments)

Appendix C - Adaptive Management

ATTACHMENT A – GREATER SAGE-GROUSE IDAHO AND SOUTHWEST MONTANA PLAN AMENDMENT

Forest Service Plan Components¹

Desired condition – A description of specific social, economic, and/or ecological characteristics of the plan area, or a portion of the plan area, toward which management of the land and resources should be directed. Desired conditions must be described in terms that are specific enough to allow progress toward their achievement to be determined but do not include completion dates.

Objective – A concise, measurable, and time-specific statement of a desired rate of progress toward a desired condition or conditions. Objectives should be based on reasonably foreseeable budgets.

Standard – A mandatory constraint on project and activity decision making established to help achieve or maintain the desired condition or conditions; to avoid or mitigate undesirable effects; or to meet applicable legal requirements.

Guideline – A constraint on project and activity decision making that allows for departure from its terms so long as the purpose of the guideline is met. Guidelines are established to help achieve or maintain a desired condition or conditions; to avoid or mitigate undesirable effects; or to meet applicable legal requirements.

The direction in the following standards and guidelines will be applied consistently with applicable valid existing rights, laws, and regulations.

General Greater Sage-grouse

GRSG-GEN-DC-001-Desired Condition – The landscape for the greater sage-grouse encompasses large contiguous areas of native vegetation, approximately 6-to-62 square miles in area, to provide for multiple aspects of species life requirements. Within these landscapes, a variety of sagebrush-community compositions exist without invasive species, which have variations in subspecies composition, co-dominant vegetation, shrub cover, herbaceous cover, and stand structure to meet seasonal requirements for food, cover, and nesting for the greater sage-grouse.

GRSG-GEN-DC-002-Desired Condition – Anthropogenic disturbance is focused in non-habitat areas outside of priority, important, and general habitat management areas and sagebrush focal areas.² Disturbance in general habitat management areas is limited, and there is little to no disturbance in priority and important habitat management areas and sagebrush focal areas except for valid existing rights and existing authorized uses.

¹ Plan component definitions are based on generally accepted meanings under the 1982 rule and the Forest Service Plan Wording Style Guide 2009, http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5260265.pdf.

² Priority management areas and general management areas may contain non-habitat, but management direction would not apply to those areas of non-habitat. However, management direction would apply to all areas within sagebrush focal areas including non-habitat.

GRSG-GEN-DC-003-Desired Condition – In all greater sage-grouse habitat, including all seasonal habitat, 70% or more of lands capable of producing sagebrush have from 10 to 30% sagebrush canopy cover and less than 10% conifer canopy cover. In addition, within breeding and nesting habitat, sufficient herbaceous vegetation structure and height provides overhead and lateral concealment for nesting and early brood rearing life stages. Within brood rearing habitat, wet meadows and riparian areas sustain a rich diversity of perennial grass and forb species relative to site potential. Within winter habitat, sufficient sagebrush height and density provides food and cover for the greater sage-grouse during this seasonal period. Specific desired conditions for the greater sage-grouse based on seasonal habitat requirements are in table 1.

Table 1. Seasonal Habitat Desired Conditions for Greater Sage-grouse at the Landscape Scale.

ATTRIBUTE	INDICATORS	DESIRED CONDITON
BREEDING AND NESTING^{1,2,3} (Seasonal Use Period from March 1 to June 15) Apply 6.2 miles from active leks.⁴		
Lek Security	Proximity of trees ⁵	Trees or other tall structures are absent to uncommon within 1.86 miles of leks. ^{6,7}
	Proximity of sagebrush to leks ⁶	Adjacent protective sagebrush cover within 328 feet of lek. ⁶
Cover	Seasonal habitat extent ⁷ (Percent of seasonal habitat meeting desired conditions)	>80% of the breeding and nesting habitat.
	Sagebrush canopy cover ^{6,7,8}	15 to 25%.
	Sagebrush height ⁷ Arid sites ^{6,7,9} Mesic sites ^{6,7,10}	12 to 32 inches. 16 to 32 inches.
	Predominant sagebrush shape ⁶	>50% in spreading. ¹¹
	Perennial grass canopy cover ^{6,7} Arid sites ^{7,9} Mesic sites ^{7,10}	≥10%. ≥15%.
	Perennial grass height ^{6,7,8}	Provide overhead and lateral concealment from predators. ^{7,15}
	Perennial forb canopy cover ^{6,7,8} Arid sites ⁹ Mesic sites ¹⁰	≥5%. ^{6,7} ≥10%. ^{6,7}
BROOD-REARING/SUMMER¹ (Seasonal Use Period from June 16 to October 31)		
Cover	Seasonal habitat extent ⁷ (Percent of seasonal habitat meeting desired conditions)	>40% of the brood-rearing/summer habitat.
	Sagebrush canopy cover ^{6,7,8}	10 to 25%.
	Sagebrush height ^{7,8}	16 to 32 inches.
	Perennial grass and forb canopy cover ^{7,8}	>15%.
	Riparian areas/mesic meadows	Proper functioning condition. ¹²
	Upland and riparian perennial forb availability ^{6,7}	Preferred forbs are common with several preferred species present ¹³
	Sagebrush cover adjacent to riparian areas/mesic meadows ⁶	Within 328 feet.

ATTRIBUTE	INDICATORS	DESIRED CONDITON
WINTER¹ (Seasonal Use Period from November 1 to February 28)		
Cover and Food	Seasonal habitat extent ^{6,7,8} (Percent of seasonal habitat meeting desired conditions.)	>80% of the winter habitat.
	Sagebrush canopy cover above snow ^{6,7,8}	>10%.
	Sagebrush height above snow ^{6,7,8}	>10 inches. ¹⁴

¹Seasonal dates can be adjusted; that is, start and end dates may be shifted either earlier or later, but the local unit cannot lengthen or shorten the amount of days.

²Doherty, K. 2008. *Sage-grouse and Energy Development: Integrating Science with Conservation Planning to Reduce Impacts*. University of Montana. Missoula, MT.

³Holloran and Anderson. 2005. *Spatial Distribution of Greater Sage-grouse nests in relatively contiguous sagebrush habitats*. Condor 107:742-752.

⁴Buffer distance may be changed only if 3 out of 5 years if peer-reviewed and published telemetry studies indicate the 6.2 miles is not appropriate.

⁵Baruch-Mordo, S., J.S. Evans, J.P. Severson, D.E. Naugle, J. D. Maestas, J.M. Kiesecker, M.J. Falkowski. C.A. Hagen, and K.P. Reese. 2013. *Saving sage-grouse from trees: A proactive solution to reducing a key threat to a candidate species*. Biological Conservation 167: 233-241.

⁶Stiver, S.J., E.T. Rinkes, D.E. Naugle, P.D. Makela, D.A. Nance, and J.W. Karl, eds., 2015. *Sage-Grouse Habitat Assessment Framework: A Multiscale Assessment Tool*. Technical Reference 6710-1. BLM and Western Association of Fish and Wildlife Agencies, Denver, Colorado.

⁷Connelly, J., M. A. Schroweder, A.R. Sands, and C.E. Braun. 2000. *Guidelines to manage sage-grouse populations and its habitat*. Wildlife Society Bulletin 28 (4): 967-985.

⁸Connelly, J., K. Reese, and M. Schroder. 2003. *Monitoring of Greater sage-grouse habitats and populations*. Station Bulletin 80, Contribution 979. University of Idaho, College of Natural Resources Experiment Station. Moscow, ID.

⁹10–12 inch precipitation zone; *Artemisia tridentata wyomingensis* is a common big sagebrush sub-species for this type site (Stiver et al. 2015).

¹⁰≥12 inch precipitation zone; *Artemisia tridentata vaseyana* is a common big sagebrush sub-species for this type site (Stiver et al. 2015).

¹¹Sagebrush plants with a spreading shape provide more protective cover than sagebrush plants that are more tree- or columnar shaped (Stiver et al. 2015).

¹²Existing LMP desired conditions for riparian areas/wet meadows (spring seeps) may be used in place of properly functioning conditions, if appropriate for meeting greater sage-grouse habitat requirements.

¹³Preferred forbs are listed in Table III-2 (Stiver et al. 2015). Overall total forb cover may be greater than that of preferred forb cover since not all forb species are listed as preferred in Table III-2.

¹⁴The height of sagebrush remaining above the snow depends upon snow depth in a particular year. Intent is to manage for tall, healthy sagebrush stands.

GRSG-GEN-ST-004-Standard – In priority habitat management areas and sagebrush focal areas, do not issue new discretionary written authorizations unless all existing discrete anthropogenic disturbances cover less than 3% of the total greater sage-grouse habitat within the Biologically Significant Unit and the proposed project area, regardless of ownership, and the new use will not cause exceedance of the 3% cap. Southwestern Montana will use a 3% disturbance cap until the State of Montana Strategy, which uses a 5% disturbance cap for all lands and all disturbances, is fully implemented. The BLM in Montana has developed conditions to be met before the change in the disturbance cap. Discretionary activities that might result in disturbance above 3% (5% in Montana when fully implemented) at the Biologically Significant Unit and proposed project area would be prohibited unless approved by the forest supervisor with concurrence from the regional forester after review of new or site-specific information that indicates the project would result in a net conservation gain at the Biologically Significant Unit and proposed project area scale. Within existing designated utility corridors, the 3% disturbance cap may be exceeded at the project scale if the site specific NEPA analysis indicates that a net conservation gain to the species will be achieved.

This exception is limited to projects that fulfill the use for which the corridors were designated (e.g., transmission lines, pipelines) and the designated width of a corridor will not be exceeded as a result of any project co-location. Consider the likelihood of surface disturbing activities as a result of development of valid existing rights when authorizing new projects in priority habitat management areas.

GRSG-GEN-ST-005-Standard – In priority, general, and important management areas and sagebrush focal areas, only allow new authorized land uses if, after avoiding and minimizing impacts, any remaining residual impacts to the greater sage-grouse or its habitat are fully offset by compensatory mitigation projects that provide a net conservation gain to the species, subject to valid existing rights by applying beneficial mitigation actions. Any compensatory mitigation will be durable, timely, and in addition to what would have resulted without the compensatory mitigation as addressed in the Mitigation Framework (Appendix B).

GRSG-GEN-ST-006-Standard – Do not authorize new surface disturbing and disruptive activities that create noise at 10dB above ambient measured at the perimeter of an occupied lek during lekking (from March 1 to April 30) from 6 p.m. to 9 a.m. Do not include noise resulting from human activities that have been authorized and initiated within the past 10 years in the ambient baseline measurement.

GRSG-GEN-GL-007-Guideline – During breeding and nesting (from March 1 to June 15), surface disturbing and disruptive activities to nesting birds should be avoided.

GRSG-GEN-GL-008-Guideline – When breeding and nesting habitat overlaps with other seasonal habitat, habitat should be managed for breeding and nesting desired conditions in table 1.

GRSG-GEN-GL-009-Guideline – Development of tall structures within 2 miles from the perimeter of occupied leks, as determined by local conditions (e.g., vegetation or topography), with the potential to disrupt breeding or nesting by creating new perching/nesting opportunities for avian predators or by decreasing the use of an area, should be restricted within nesting habitat.

Adaptive Management

GRSG-AM-ST-010-Standard – If a hard trigger is identified, management direction applying to priority habitat management areas will be applied to important habitat management areas within the Conservation Area in Idaho, and the Sage-Grouse Implementation Task Force will evaluate available and pertinent data and recommend additional potential implementation level activities to the appropriate Forest Service line officer in both Idaho and Southwest Montana (Appendix C).

GRSG-AM-ST-011-Standard – If a soft trigger is identified, the Forest Service will review available and pertinent data in coordination with the Sage-grouse Implementation Task Force, which may recommend potential implementation level activities to the appropriate agency line officer (Appendix C).

Lands and Realty

Special-use Authorizations (non-recreation)

GRSG-LR-SUA-O-012-Objective – In nesting habitat, retrofit existing tall structures (e.g., power poles, communication tower sites) with perch deterrents or other anti-perching devices within 2 years of signing the ROD.

GRSG-LR-SUA-ST-013-Standard – In priority and important habitat management areas and sagebrush focal areas, restrict issuance of new lands special-use authorizations for infrastructure, such as high-voltage transmission lines, major pipelines, distribution lines, and communication tower sites. Exceptions may include co-location and must be limited (e.g., safety needs) and based on rationale (e.g., monitoring, modeling, or best available science) that explicitly demonstrates that adverse impacts to the greater sage-grouse will be avoided by the exception. If co-location of new infrastructure cannot be accomplished, locate it adjacent to existing infrastructure, roads, or already disturbed areas and limit disturbance to the smallest footprint or where it best limits impacts to the greater sage-grouse or its habitat. Existing authorized uses will continue to be recognized.

GRSG-LR-SUA-ST-014-Standard – In general habitat management areas, new lands special-use authorizations may be issued for infrastructure, such as high-voltage transmission lines, major pipelines, distribution lines, and communication tower sites, if they can be located within existing designated corridors or rights-of-way and the authorization includes stipulations to protect the greater sage-grouse and its habitat. Existing authorized uses will continue to be recognized.

GRSG-LR-SUA-ST-015-Standard – In priority and important habitat management areas and sagebrush focal areas, do not authorize temporary lands special-uses (i.e., facilities or activities) that result in loss of habitat or would have long-term (i.e., greater than 5 years) negative impact on the greater sage-grouse or its habitat.

GRSG-LR-SUA-ST-016-Standard – In priority, important, and general habitat management areas and sagebrush focal areas, require protective stipulations (e.g., noise, tall structure, guy wire removal, perch deterrent installation) when issuing new authorizations or during renewal, amendment, or reissuance of existing authorizations that authorize infrastructure (e.g., high-voltage transmission lines, major pipelines, roads, distribution lines, and communication tower sites).

GRSG-LR-SUA-ST-017-Standard – In priority, important, and general habitat management areas and sagebrush focal areas, locate upgrades to existing transmission lines within the existing designated corridors or rights-of-way unless an alternate route would benefit the greater sage-grouse or its habitat.

GRSG-LR-SUA-ST-018-Standard – In priority, important, and general habitat management areas and sagebrush focal areas, when a lands special-use authorization is revoked or terminated and no future use is contemplated, require the authorization holder to remove overhead lines and other infrastructure in compliance with 36 CFR 251.60(i).

GRSG-LR-SUA-GL-019-Guideline – In priority management areas and sagebrush focal areas, outside of existing designated corridors and rights-of-way, new transmission lines and pipelines should be buried to limit disturbance to the smallest footprint unless explicit rationale is provided that the biological impacts to the greater sage-grouse and its habitat are being avoided. If new transmission lines and pipelines are not buried, locate them adjacent to existing transmission lines and pipelines.

GRSG-LR-SUA-GL-020-Guideline – The best available science and monitoring should be used to inform infrastructure siting in greater sage-grouse habitat.

Land Ownership Adjustments

GRSG-LR-LOA-ST-021-Standard – In priority, important, and general habitat management areas and sagebrush focal areas, do not approve landownership adjustments, including land exchanges, unless the action results in a net conservation gain to the greater sage-grouse or it will not directly or indirectly adversely affect greater sage-grouse conservation.

GRSG-LR-LOA-GL-022-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas with minority federal ownership, consider landownership adjustments to achieve a landownership pattern (e.g., consolidation, reducing fragmentation) that supports improved greater sage-grouse population trends and habitat.

Land Withdrawal

GRSG-LR-LW-GL-023-Guideline – In priority and important habitat management areas and sagebrush focal areas, use land withdrawals as a tool, where appropriate, to withhold an area from activities that will be detrimental to the greater sage-grouse or its habitat.

Wind and Solar

GRSG-WS-ST-024-Standard – In priority management areas and sagebrush focal areas, do not authorize new solar and wind utility-scale and/or commercial energy development except for on-site power generation associated with existing industrial infrastructure (e.g., mine site).

GRSG-WS-GL-025-Guideline – In important habitat management areas, new solar and wind energy utility-scale and/or commercial development should be restricted. If development cannot be restricted due to existing authorized use, adjacent developments, or split estate issues, then ensure that stipulations are incorporated into the authorization to protect the greater sage-grouse and its habitat.

Greater Sage-grouse Habitat

GRSG-GRSGH-O-026-Objective – Every 10 years for the next 50 years, improve greater sage-grouse habitat by removing invading conifers and other undesirable species based upon the number of acres shown in table 2.

Table 2. Treatment Acres per Decade.¹

FOREST	ACRES		
	MECHANICAL ²	PRESCRIBED FIRE ³	GRASS RESTORATION ⁴
Boise	1000	2000	0
Caribou-Targhee-Curlew	3000	2000	3000
Salmon-Challis	5000	1000	0
Sawtooth	7000	1000	7000
Beaverhead-Deerlodge	0	0	0

¹These are estimates of treatments required to achieve and/or maintain desired habitat conditions over a period of 10 years. There are many dynamic and highly variable disturbances that may happen over that period of time that could have a significant effect on the amount, type, and timing of treatment needed. Those disturbances are factored into the 10-year simulation using stochastic, not deterministic, techniques. Probabilities of events such as large wildfires are used in the model to make the simulation as realistic as possible, given empirical data about such events in the past, but the results of the simulation cannot be used to predict the future occurrence of such events, including their timing, size, or location, which are essentially random.

²Removal of conifers that have invaded sagebrush including phase-one juniper that is 10% or less and reducing sagebrush cover in areas over 30% canopy cover.

³Acres are those that are greater than 30% sagebrush canopy cover and/or invaded by 10% or greater conifer.

⁴Acres presently dominated by annual grasses that could be improved by herbicide application and seeding of perennial vegetation.

GRSG-GRSGH-ST-027-Standard – Design habitat restoration projects to move towards desired conditions (table 1).

GRSG-GRSGH-GL-028-Guideline – When removing conifers that are encroaching into greater sage-grouse habitat, avoid persistent woodlands (i.e., old growth relative to the site or more than 100 years old).

GRSG-GRSGH-GL-029-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, actions and authorizations should include design features to limit the spread and effect of undesirable non-native plant species.

GRSG-GRSGH-GL-030-Guideline – To facilitate safe and effective fire management actions, in priority, important, and general habitat management areas and sagebrush focal areas, fuel treatments in high-risk areas (i.e., areas likely to experience wildfire at an intensity level that might result in movement away from greater sage-grouse desired conditions in table 1) should be designed to reduce the spread and/or intensity of wildfire or the susceptibility of greater sage-grouse attributes to move away from desired conditions (table 1).

GRSG-GRSGH-GL-031-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, native plant species should be used, when possible, to maintain, restore, or enhance desired conditions (table 1).

GRSG-GRSGH-GL-032-Guideline – In priority and important habitat management areas and sagebrush focal areas, vegetation treatment projects should only be conducted if they maintain, restore, or enhance desired conditions (table 1).

Livestock Grazing

GRSG-LG-DC-033-Desired Condition – In priority and general habitat management areas, sagebrush focal areas, and within lek buffers, livestock grazing is managed to maintain or move towards desired conditions (table 1).

GRSG-LG-ST-034-Standard – In priority and important habitat management areas and sagebrush focal areas, do not approve construction of water developments unless beneficial to greater sage-grouse habitat.

GRSG-LG-GL-035-Guideline – Grazing guidelines should be applied in each of the seasonal habitat in table 3. If values in table 3 guidelines cannot be achieved based upon a site-specific analysis using Ecological Site Descriptions, long-term ecological site potential analysis, or other similar analysis, adjust grazing management to move towards desired habitat conditions in table 1 consistent with the ecological site potential. Do not use drought and degraded habitat condition to adjust values. Grazing guidelines in table 3 would not apply to isolated parcels of National Forest System lands that have less than 200 acres of greater sage-grouse habitat.

Table 3. Grazing Guidelines for Greater Sage-grouse Seasonal Habitat.

SEASONAL HABITAT	GRAZING GUIDELINES
Breeding and nesting ¹ within 6.2 miles of occupied leks	Perennial grass height: ² When grazing occurs during breeding and nesting season (from March 1 to June 15) manage for upland perennial grass height of 7 inches. ^{3,5} Measure average droop height, assuming current vegetation composition has the capability to achieve these heights. Heights will be measured at the end of the nesting period (Connelly et al. 2000). When grazing occurs post breeding and nesting season (from June 16 to October 30) manage for 4 inches ^{5,6} of upland perennial grass height.
Brood rearing and summer ¹	When grazing occurs post breeding and nesting season (from June 16 to October 30), retain an average stubble height of 4 inches for herbaceous riparian/mesic meadow vegetation in all ⁷ greater sage-grouse habitat. ^{8,9}
Winter ¹	≤35% utilization of sagebrush.

¹ For descriptions of Seasonal Habitat and Seasonal Periods of the greater sage-grouse, see table 1.

² Grass heights only apply in breeding and nesting habitat with ≥10% sagebrush cover to support nesting.

³ Holloran et al. 2005. *Greater sage-grouse nesting habitat selection and success in Wyoming*.

⁵ Hagen C., J.W. Connelly, and M.A. Schroeder. 2007. *A meta-analysis of greater sage-grouse *Centrocercus urophasianus* nesting and brood-rearing habitats*. *Wildlife Biology* 13(1): 42-50.

⁶ Stubble height to be measured at the end of the growing season.

⁷ All GRSG habitat with greater than 10% sagebrush cover irrespective of lek buffers and designated habitat management areas.

⁸ In riparian brood-rearing habitat, sage-grouse prefer the lower vegetation (5–15 cm vs. 30–50 cm; Oakleaf 1971, Neel 1980, Klebenow 1982, Evans 1986) and succulent forb growth stimulated by moderate livestock grazing in spring and early summer (Neel 1980, Evans 1986); moderate use equates to a 10-cm residual stubble height for most grasses and sedges and 5-cm for Kentucky bluegrass (Mosley et al. 1997, Clary and Leininger 2000) (Crawford et al. 2004. *Ecology and Management of sage-grouse habitat*).

⁹ Stubble height to be measured in the meadow areas used by greater sage-grouse for brood-rearing (not on the hydric greenline). These meadows typically have sagebrush within 328 feet of the meadow.

GRSG-LG-GL-036-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, when grazing permits are waived without preference or obtained through permit cancellation, consider the agency’s full range of administrative authorities for future allotment management, including but not limited to allotment closure, vacancy status for resource protection, establishment of forage reserve, re-stocking, or livestock conversion as management options to maintain or achieve desired habitat conditions (table 1).

GRSG-LG-GL-037-Guideline – Bedding sheep and placing camps within 1.2 miles from the perimeter of a lek during lekking (from March 1 to April 30) should be restricted.

GRSG-LG-GL-038-Guideline – During the breeding and nesting season (from March 1 to June 15), trailing livestock through breeding and nesting habitat should be minimized. Specific routes should be identified; existing trails should be used; and stopovers on active leks should be avoided.

GRSG-LG-GL-039-Guideline – Fences should not be constructed or reconstructed within 1.2 miles from the perimeter of occupied leks unless the collision risk can be mitigated through design features or markings (e.g., mark, laydown fences, or other design features).

GRSG-LG-GL-040-Guideline – New permanent livestock facilities (e.g., windmills, water tanks, corrals) should not be constructed within 1.2 miles from the perimeter of occupied leks.

Fire Management

GRSG-FM-DC-041-Desired Condition – In priority, important, and general habitat management areas and sagebrush focal areas, protect sagebrush habitat from loss due to unwanted wildfires or damages resulting from management-related activities while using agency risk management protocols to manage for firefighter and public safety and other high priority values. In all fire response, first priority is the management of risk to firefighters and the public. Greater sage-grouse habitat will be prioritized as a high value resource along with other high value resources and assets.

GRSG-FM-ST-042-Standard – In priority, important, and general habitat management areas and sagebrush focal areas, do not use prescribed fire in 12-inch or less precipitation zones unless necessary to facilitate restoration of greater sage-grouse habitat consistent with desired conditions in table 1 or for pile burning.

GRSG-FM-ST-043-Standard – In priority, important, and general management habitat management areas and sagebrush focal areas, if it is necessary to use prescribed fire for restoration of greater sage-grouse habitat consistent with desired conditions in table 1, the associated National Environmental Policy Act analysis must identify how the project would move towards greater sage-grouse desired conditions, why alternative techniques were not selected, and how potential threats to greater sage-grouse habitat would be minimized.

GRSG-FM-GL-044-Guideline – In wintering or breeding and nesting habitat, sagebrush removal or manipulation, including prescribed fire, should be restricted unless the removal strategically reduces the potential impacts from wildfire or supports the attainment of desired conditions.

GRSG-FM-GL-045-Guideline – In planned fuels management activities or part of an overall vegetative management strategy to mitigate the impacts of wildfire in priority and general habitat management areas and sagebrush focal areas, when reseeding in fuel breaks, fire-resistant native plant species should be used if available, or consider using fire-resistant non-native species if analysis and/or best available science demonstrates that non-native plants will not degrade greater sage-grouse habitat in the long-term.

GRSG-FM-GL-046-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, fuel treatments should be designed to maintain, restore, or enhance greater sage-grouse habitat.

GRSG-FM-GL-047-Guideline – Locating temporary wildfire suppression facilities (e.g., incident command posts, spike camps, helibases, mobile retardant plants) in priority and general habitat management areas and sagebrush focal areas should be avoided. When needed to best provide for firefighter or public safety or to minimize fire size in greater sage-grouse habitat, impacts to the greater sage-grouse should be considered and removal of sagebrush should be limited.

GRSG-FM-GL-048-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, cross-country vehicle travel during fire operations should be restricted. When needed to best provide for firefighter or public safety or to minimize fire size in greater sage-grouse habitat, impacts to the greater sage-grouse should be considered and removal of sagebrush should be limited.

GRSG-FM-GL-049-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, use fire management tactics and strategies that seek to minimize loss of existing sagebrush habitat. The safest and most practical means to do so will be determined by fireline leadership and incident commanders.

GRSG-FM-GL-050-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, prescribed fire prescriptions should minimize undesirable effects on vegetation and/or soils (e.g., minimize mortality of desirable perennial plant species and reduce risk of hydrophobicity).

GRSG-FM-GL-051-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, roads and natural fuel breaks should be incorporated into planned fuel-break design to improve effectiveness and minimize loss of existing sagebrush habitat.

GRSG-FM-GL-052-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, where practical and available, all fire-associated vehicles and equipment should be inspected and cleaned using standardized protocols and procedures and approved vehicle/equipment decontamination systems before entering and exiting the area beyond initial attack activities to minimize the introduction of invasive annual grasses and other invasive plant species and noxious weeds.

GRSG-FM-GL-053-Guideline – Unit-specific greater sage-grouse fire management-related information should be added to wildland fire decision support systems (currently, the Wildland Fire Decision Support System); local operating plans and resource advisor plans to be used during

fire situations to inform management decisions; and aid in development of strategies and tactics for resource prioritization.

GRSG-FM-GL-054-Guideline – Localized maps of priority and general habitat management areas and sagebrush focal areas should be made available to fireline, dispatch, and fire support personnel.

GRSG-FM-GL-055-Guideline – In or near priority, important, and general habitat management areas and sagebrush focal areas, a greater sage-grouse resource advisor should be assigned to all extended attack fires.

GRSG-FM-GL-056-Guideline – On critical fire weather days, protection of greater sage-grouse habitat should receive high consideration, along with other high values, for positioning of resources.

GRSG-FM-GL-057-Guideline – Line officers should be involved in setting pre-season wildfire response priorities and prioritizing protection of priority and general habitat management areas and sagebrush focal areas, along with other high values. During periods of multiple fires or limited resource availability, fire management organizational structure (local, regional, national) will prioritize fires and allocation of resources in which greater sage-grouse habitat is a consideration along with other high values.

GRSG-FM-GL-058-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, consider using fire retardant and mechanized equipment only if it is likely to result in minimizing burned acreage, preventing the loss of other high value resources, or increasing the effectiveness of other tactical strategies. Agency administrators, their designee, or fireline leadership should consider fire suppression effects while determining suppression strategy and tactics; the use of fire retardant and mechanized equipment may be approved by agency administrators, their designee, or fireline leadership.

GRSG-FM-GL-059-Guideline – In priority, important, and general habitat management areas, to minimize sagebrush habitat loss, consider using the full range of suppression techniques to protect unburned islands, doglegs, and other greater sage-grouse habitat features that may exist within the perimeter of wildfires. These suppression objectives and activities should be prioritized against other wildland fire suppression activities and priorities.

Wild Horse and Burro

GRSG-HB-GL-060-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, wild horse and burro populations should be managed within established appropriate management levels to maintain, restore, or enhance greater sage-grouse desired habitat conditions (table 1).

GRSG-HB-GL-061-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, consider adjusting appropriate management levels, consistent with applicable law, if greater sage-grouse management standards are not met due to degradation that can be at least partially be attributed to wild horse or burro populations.

Recreation

GRSG-R-DC-062-Desired Condition – In priority, important, and general habitat management areas and sagebrush focal areas, recreation activities are balanced with the ability of the land to support them while meeting greater sage-grouse seasonal habitat desired conditions (table 1) and creating minimal user conflicts.

GRSG-R-ST-063-Standard – In priority and important habitat management areas and sagebrush focal areas, do not authorize temporary recreation uses (i.e., facilities or activities) that result in loss of habitat or would have long-term (i.e., greater than 5 years) negative impacts on greater sage-grouse or its habitat.

GRSG-R-GL-064-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, terms and conditions that protect and/or restore greater sage-grouse habitat within the permit area should be included in new recreation special-use authorizations. During renewal, amendment, or reauthorization, terms and conditions in existing permits and operating plans should be modified to protect and/or restore greater sage-grouse habitat.

GRSG-R-GL-065-Guideline – In priority and important habitat management areas and sagebrush focal areas, new recreational facilities or expansion of existing recreational facilities (e.g., roads, trails, campgrounds), including special-use authorizations for facilities and activities, should not be approved unless the development results in a net conservation gain to the greater sage-grouse or its habitat or the development is required for visitor safety.

Roads/Transportation

GRSG-RT-DC-066-Desired Condition – In priority, important, and general habitat management areas and sagebrush focal areas within the forest transportation system and on roads and trails authorized under a special-use authorization, the greater sage-grouse experiences minimal disturbance during breeding and nesting (from March 1 to June 15) and wintering (from November 1 to February 28) periods.

GRSG-RT-ST-067-Standard – In priority, important, and general habitat management areas and sagebrush focal areas, do not conduct or allow new road or trail construction (does not apply to realignments for resource protection) except when necessary for administrative access to existing and authorized uses, public safety, or to access valid existing rights. If necessary to construct new roads and trails for one of these purposes, construct them to the minimum standard, length, and number and avoid, minimize, and mitigate impacts.

GRSG-RT-ST-068-Standard – Do not conduct or allow road and trail maintenance activities within 2 miles from the perimeter of active leks during lekking (from March 1 to April 30) from 6 p.m. to 9 a.m.

GRSG-RT-ST-069-Standard – In priority and important habitat management areas and sagebrush focal areas, do not allow public motor vehicle use on temporary energy development roads.

GRSG-RT-GL-070-Guideline – In priority and important habitat management areas and sagebrush focal areas, new roads and road realignments should be designed and administered to reduce collisions with the greater sage-grouse.

GRSG-RT-GL-071-Guideline – In priority and important habitat management areas and sagebrush focal areas, road construction within riparian areas and mesic meadows should be restricted. If not possible to restrict construction within riparian areas and mesic meadows, roads should be designed and constructed at right angles to ephemeral drainages and stream crossings, unless topography prevents doing so.

GRSG-RT-GL-072-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, when decommissioning roads and unauthorized routes, restoration activity should be designed to move habitat towards desired conditions (table 1).

GRSG-RT-GL-073-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, dust abatement terms and conditions should be included in road-use authorizations when dust has the potential to affect the greater sage-grouse.

GRSG-RT-GL-074-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, road and road-way maintenance activities should be designed and implemented to reduce the risk of vehicle- or human-caused wildfires and the spread of invasive plants. Such activities include but are not limited to the removal or mowing of vegetation a car-width off the edge of roads; use of weed-free earth-moving equipment, gravel, fill, or other materials; and blading or pulling roadsides and ditches that are infested with noxious weeds only if required for public safety or protection of the roadway.

Minerals

Fluid Minerals – Unleased

GRSG-M-FMUL-ST-075-Standard – In priority and important habitat management areas, any new oil and gas leases must include a No Surface Occupancy stipulation. There will be no waivers or modifications. An exception could be granted by the authorized officer with unanimous concurrence from a team of agency greater sage-grouse experts from the U.S. Fish and Wildlife Service, the Forest Service, and state wildlife agency if:

- There would be no direct, indirect, or cumulative effects to the greater sage-grouse or its habitat; or
- Granting the exception provides an alternative to a similar action occurring on a nearby parcel; and
- The exception provides a clear net conservation gain to the greater sage-grouse.

GRSG-M-FMUL-ST-076-Standard – In general habitat management areas, any new leases must include appropriate controlled surface use and timing limitation stipulations to protect the greater sage-grouse and its habitat.

GRSG-M-FMUL-ST-077-Standard – In sagebrush focal areas, there will be No Surface Occupancy and no waivers, exceptions, or modifications for fluid mineral leasing.

Fluid Minerals – Leased

GRSG-M-FML-ST-078-Standard – In priority and important habitat management areas and sagebrush focal areas, when approving the Surface Use Plan of Operation portion of the Application for Permit to Drill on existing leases that are not yet developed, require that leaseholders avoid and minimize surface disturbing and disruptive activities consistent with the rights granted in the lease.

GRSG-M-FML-ST-079-Standard – In priority and important habitat management areas and sagebrush focal areas, when facilities are no longer needed or leases are relinquished, require reclamation plans to include terms and conditions to restore habitat to desired conditions as described in table 1.

GRSG-M-FML-ST-080-Standard – In general habitat management areas, authorize new transmission line corridors, transmission line right-of-ways, transmission line construction, or transmission line-facility construction associated with fluid mineral leases with stipulations necessary to protect the greater sage-grouse and its habitat, consistent with the terms and conditions of the permit.

GRSG-M-FML-ST-081-Standard – Locate compressor stations on portions of a lease that are non-habitat and are not used by the greater sage-grouse and if there would be no direct, indirect, or cumulative effects on the greater sage-grouse or its habitat. If this is not possible, work with the operator to use mufflers, sound insulation, or other features to reduce noise consistent with GRSG-GEN-ST-006-Standard.

GRSG-M-FML-ST-082-Standard – In priority and general habitat management areas and sagebrush focal areas, when authorizing development of fluid mineral resources, work with the operator to minimize impacts to the greater sage-grouse and its habitat, such as locating facilities in non-habitat areas first and then in the least suitable habitat.

GRSG-M-FML-GL-083-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, operators should be encouraged to reduce disturbance to greater sage-grouse habitat. At the time of approval of the Surface Use Plan of Operation portion of the Application for Permit to Drill, terms and conditions should be included to reduce disturbance to greater sage-grouse habitat where appropriate and feasible and consistent with the rights granted to the lessee.

GRSG-M-FML-GL-084-Guideline – On existing federal leases in priority and important habitat management areas and sagebrush focal areas, when surface occupancy cannot be restricted due to valid existing rights or development requirements, disturbance and surface occupancy should be limited to areas least harmful to the greater sage-grouse based on vegetation, topography, or other habitat features.

GRSG-M-FML-GL-085-Guideline – In priority and general habitat management areas and sagebrush focal areas, where the federal government owns the surface and the mineral estate is in non-federal ownership, coordinate with the mineral estate owner/lessee to apply appropriate stipulations, conditions of approval, conservation measures, and required design features to the appropriate surface management instruments to the maximum extent permissible under existing authorities.

Fluid Minerals – Operations

GRSG-M-FMO-ST-086-Standard – In priority and important habitat management areas and sagebrush focal areas, do not authorize employee camps.

GRSG-M-FMO-ST-087-Standard – In priority and important habitat management areas and sagebrush focal areas, when feasible, do not locate tanks or other structures that may be used as raptor perches. If this is not feasible, use perch deterrents.

GRSG-M-FMO-GL-088-Guideline – In priority and important habitat management areas and sagebrush focal areas, closed-loop systems should be used for drilling operations with no reserve pits, where feasible.

GRSG-M-FMO-GL-089-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, during drilling operations soil compaction should be minimized and soil structure should be maintained using the best available techniques to improve vegetation reestablishment.

GRSG-M-FMO-GL-090-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, dams, impoundments, and ponds for mineral development should be constructed to reduce potential for West Nile virus. Examples of methods to accomplish this include the following:

- Increase the depth of ponds to accommodate a greater volume of water than is discharged.
- Build steep shorelines (greater than 2 feet) to reduce shallow water and aquatic vegetation around the perimeter of impoundments to reduce breeding habitat for mosquitoes.
- Maintain the water level below that of rooted aquatic and upland vegetation. Avoid flooding terrestrial vegetation in flat terrain or low-lying areas.
- Construct dams or impoundments that restrict down-slope seepage or overflow by digging ponds in flat areas rather than damming natural draws for effluent water storage or lining constructed ponds in areas where seepage is anticipated.
- Line the channel where discharge water flows into the pond with crushed rock or use a horizontal pipe to discharge inflow directly into existing open water.
- Line the overflow spillway with crushed rock and construct the spillway with steep sides.
- Fence pond sites to restrict access by livestock and other wild ungulates.

- Remove or re-inject produced water.
- Treat waters with larvicides to reduce mosquito production where water occurs on the surface.

GRSG-M-FMO-GL-091-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, to keep habitat disturbance at a minimum, a phased development approach should be applied to fluid mineral operations wherever possible, consistent with the rights granted under the lease. Disturbed areas should be reclaimed as soon as they are no longer needed for mineral operations.

Coal Mines – Unleased

GRSG-M-CMUL-ST-092-Standard – When consenting to new underground coal leases, include a lease stipulation prohibiting the location of surface facilities in priority and important habitat management areas and sagebrush focal areas.

Coal Mines – Leased

GRSG-M-CML-ST-093-Standard – In priority and important habitat management areas and sagebrush focal areas, do not authorize new appurtenant facilities related to existing underground mines unless no technically feasible alternative exists. If new appurtenant facilities associated with existing mine leases cannot be located outside of priority and important habitat management areas and sagebrush focal areas, locate them within any existing disturbed areas, if possible. If location within an existing disturbed area is not possible, then construct new facilities to minimize disturbed areas while meeting mine safety standards and requirements as identified by the Mine Safety and Health Administration mine-plan approval process and locate the facilities in an area least harmful to greater sage-grouse habitat based on vegetation, topography, or other habitat features.

GRSG-M-CML-GL-094-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, when coal leases are subject to readjustment, additional requirements should be included in the readjusted lease to conserve, enhance, and restore the greater sage-grouse and its habitat for long-term viability.

Locatable Minerals

GRSG-M-LM-ST-095-Standard – In priority and important habitat management areas and sagebrush focal areas, only approve Plans of Operation if they include mitigation to protect the greater sage-grouse and its habitat, consistent with the rights of the mining claimant as granted by the General Mining Act of 1872, as amended.

GRSG-M-LM-GL-096-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, to keep habitat disturbance at a minimum, a phased development approach should be applied to operations consistent with the rights granted under the General Mining Act of 1872, as amended. Disturbed areas should be reclaimed as soon as they are no longer needed for mineral operations.

GRSG-M-LM-GL-097-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, abandoned mine sites should be closed or mitigated to reduce predation of the greater sage-grouse by eliminating tall structures that could provide nesting opportunities and perching sites for predators.

Non-energy Leasable Minerals

GRSG-M-NEL-GL-098-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, at the time of issuance of prospecting permits; exploration licenses and leases; or readjustment of leases, the Forest Service should provide recommendations to the BLM for the protection of the greater sage-grouse and its habitat.

GRSG-M-NEL-GL-099-Guideline – In priority, important, and general habitat management areas and sagebrush focal areas, the Forest Service should recommend to the BLM that expansion or readjustment of existing leases avoid, minimize, or mitigate the effects to the greater sage-grouse and its habitat.

Mineral Materials

GRSG-M-MM-ST-100-Standard – In priority management areas and sagebrush focal areas, do not authorize new mineral material disposal or development.

GRSG-M-MM-ST-101-Standard – In priority and important habitat management areas and sagebrush focal areas, free-use mineral material collection permits may be issued and expansion of existing active pits may be allowed, except from March 1 to April 30 between 6 p.m. and 9 a.m. within 2 miles from the perimeter of occupied leks, within the Biologically Significant Unit and proposed project area if doing so does not exceed the disturbance cap.

GRSG-M-MM-ST-102-Standard – In priority, important, and general habitat management areas and sagebrush focal areas, any permit for existing mineral material operations must include appropriate requirements for operation and reclamation of the site to maintain, restore, or enhance desired habitat conditions (table 1).

GLOSSARY OF TERMS AS USED IN THIS PLAN

Active lek – Any lek that has been attended by the male greater sage-grouse during the most recent strutting season.

Adjacent – Installation of new linear improvements parallel, near, or next to existing linear improvements.

Administrative access – Access for resource management and administrative purposes such as wildfire suppression, cadastral surveys, permit compliance, law enforcement, and military in the performance of their official duty, or other access needed to manage National Forest System lands or uses.

Allotment – A designated area of land in which one or more livestock operators graze their livestock. An allotment may include one or more separate pastures. Livestock numbers and periods of use are specified for each allotment.

Ambient (noise level) – Sometimes called background noise level, reference sound level, or room noise level; the background sound pressure level at a given location, normally specified as a reference level to study a new intrusive sound source.

Anthropogenic disturbances – Human-created features including but not limited to paved highways; graded gravel roads; transmission lines; substations; wind turbines; oil and gas wells and associated facilities; geothermal wells and associated facilities; pipelines; landfills; agricultural conversion; homes; grazing-related facilities and structures; and mines.

Appurtenant (minerals) – A piece of equipment (e.g., pump jack, separator, storage tank, compressor station, metering equipment, etc.) necessary for production.

Authorized use – An activity (i.e., resource use) occurring on public lands that is either explicitly or implicitly recognized and legalized by law or regulation. The term may refer to activities occurring on public lands for which the Forest Service has issued a formal authorization document (e.g., livestock grazing permit, special-use authorization, approved plan of operation, etc.). Formal authorized uses can involve both commercial and non-commercial activity, facility placement, or event. These authorized uses are often spatially or temporally limited. Unless constrained or bounded by statute, regulation, or an approved forest plan decision, legal activities involving public enjoyment and use of the public lands (e.g., hiking, camping, hunting, etc.) require no formal Forest Service authorization.

Baseline condition – The pre-existing condition of a defined area and/or resource that can be quantified by an appropriate metric(s). During environmental reviews, the baseline is considered the affected environment that exists at the time of the review's initiation and is used to compare predictions of the effects of the proposed action or a reasonable range of alternatives.

Biologically Significant Unit – A geographical/spatial area within greater sage-grouse habitat that contains relevant and important habitat that is used as the basis for comparative calculations to support evaluation of changes to habitat. A Biologically Significant Unit or subset of the unit is used

in the calculation of the anthropogenic disturbance threshold and in the adaptive management habitat trigger. Specifically, in Idaho, a Biologically Significant Unit is considered all of the modeled nesting and delineated winter habitat, based on 2012 data, within priority and/or important habitat management areas within a Conservation Area. In Montana, a Biologically Significant Unit is defined as all of the priority and sagebrush focal management areas.

Co-location – Installation of new linear improvements (i.e., communication towers, electrical lines, other rights-of-way, or designated corridors) in, on, or adjacent to existing linear improvements.

Communication tower site – Sites that include broadcast types of uses (e.g., television, AM/FM radio, cable television, broadcast translator) and non-broadcast uses (e.g., commercial or private mobile radio service, cellular telephone, microwave, local exchange network, or passive reflector).

Compensatory mitigation – Compensating for the residual impact of a certain action or parts of an action by replacing or providing substitute resources or environments(s).

Compensatory mitigation projects – The restoration, creation, enhancement, and/or preservation of impacted resources, such as on-the-ground actions to improve and/or protect habitat (e.g. chemical vegetation treatments, land acquisitions, conservation easements, etc.).

Conservation Area – Areas determined to be necessary to monitor population objectives to evaluate the disturbance density and adaptive regulatory triggers and engage adaptive management responses. Conservation Areas may contain priority, important, and general habitat management areas and sagebrush focal areas. Specifically, these areas are Mountain Valleys, Desert, West Owyhee, and Southern and Southwestern Montana.

Controlled surface use – A category of moderate constraint stipulations that allows some use and occupancy of public land while protecting identified resources or values and is applicable to fluid mineral leasing and all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes, construction of wells and/or pads, etc.).

Corridor – A tract of land varying in width forming passageway through which various commodities such as oil, gas, and electricity are transported.

Disruptive activities – Land resource uses/activities that are likely to alter the behavior, displace, or cause excessive stress to the greater sage-grouse population occurring at a specific location and/or time. Actions that alter behavior or cause the displacement of individuals such that reproductive success is negatively affected or an individual's physiological ability to cope with environmental stress is compromised.

Distribution line – An electrical utility line with a capacity of less than 100kV or a natural gas, hydrogen, or water pipeline less than 24” in diameter.

Diversity (biological) – The number and distribution of plant and animal species within a specified geographic area. For purpose of the National Forest Management Act, the geographic area is a national forest or grassland unit.

Durable (protective and ecological) – The administrative, legal, and financial assurances that secure and protect the conservation status of a compensatory mitigation site and the ecological benefits of a compensatory mitigation project, for at least as long as the associated impacts persist.

Enhance – The improvement of habitat by increasing missing or modifying unsatisfactory components and/or attributes of the habitat (e.g., road commissioning) to meet greater sage-grouse objectives.

Exception (minerals) – A case-by-case exemption from a lease stipulation. The stipulation continues to apply to all other sites within the leasehold to which the restrictive criteria apply. The authorized officer (any employee of the Forest Service to whom has been delegated the authority to perform the duties described in the applicable Forest Service manual or handbook) may grant an exception if an environmental record of review determines that the action, as proposed or conditioned, would not impair the function or utility of the site for the current or subsequent seasonal habitat, life-history, or behavioral needs of the greater sage-grouse.

Feasible – see technically/economically feasible.

Fluid minerals – Oil, gas, coal bed natural gas, and geothermal resources.

Forage reserve – Designation for allotments on which there is no current term permit obligation for some or all of the estimated livestock grazing capacity and where there has been a determination made to use the available forage on the allotment to enhance management flexibility for authorized livestock use (FSH id_2209.13-2007-1).

Forest transportation system – Roads, trails, and areas designated for motor vehicle use that provide access to National Forest System lands for both motorized and non-motorized uses in a manner that is socially, environmentally, and economically sustainable over the long-term; enhances public enjoyment of National Forest System roads; and maintains other important values and uses.

General habitat management areas – National Forest System lands that are occupied seasonally or year-round habitat outside of priority habitat management areas where some special management would apply to sustain the greater sage-grouse population. The boundaries and management strategies for general habitat management areas are derived from and generally follow the preliminary general habitat boundaries.

Habitat – An environment that meets a specific set of physical, biological, temporal, or spatial characteristics that satisfy the requirements of a plant or animal species or group of species for part or all of its life cycle.

Hard trigger – A threshold indicating that immediate action is necessary to stop a severe deviation from greater sage-grouse conservation objectives set forth in the land and RMP.

High-voltage transmission line – An electrical power line that is 100 kilovolts or larger.

Holder – An individual or entity that holds a valid special-use authorization.

Impact – The effect, influence, alteration, or imprint caused by an action.

Important habitat management areas – High value habitat and populations that provide a management buffer for the priority and sagebrush focal management areas and connect patches of priority and sagebrush focal management areas. The areas encompass areas of generally moderate-to-high conservation value habitat and/or populations and in some Conservation Areas, include areas beyond those identified by U.S. Fish and Wildlife Service as necessary to maintain redundant, representative, and resilient populations. The areas are typically adjacent to priority and sagebrush focal management areas but generally reflect somewhat lower greater sage-grouse population status and/or reduced habitat value due to disturbance, habitat fragmentation, or other factors. No important habitat management areas are designated within the Southwestern Montana Conservation Area.

Indicators – Factors that describe resource condition and change and can help the BLM and the Forest Service determine trends over time.

Invasive species (invasives plant species, invasives) – An alien species whose introduction does or is likely to cause economic or environmental harm or harm to human health. The species must cause or be likely to cause harm and be exotic to the ecosystem it has infested before considered invasive.

Isolated parcel – An individual parcel of land that may share a corner but does not have a common border with another parcel.

Landownership adjustment – Land adjustments to National Forest System lands by purchase, exchange, interchange, or conveyance under authority delegated by law to the Secretary of Agriculture.

Landscape – A distinct association of land types that exhibit a unique combination of local climate, landform, topography, geomorphic process, surficial geology, soil, biota, and human influences. Landscapes are generally of a size that the eye can comprehend in a single view.

Lease – A contract granting use or occupation of property during a specified period in exchange for a specified rent or other form of payment; a type of special-use authorization (usually granted for uses other than linear rights-of-way) that is used when substantial capital investment is required and when conveyance of a conditional and transferable interest in National Forest System lands is necessary or desirable to serve or facilitate authorized long-term uses and that may be revocable and compensable according to the terms.

Leasable minerals – Those minerals or materials designated as leasable under the Mineral Leasing Act of 1920, as amended, and the Mineral Leasing Act for Acquired Lands of 1947. These include energy-related mineral resources such as oil, natural gas, coal, and geothermal and some non-energy minerals, such as phosphate, sodium, potassium, and sulfur. Geothermal resources are also leasable under the Geothermal Steam Act of 1970.

Lek – A courtship display area attended by the male greater sage-grouse in or adjacent to sagebrush-dominated habitat. For management purposes, leks with less than five males observed

strutting should be confirmed active for 2 years to meet the definition of a lek (Connelly et al. 2000; Connelly et al. 2003, 2004).

Lessee – A person or entity holding record title in a lease issued by the United States; a person or entity authorized to use and occupy National Forest System lands under a specific instrument identified as a lease.

Livestock conversion – To change the kind of livestock authorized to graze on National Forest System lands (e.g., a change from sheep to cows).

Locatable minerals – Mineral disposable under the General Mining Act of 1872, as amended, that was not excepted in later legislation. These include hardrock, placer, and industrial minerals and uncommon varieties of rock found on public domain lands.

Major pipeline – A pipeline that is 24 inches or more in outside-pipe diameter (Mineral Leasing Act of 1920, as amended, 30 U.S.C. § 181; 36 CFR 251.54(f)(1)).

Mineral – Any naturally formed inorganic material; solid or fluid inorganic substance that can be extracted from the earth; any of various naturally occurring homogeneous substances (e.g., stone, coal, salt, sulfur, sand, petroleum, water, or natural gas) obtained usually from the ground. Under federal laws, considered as locatable (subject to the general mining laws), leasable (subject to the Mineral Leasing Act of 1920, as amended), and salable (subject to the Materials Act of 1947).

Mineral materials – Common varieties of mineral materials such as soil, sand and gravel, stone, pumice, pumicite, and clay that are not obtainable under the mining or leasing laws but that can be acquired under the Materials Act of 1947, as amended.

Minimization mitigation – Minimizing impacts by limiting the degree or magnitude of the action and its implementation.

Mitigation – Includes specific means, measures, or practices that could reduce, avoid, or eliminate adverse impacts. Mitigation can include avoiding the impact altogether by not taking a certain action or parts of an action; minimizing the impact by limiting the degree of magnitude of the action and its implementation; rectifying the impact by repairing, rehabilitating, or restoring the affected environment; reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action; and compensating for the impact by replacing or providing substitute resources or environments.

Modification (oil and gas) – A fundamental change to the provisions of a lease stipulation either temporarily or for the term of the lease. A modification may include an exemption from or alteration to a stipulated requirement. Depending on the specific modification, the stipulation may or may not apply to all other sites within the leasehold to which the restrictive criteria applied.

Native plant species – A plant species that occurs naturally in a particular region, state, ecosystem, and habitat without direct or indirect human actions.

Net conservation gain – The actual benefit or gain above baseline conditions. Actions which result in habitat loss and degradation include those identified as threats which contribute to GRSG

disturbance as identified by the USFWS in its 2010 listing decision (75 *Federal Register* 13910) and shown in Table 2 in the Greater Sage-Grouse Monitoring Framework (Appendix A).

No Surface Occupancy – A major constraint where use or occupancy of the land surface for fluid mineral exploration or development and all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes, construction of wells and/or pads) are prohibited to protect identified resource values. Areas identified as No Surface Occupancy are open to fluid mineral leasing, but surface occupancy or surface-disturbing activities associated with fluid mineral leasing cannot be conducted on the surface of the land. Access to fluid mineral deposits would require horizontal drilling from outside the boundaries of the No Surface Occupancy area.

Occupied lek – A lek that has been active during at least one strutting season within the prior 10 years.

Permit — A special-use authorization that provides permission, without conveying an interest in land, to occupy and use National Forest System lands or facilities for specified purposes and which is both revocable and terminable.

Permit cancellation – Action taken to permanently invalidate a term grazing permit in whole or part.

Persistent woodlands – Long-lived pinyon-juniper woodlands that typically have sparse understories and occur on poor substrates in the assessment area.

Plan of Operation – A Plan of Operation is required for all mining activity conducted under the General Mining Act of 1872, as amended, if the proposed operations will likely cause significant disturbance of surface resources. The Plan of Operation describes the type of operations proposed and how they would be conducted; the type and standard of existing and proposed roads or access routes; the means of transportation to be used; the period during which the proposed activity will take place; and measures to be taken to meet the requirements for environmental protection (36 CR 228.4).

Prescribed fire – Any fire ignited by management actions to meet specific objectives. A written, approved prescribed fire plan must exist, and National Environmental Policy Act requirements, where applicable, must be met before ignition.

Priority habitat management areas – National Forest System lands identified as having highest habitat value for maintaining sustainable greater sage-grouse populations. The boundaries and management strategies for priority habitat management areas are derived from and generally follow the preliminary priority habitat boundaries. Priority habitat management areas largely coincide with areas identified as priority areas for conservation in the Conservation Objectives Team report.

Prohibit – To forbid (something) by law, rule, or other authority; no authorizations will be issued, meaning no authorization will be granted.

Reclamation plans – Plans that guide the suite of actions taken within an area affected by human disturbance, the outcome of which is intended to change the condition of the disturbed area to meet pre-determined objectives and/or make it acceptable for certain defined resources (e.g., wildlife habitat, grazing, ecosystem function, etc.).

Residual impacts – Impacts from an implementation-level decision that remain after applying avoidance and minimization mitigation; also referred to as unavoidable impacts.

Restoration – Implementation of a set of actions that promotes plant community diversity and structure that allows plant communities to be more resilient to disturbance and invasive species over the long-term. The long-term goal is to create functional, high quality habitat that is occupied by the greater sage-grouse. The short-term goal may be to restore the landform, soils, and hydrology and increase the percentage of preferred vegetation, seeding of desired species, or treatment of undesired species.

Restriction/restrict – A limitation or constraint, not a prohibition, on public land uses and operations. Restrictions can be of any kind but most commonly apply to certain types of vehicle use, temporal and/or spatial constraints, or certain authorizations.

Right-of-way – Land authorized to be used or occupied for the construction, operation, maintenance, and termination of a project or facility passing over, upon, under, or through such land.

Road or trail – A road or trail wholly or partly within or adjacent to and serving the National Forest System that the Forest Service determines is necessary for the protection, administration, and utilization of the National Forest System and the use and development of its resources.

Sagebrush focal areas – Areas identified by the U.S. Fish and Wildlife Service that represent recognized “strongholds” for the greater sage-grouse that have been noted and referenced as having the highest densities of greater sage-grouse and other criteria important for the persistence of the species.

Soft triggers – An intermediate threshold indicating that management changes are needed at the implementation level to address habitat or population losses.

Special-use authorization – A written permit, term permit, lease, or easement that authorizes use or occupancy of National Forest System lands and specifies the terms and conditions under which the use or occupancy may occur.

Stipulation (general) – A term or condition in an agreement, contract, or written authorization.

Stipulation (oil and gas) – A provision that modifies standard lease rights and is attached to and made a part of the lease. Lease stipulations include No Surface Occupancy, Timing Limitations, and Controlled Surface Use.

Surface disturbing activities – Actions that alter the vegetation, surface/near surface soil resources, and/or surface geologic features beyond natural site conditions and on a scale that affects other public land values. Examples of surface disturbing activities may include operation of

heavy equipment to construct well pads, roads, pits, and reservoirs; installation of pipelines and power lines; maintenance activities; and several types of vegetation treatments (e.g., prescribed fire, etc.). Surface disturbing activities may be restricted, not allowed, or not authorized.

Surface occupancy – Placement or construction on the land surface of semi-permanent or permanent facilities requiring continual service or maintenance. Casual use is not included.

Surface use – Activities that may be present on the surface or near-surface (e.g., pipelines) of public lands. When administered as a use restriction (e.g., No Surface Occupancy), this phrase prohibits all but specified resource uses and activities in a certain area to protect particular sensitive resource values and property. This designation typically applies to small acreage sensitive resource sites (e.g., plant community study enclosure, etc.) and/or administrative sites (e.g., government ware-yard, etc.) where only authorized agency personnel are admitted.

Tall structures – A wide array of infrastructures (e.g., poles that support lights, telephone, and electrical distribution; communication towers; meteorological towers; high-tension transmission towers; and wind turbines) that have the potential to disrupt lekking or nesting birds by creating new perching/nesting opportunities and/or decreasing the use of an area. A determination as to whether something is considered a tall structure would be based on local conditions such as vegetation or topography.

Technically/economically feasible – Actions that are practical or feasible from the technical and economic standpoint and using common sense rather than simply desirable from the standpoint of the applicant. It is the Forest Service's responsibility to determine what actions are technically and economically feasible based on a review of the applicant's rationale and the available best science. The Forest Service will consider whether implementation of the proposed action is likely given past and current practice and technology; this consideration does not necessarily require a cost-benefit analysis or speculation about an applicant's costs and profit.

Temporary special-use permit – A type of permit that terminates within 1 year or less after the approval date. All other provisions applicable to permits apply fully to temporary permits. Temporary special-use permits are issued for seasonal or short-duration uses involving minimal improvement and investment.

Term permit – An authorization to occupy and use National Forest System lands other than rights-of-way for a specified period that is both revocable and compensable according to its terms.

Timely – The conservation benefits from compensatory mitigation accruing as early as possible or before impacts have begun.

Timing Limitations – A moderate constraint, applicable to fluid mineral leasing, on all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes; construction of wells and/or pads); and other surface disturbing activities (i.e., those not related to fluid mineral leasing). Areas identified for Timing Limitations are closed to fluid mineral exploration and development; surface-disturbing activities; and intensive human activity during identified timeframes. This stipulation does not apply to operation and basic maintenance activities, including associated vehicle travel, unless otherwise specified. Construction,

drilling, completions, and other operations considered to be intensive in nature are not allowed. Intensive maintenance, such as workovers on wells, is not permitted. Timing Limitations can overlap spatially with No Surface Occupancy and Controlled Surface Use, as well as with areas that have no other restrictions.

Transmission line – An electrical utility line with a capacity greater than or equal to 100kV or a natural gas, hydrogen, or water pipeline greater than or equal to 24” in diameter.

Utility-scale and/or commercial energy development – A project that is capable of producing 20 or more megawatts of electricity for distribution to customers through the electricity-transmission-grid system.

Valid existing rights – Documented legal rights or interests in the land that allow a person or entity to use said land for a specific purpose and that are still in effect. Such rights include but are not limited to fee title ownership, mineral rights, and easements. Such rights may have been reserved, acquired, granted, permitted, or otherwise authorized under various statutes of law over time.

Vegetation treatments – Management practices that are designed to maintain current vegetation structure or change the vegetation structure to a different stage of development. Vegetation treatment methods may include managed fire, prescribed fire, chemical, mechanical, and seeding.

Waived without preference – A permittee waives a term grazing permit to the United States without identifying a preferred applicant (i.e., a third party that has purchased either permitted livestock, base property, or both).


Waiver (oil and gas) – Permanent exemption from a lease stipulation. The stipulation no longer applies anywhere within the leasehold.

West Nile virus – A virus that is found in temperate and tropical regions of the world and most commonly transmitted by mosquitoes. West Nile virus can cause flu-like symptoms in humans and can be lethal to birds, including the greater sage-grouse.


Wildfire suppression – An appropriate management response to wildfire or prescribed fire that results in curtailment of fire spread and eliminates all identified threats from the particular fire.

Withdrawal (land) – Withholding an area of federal land from settlement, sale, location, or entry under some or all of the general land laws, including the mining and mineral leasing laws, for the purpose of limiting activities under those laws to maintain other public values in the area or for reserving the area for a particular public purpose or program.


Map 1. GRSG Habitat on National Forest System Lands in Idaho/SW Montana.




Map 2. GRSG Habitat on the Beaverhead-Deerlodge National Forest.




Map 3. GRSG Habitat on the Boise National Forest.



Map 4. GRSG Habitat on the Caribou-Targhee National Forest.



Map 5. GRSG Habitat on the Curlew National Grassland.



GRSG Habitat on the Curlew National Grassland

- GHMA
- IHMA


- National Forest System GRSG EIS Lands**
- Curlew National Grassland




September 2015

DISCLAIMER: The Forest Service uses the most current and complete data available. GIS data, maps, and product accuracy may vary. This map is intended to be used with the Greater Sage-grouse EIS efforts only. The Forest Service reserves the right to correct, update, modify or replace GIS products and maps without notification.

Map 6. GRSG Habitat on the Salmon-Challis National Forest.



Map 7. GRSG Habitat on the Sawtooth National Forest.



ATTACHMENT B – GREATER SAGE-GROUSE NEVADA PLAN AMENDMENT

Forest Service Plan Components¹

Desired condition - A description of specific social, economic, and/or ecological characteristics of the plan area, or a portion of the plan area, toward which management of the land and resources should be directed. Desired conditions must be described in terms that are specific enough to allow progress toward their achievement to be determined, but do not include completion dates.

Objective - A concise, measurable, and time-specific statement of a desired rate of progress toward a desired condition or conditions. Objectives should be based on reasonably foreseeable budgets.

Standard - A mandatory constraint on project and activity decision making, established to help achieve or maintain the desired condition or conditions, to avoid or mitigate undesirable effects, or to meet applicable legal requirements.

Guideline - A constraint on project and activity decision making that allows for departure from its terms, so long as the purpose of the guideline is met. Guidelines are established to help achieve or maintain a desired condition or conditions, to avoid or mitigate undesirable effects, or to meet applicable legal requirements.

The direction in the following standards and guidelines will be applied consistent with applicable valid existing rights, laws, and regulations.

General Greater Sage-grouse

GRSG-GEN-DC-001-Desired Condition – The landscape for greater sage-grouse encompasses large contiguous areas of native vegetation, approximately 6 to 62 square miles in area, to provide for multiple aspects of species life requirements. Within these landscapes, a variety of sagebrush-community compositions exist without invasive species, which have variations in subspecies composition, co-dominant vegetation, shrub cover, herbaceous cover, and stand structure, to meet seasonal requirements for food, cover, and nesting for greater sage-grouse.

GRSG-GEN-DC-002-Desired Condition – Anthropogenic disturbance is focused in non-habitat areas outside of priority and general habitat management areas and sagebrush focal areas². Disturbance in general habitat management areas is limited, and there is little to no disturbance in priority habitat management areas and sagebrush focal areas except for valid existing rights and authorized uses.

¹ Plan component definitions are based on generally accepted meanings under the 1982 rule and the Forest Service Plan Wording Style Guide 2009, http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5260265.pdf.

² Priority habitat management areas and general habitat management areas may contain areas of non-habitat, and management direction would not apply to those areas of non-habitat. However, management direction would apply to all areas within sagebrush focal areas including non-habitat.

GRSG-GEN-DC-003-Desired Condition – In greater sage-grouse habitats, including all seasonal habitats, 70% or more of lands capable of producing sagebrush have 10 to 30% sagebrush canopy cover and less than 10% conifer canopy cover. In addition, within breeding and nesting habitat, sufficient herbaceous vegetation structure and height provides overhead and lateral concealment for nesting and early brood rearing life stages. Within brood rearing habitat, wet meadows and riparian areas sustain a rich diversity of perennial grass and forb species relative to site potential. Within winter habitat, sufficient sagebrush height and density provides food and cover for greater sage-grouse during this seasonal period. Specific desired conditions for greater sage-grouse based on seasonal habitat requirements are in tables 1a and 1b.

Table 1a. Seasonal Habitat Desired Conditions for Greater Sage-grouse at the Landscape Scale.
(Generally applies in Ecoregion 342¹, although may be applied outside of Ecoregion 342¹ based on local ecological site conditions.)

ATTRIBUTE	INDICATORS	DESIRED CONDITON
BREEDING AND NESTING^{2,3,4} (Seasonal Use Period March 1 to June 30) (Within the Breeding and Nesting Period - Lekking Period: March 1 to May 15; Nesting Period: April 1 to June 30) Apply 4.0 miles from active leks.⁵		
Lek Security	Proximity of trees ⁶	Trees or other tall structures are absent to uncommon within 3 miles (5 km) leks ^{7,8,16}
	Proximity of sagebrush to leks ⁷	Adjacent protective sagebrush cover within 328 feet of lek ⁷
Cover	Seasonal habitat extent ⁸ (Percent of seasonal habitat meeting desired conditions.)	>80% of the breeding and nesting habitat
	Sagebrush canopy cover ^{7,8,9}	>15%
	Sagebrush height ⁸ Arid sites ^{7,8,10} Mesic sites ^{7,8,11}	> 12 inches >16 inches
	Predominant sagebrush shape ⁷	>50% in spreading ¹²
	Perennial grass cover ^{7,8} Arid sites ^{8,10} Mesic sites ^{8,11}	≥10% ≥15%
	Perennial grass height ^{7,8,9}	Provide overhead and lateral concealment from predators ^{8, 16}
	Perennial forb canopy cover ^{7,8,9} Arid sites ¹⁰ Mesic sites ¹¹	≥5% ^{7,8} ≥10% ^{7,8}

ATTRIBUTE	INDICATORS	DESIRED CONDITON
BROOD-REARING/SUMMER² (Seasonal Use Period May 15 to September 15)		
Cover	Seasonal habitat extent ⁸ (Percent of seasonal habitat meeting desired conditions.)	>40% of the brood-rearing/summer habitat
	Sagebrush canopy cover ^{7,8,9}	10 to 25%
	Sagebrush height ^{8,9}	> 16 inches
	Perennial grass and forb canopy cover ^{7,8}	>15%
	Riparian areas/mesic meadows	Proper Functioning Condition ¹³
	Upland and riparian perennial forb availability ^{6,7}	Preferred forbs are common with several preferred species present ¹⁴
	Sagebrush cover adjacent to riparian areas/mesic meadows ⁷	Within 328 feet (100 meters)
Security	Riparian Area/Meadow Interspersion with adjacent sagebrush	Has adjacent sagebrush cover ^{6,7}
FALL/WINTER² (Seasonal Use Period September 16 to February 28) (Fall: September 16 to October 31; Winter: November 1 to February 28)		
Cover and Food	Seasonal habitat extent ^{7,8,9} (Percent of seasonal habitat meeting desired conditions.)	>80% of the winter habitat
	Sagebrush canopy cover above snow ^{7,8,9}	>10%
	Sagebrush height above snow ^{7,8,9}	>10 inches ¹⁵

¹Bailey, R. G.; Avers, P. E.; King, T.; McNab, W. H., eds. 1994. Ecoregions and subregions of the United States (map). Washington, DC: USDA Forest Service. 1:7,500,000. With supplementary table of map unit descriptions, compiled and edited by W. H. McNab and R. G. Bailey.

²Seasonal dates can be adjusted; that is, start and end dates may be shifted either earlier or later, but the amount of days cannot be shortened or lengthened by the local unit. Seasonal dates are based on dates used by Nevada Department of Wildlife (NDOW) to designate sage-grouse seasonal use. These dates overlap to allow for localized variation across the state.

²Doherty, K. 2008. *Sage-grouse and Energy Development: Integrating Science with Conservation Planning to Reduce Impacts*. University of Montana. Missoula, MT.

⁴Holloran and Anderson. 2005. *Spatial Distribution of Greater Sage-grouse nests in relatively contiguous sagebrush habitats*. Condor 107:742-752.

⁵Buffer distance may be changed only if 3 out of 5 years if peer reviewed and published telemetry studies indicate the 4 miles is not appropriate.

⁶Baruch-Mordo, S. J.S. Evans, J.P Severson, D.E. Naugle, J. D. Maestas, J.M. Kiesecker, M.J. Falkowski. C.A. Hagen, and K.P. Reese. . 2013. *Saving sage-grouse from trees*: A proactive solution to reducing a key threat to a candidate species. Biological Conservation 167: 233-241.

⁷Stiver, S.J., E.T. Rinkes, D.E. Naugle, P.D. Makela, D.A. Nance, and J.W. Karl, eds., 2015. *Sage-Grouse Habitat Assessment Framework: A Multiscale Assessment Tool*. Technical Reference 6710-1. BLM and Western Association of Fish and Wildlife Agencies, Denver, Colorado.

⁸Connelly, J. M. A. Schroweder, A.R. Sands, and C.E. Braun.2000. Guidelines to manage sage-grouse populations and their habitats. Wildlife Society Bulletin 28 (4): 967-985.

⁹Connelly, J. K. Reese, and M. Schroder. 2003. *Monitoring of Greater sage-grouse habitats and populations*. Station Bulletin 80, Contribution 979. University of Idaho, College of Natural Resources Experiment Station. Moscow, ID.

¹⁰10–12 inch precipitation zone; *Artemisia tridentata wyomingensis* is a common big sagebrush sub-species for this type site (HAF 2014).

¹¹≥12 inch precipitation zone; *Artemisia tridentata vaseyana* is a common big sagebrush sub-species for this type site (HAF 2014).

¹²Sagebrush plants with a spreading shape provide more protective cover than sagebrush plants that are more tree- or columnar shaped (HAF 2014).

¹³Existing LMP desired conditions for riparian areas/mesic meadows (spring seeps) may be used in place of properly functioning conditions, if appropriate for meeting greater sage-grouse habitat requirements.

¹⁴Preferred forbs are listed in HAF Table III-2 (HAF 2014). Overall total forb cover may be greater than that of preferred forb cover since not all forb species are listed as preferred in Table III-2.

¹⁵The height of sagebrush remaining above the snow depends upon snow depth in a particular year. Intent is to manage for tall, healthy, sagebrush stands.

¹⁶Coates, P. S., M. L. Casazza, E. J. Blomberg, S. C. Gardner, S. P. Espinosa, J. L. Yee, L. Wiechman, and B. J. Halstead. 2013. Evaluating greater sage-grouse seasonal space use relative to leks: implications for surface use designations in sagebrush ecosystems. Journal of Wildlife Management 77: 1598–1609.

Table 1b. Seasonal Habitat Desired Conditions for Greater Sage-grouse. (Generally applies in Ecoregion 341¹, although may be applied outside of Ecoregion 341¹ based on local ecological site conditions.)

	INDICATOR	DESIRED CONDITION
GENERAL/LANDSCAPE-LEVEL		
Cover (Nesting)	Seasonal Habitat Needed	>65% of the landscape in sagebrush cover ²
	Annual Grasses	<5% ³
Security (Nesting)	Conifer encroachment	<3% phase I (>0% to <25% cover) No phase II (25 – 50% cover) No phase III (>50% cover)
Cover and Food (Winter)	Conifer encroachment	<5% phase I (>0% to <25% cover) No phase II (25 – 50% cover) No phase III (>50% cover)
	Sagebrush extent	>85% sagebrush land cover
BREEDING AND NESTING (Seasonal Use Period March 1-June 30) ⁴ (Within the Breeding and Nesting Period - Lekking Period: March 1 to May 15; Nesting Period: April 1 to June 30) Apply 4.0 miles from pending and active leks. ¹⁹		
Security ⁶	Tree cover	<3% landscape canopy cover within 1 km of leks ⁵
	Proximity of tall structures (1 meter above shrub canopy, excluding fences)	None within 3 miles (5 kilometers) ¹⁸
Cover	Availability of sagebrush cover	Has adjacent sagebrush cover ^{9,17}
	Sagebrush canopy cover	≥20% ^{13,14}
	Residual and live perennial grass cover	≥10% if shrub cover <25% ^{5,7,8}
	Annual grass cover ⁷	<5% ¹⁵
	Perennial grass height	Provide overhead and lateral concealment from predators ^{9,20}
	Total shrub cover	≥30% ^{7,13}
BROOD-REARING/SUMMER (Seasonal Use Period May 15 to September 15) ⁴		
Cover	Sagebrush canopy cover	10%-25% ⁹
	Perennial grass canopy cover and forbs	>15% combined perennial grass and forb canopy cover ⁹
	Perennial Grass Height	Provide overhead and lateral concealment from predators ^{9,20}
Cover and Food	Perennial forb canopy cover	≥5% arid (<10 inches precipitation) ≥15% mesic (> 10 inches precipitation or within meadow system) ⁶

	INDICATOR	DESIRED CONDITION
Food	Riparian Areas/Meadows	Proper Functioning Condition ¹⁷
	Understory species richness (in the vicinity of riparian areas/meadows)	≥5 preferred forb species present ^{5,6}
Security	Riparian Area/Meadow Interspersion with adjacent sagebrush	Has adjacent sagebrush cover ^{9,17}
FALL/WINTER (Seasonal Use Period September 16 to February 28) ⁴ (Fall: September 16 to October 31; Winter: November 1 to February 28)		
Cover and Food	Sagebrush canopy cover	≥10% above snow depth ⁹
	Sagebrush height	>10 inches (25 centimeters) above snow depth ⁹

¹Bailey, R. G.; Avers, P. E.; King, T.; McNab, W. H., eds. 1994. Ecoregions and subregions of the United States (map). Washington, DC: USDA Forest Service. 1:7,500,000. With supplementary table of map unit descriptions, compiled and edited by W. H. McNab and R. G. Bailey.

²Aldridge, C. L.; Boyce, M. S. 2007. Linking occurrence and fitness to persistence: Habitat-based approach for endangered Greater Sage-Grouse. *Ecological Applications*, 17: 508 – 526.

³Blomberg, E.J., J.S. Sedinger, M.T. Atamian, and D.V. Nonne. 2012. Characteristics of climate and landscape disturbance influence the dynamics of greater sage-grouse populations. *Ecosphere* 3(6):55.

⁴Seasonal dates can be adjusted; that is, start and end dates may be shifted either earlier or later, but the amount of days cannot be shortened or lengthened by the local unit. Seasonal dates are based on dates used by Nevada Department of Wildlife (NDOW) to designate sage-grouse seasonal use. These dates overlap to allow for localized variation across the state.

⁵Baruch-Mordo, S., J. S. Evans, J. P. Severson, D. E. Naugle, J. D. Maestas, J. M. Kiesecker, M. J. Falkowski, C. a. Hagen, and K. P. Reese. 2013. Saving sage-grouse from the trees: a proactive solution to reducing a key threat to a candidate species. *Biological Conservation* 167:233–241.

⁶Casazza, M.L., P.S. Coates, C.T. Overton. 2011. Linking habitat selection to brood success in greater sagegrouse. In: Sandercock, MK, K Martin, G Segelbacher (eds.). *Ecology, Conservation, and Management of Grouse*. University of California Press. Pp. 151-167.

⁷Coates, P.S., and D.J. Delehanty. 2010. Nest predation of greater sage-grouse in relation to microhabitat factors and predators. *Journal of Wildlife Management* 74:240-248.

⁸Coates, P. S., M. L. Casazza, E. J. Blomberg, S. C. Gardner, S. P. Espinosa, J. L. Yee, L. Wiechman, and B. J. Halstead. 2013. Evaluating greater sage-grouse seasonal space use relative to leks: implications for surface use designations in sagebrush ecosystems. *Journal of Wildlife Management* 77: 1598–1609.

⁹Connelly, J.W., M.A. Schroeder, A.R. Sands, and C.E. Braun. 2000. Guidelines to manage sage-grouse populations and their habitats. *Wildlife Society Bulletin* 28:967-985.

¹⁰Connelly, J.W., Reese, K.P., M.A. Schroeder. 2003. Monitoring of Greater Sage-Grouse Habitats and Populations. *Station Bulletin* 80.

¹¹Doherty, K.E., Naugle, D.E., Walker, B.L., and J.M. Graham. 2008. Greater Sage-Grouse Winter Habitat Selection and Energy Development. *Journal of Wildlife Management*: 72(1):187-195. 2008.

¹²Hagen, C.A., Connelly, J.W. & Schroeder, M.A. 2007: A meta-analysis of greater sage-grouse (*Centrocercus urophasianus*) nesting and brood-rearing habitats. - *Wildlife Biology*: 13 (Suppl. 1): 42-50.

¹³Kolada, E.J., J.S. Sedinger, M.L. Casazza. 2009a. Nest site selection by greater sage-grouse in Mono County, California. *Journal of Wildlife Management* 73:1333-1340.

¹⁴Kolada, E.J., J.S. Sedinger, M.L. Casazza. 2009b. Ecological factors influencing nest survival of greater sage-grouse in Mono County, California. *Journal of Wildlife Management* 73:1341-1347.

¹⁵Lockyer, Z., P.S. Coates, M.L. Casazza, S. Espinosa, D.L. Delehanty. In review. Linking nest site selection to nest survival in greater sage-grouse.

¹⁶Nevada Governor’s Sage-grouse Conservation Team. 2010. Nevada energy and infrastructure development standards to conserve greater sage-grouse populations and their habitats. Pp 9-11.

¹⁷Stiver, S.J., E.T. Rinkes, D.E. Naugle, P.D. Makela, D.A. Nance, and J.W. Karl, eds. [In press]. Sage-Grouse Habitat Assessment Framework: A Multiscale Assessment Tool. Technical Reference 6710-1. BLM and Western Association of Fish and Wildlife Agencies, Denver, Colorado.

¹⁸Gibson, D., E. Blomberg, and J. Sedinger. 2013. Dynamics of Greater Sage-grouse (*Centrocercus urophasianus*) Populations in Response to Transmission Lines in Central Nevada. Progress Report: Final December 2013 of Land Management, Idaho State Office, Boise, Idaho.

¹⁹Buffer distance may be changed only if 3 out of 5 years of telemetry studies indicate the 4 miles is not appropriate.

²⁰Projects will be designed to provide overhead and lateral concealment of nests on a site specific basis.

GRSG-GEN-ST-004-Standard – In priority habitat management areas and sagebrush focal areas, do not issue new discretionary written authorizations unless all existing discrete anthropogenic disturbances cover less than 3% of the total greater sage-grouse habitat within the Biologically Significant Unit and the proposed project area, regardless of ownership, and the new use will not cause exceedance of the 3% cap. Discretionary activities that might result in disturbance above 3% at the Biologically Significant Unit and proposed project area would be prohibited unless approved by the forest supervisor with concurrence from the regional forester after review of new or site-specific information that indicates the project would result in a net conservation gain at the Biologically Significant Unit and proposed project area scale. Within existing designated utility corridors, the 3% disturbance cap may be exceeded at the project scale if the site specific NEPA analysis indicates that a net conservation gain to the species will be achieved. This exception is limited to projects that fulfill the use for which the corridors were designated (e.g., transmission lines, pipelines) and the designated width of a corridor will not be exceeded as a result of any project co-location. Consider the likelihood of surface disturbing activities as a result of development of valid existing rights when authorizing new projects in priority habitat management areas.

GRSG-GEN-ST-005-Standard – In priority and general habitat management areas and sagebrush focal areas, only allow new authorized land uses, if after avoiding and minimizing impacts, any remaining residual impacts to greater sage-grouse or their habitats are fully offset by compensatory mitigation projects that provide a net conservation gain to the species, subject to valid existing rights, by applying beneficial mitigation actions. Any compensatory mitigation will be durable, timely, and in addition to what would have resulted without the compensatory mitigation as addressed in the Mitigation Framework (Appendix B).

GRSG-GEN-ST-006-Standard – Do not authorize new surface disturbing and disruptive activities that create noise at 10dB above ambient measured at the perimeter of an occupied lek during lekking (March 1 to May 15) from 6 pm to 9 am. Do not include noise resulting from human activities that have been authorized and initiated within the past 10 years in the ambient baseline measurement.

GRSG-GEN-GL-007-Guideline – During breeding and nesting (March 1 to June 30), surface disturbing and disruptive activities to nesting birds should be avoided.

GRSG-GEN-GL-008-Guideline – In priority and general habitat management areas and sagebrush focal areas, conduct surveys during the breeding season during pre-planning operations. Use protocols such as those established by State Fish and Wildlife agencies. The surveys should encompass all suitable greater sage-grouse habitats within 4 miles of the proposed activities.

GRSG-GEN-GL-009-Guideline – When breeding and nesting habitat overlaps with other seasonal habitats, habitat should be managed for breeding and nesting desired conditions in tables 1a and 1b.

GRSG-GEN-GL-010-Guideline – Development of tall structures within 3.0 miles from the perimeter of occupied leks, as determined by local conditions (e.g., vegetation or topography), with the

potential to disrupt breeding or nesting by creating new perching/nesting opportunities for avian predators or by decreasing the use of an area, should be restricted within nesting habitat.

Adaptive Management

GRSG-AM-ST-011-Standard – If a hard trigger is identified based on either population monitoring or habitat monitoring, immediate action is necessary to stop a severe deviation from GRSG conservation objectives. The hard trigger responses are identified in tables 1 and 2 of the Adaptive Management Appendix C for both priority and general management areas.

GRSG-AM-ST-012-Standard – If a soft trigger is identified based on either population monitoring or habitat monitoring, apply more conservative or restrictive implementation measures (e.g., extending seasonal restrictions for seasonal surface disturbing activities, modifying seasons of use for livestock grazing, and applying additional restrictions on discretionary activities) for the specific causal factor in the decline of populations and/or habitats, with considering local knowledge and conditions. (Appendix C)

Lands and Realty

Special Use Authorizations (non-recreation)

GRSG-LR-SUA-O-013-Objective – In nesting habitats, retrofit existing tall structures (e.g., power poles, communication tower sites) with perch deterrents or other anti-perching devices within 2 years of signing the ROD.

GRSG-LR-SUA-ST-014-Standard – In priority habitat management areas and sagebrush focal areas, restrict issuance of new lands special use authorizations for infrastructure, such as high-voltage transmission lines, major pipelines, distribution lines, and communication tower sites. Exceptions may include co-location and must be limited (e.g., safety needs) and based on rationale (e.g., monitoring, modeling, or best available science) that explicitly demonstrates that adverse impacts to greater sage-grouse will be avoided by the exception. If co-location of new infrastructure cannot be accomplished, locate it adjacent to existing infrastructure, roads, or already disturbed areas and limit disturbance to the smallest footprint or where it best limits impacts to greater sage-grouse or their habitat. Existing authorized uses will continue to be recognized.

GRSG-LR-SUA-ST-015-Standard – In general habitat management areas, new lands special use authorizations may be issued for infrastructure, such as high-voltage transmission lines, major pipelines, distribution lines, and communication tower sites, if they can be located within existing designated corridors or rights-of-way and the authorization includes stipulations to protect greater sage-grouse and their habitats. Existing authorized uses will continue to be recognized.

GRSG-LR-SUA-ST-016-Standard – In priority and general habitat management areas and sagebrush focal areas, do not authorize temporary lands special uses (i.e., facilities or activities)

that result in loss of habitat or would have long-term (i.e., greater than 5 years) negative impact on greater sage-grouse or their habitats.

GRSG-LR-SUA-ST-017-Standard – In priority and general habitat management areas and sagebrush focal areas, require protective stipulations (e.g., noise, tall structure, guy wire removal, perch deterrent installation) when issuing new authorizations or during renewal, amendment, or reissuance of existing authorizations that authorize infrastructure (e.g., high-voltage transmission lines, major pipelines, roads, distribution lines, and communication tower sites).

GRSG-LR-SUA-ST-018-Standard – In priority and general habitat management areas and sagebrush focal areas, locate upgrades to existing transmission lines within the existing designated corridors or right-of-way unless an alternate route would benefit greater sage-grouse or their habitats.

GRSG-LR-SUA-ST-019-Standard – In priority and general habitat management areas and sagebrush focal areas, when a lands special use authorization is revoked or terminated and no future use is contemplated, require the authorization holder to remove overhead lines and other surface infrastructure in compliance with 36 CFR 251.60(i).

GRSG-LR-SUA-GL-020-Guideline – In priority habitat management areas and sagebrush focal areas, outside of existing designated corridors and rights-of-way, new transmission lines and pipelines should be buried to limit disturbance to the smallest footprint unless explicit rationale is provided that the biological impacts to greater sage-grouse and its habitat are being avoided. If new transmission lines and pipelines are not buried, locate them adjacent to existing transmission lines and pipelines.

GRSG-LR-SUA-GL-021-Guideline – The best available science and monitoring should be used to inform infrastructure siting in GRSG habitat.

Land Ownership Adjustments

GRSG-LR-LOA-ST-022-Standard – In priority and general habitat management areas and sagebrush focal areas, do not approve landownership adjustments, including land exchanges, unless the action results in a net conservation gain to greater sage-grouse or it will not directly or indirectly adversely impact greater sage-grouse conservation.

GRSG-LR-LOA-GL-023-Guideline – In priority and general habitat management areas and sagebrush focal areas with minority Federal ownership, consider landownership adjustments to achieve a landownership pattern (e.g., consolidation, reducing fragmentation) that supports improved greater sage-grouse population trends and habitats.

Land Withdrawal

GRSG-LR-LW-GL-024-Guideline – In priority and general habitat management areas and sagebrush focal areas, use land withdrawals as a tool, where appropriate, to withhold an area from activities that will be detrimental to greater sage-grouse or their habitats.

Wind and Solar

GRSG-WS-ST-025-Standard – In priority and general habitat management areas and sagebrush focal areas, do not authorize new solar utility-scale and/or commercial energy development except for on-site power generation associated with existing industrial infrastructure (e.g., mine site).

GRSG-WS-ST-026-Standard – In priority habitat management areas and sagebrush focal areas, do not authorize new wind energy utility-scale and/or commercial development.

GRSG-WS-GL-027- Guideline – In general habitat management areas, new wind energy utility-scale and/or commercial development should be restricted. If development cannot be restricted due to existing authorized use, adjacent developments, or split estate issues, then ensure that stipulations are incorporated into the authorization to protect greater sage-grouse and their habitats.

Greater Sage-grouse Habitat

GRSG-GRSG-DC-028-Desired Condition – Sagebrush vegetation communities provide contiguous habitat for greater sage grouse, which is resistant and resilient to disturbances such as fire and invasives.

GRSG-GRSGH-O-029-Objective – Every 10 years for the next 50 years, improve greater sage-grouse habitat by removing invading conifers and other undesirable species within the number of acres shown in table 2.

Table 2. Treatment Acres per Decade.¹

	ACRES		
FOREST	MECHANICAL ²	PRESCRIBED FIRE ³	GRASS RESTORATION ⁴
Humboldt-Toiyabe Total	202000	0	43000
Population Area 15	200000	0	26000
Population Area 26	2000	0	17000

¹These are estimates of treatments required to achieve and/or maintain desired habitat conditions over a period of 10 years. There are many dynamic and highly variable disturbances that may happen over that period of time that could have a significant effect on the amount, type, and timing of treatment needed. Those disturbances are factored into the 10-year simulation using stochastic, not deterministic, techniques. Probabilities of events such as large wildfires are used in the model to make the simulation as realistic as possible, given empirical data about such events in the past, but the results of the simulation cannot be used to predict the future occurrence of such events, including their timing, size, or location, which are essentially random.

²Removal of conifers that have invaded sagebrush including phase one juniper that is 10% or less and reducing sagebrush cover in areas over 30% canopy cover

³Acres are those that are greater than 30% sagebrush canopy cover and/or invaded by 10% or greater conifer.

⁴Acres presently dominated by annual grasses that could be improved by herbicide application and seeding of perennial vegetation.

GRSG-GRSGH-ST-030-Standard – Design habitat restoration projects to move towards desired conditions (table 1a or 1b).

GRSG-GRSGH-GL-031-Guideline – When removing conifers that are encroaching into greater sage-grouse habitat, avoid persistent woodland (i.e., old growth relative to the site or more than 100 years old).

GRSG-GRSGH-GL-032-Guideline – In priority and general habitat management areas and sagebrush focal areas, actions and authorizations should include design features to limit the spread and effect of undesirable non-native plant species.

GRSG-GRSGH-GL-033-Guideline – To facilitate safe and effective fire management actions, in priority and general habitat management areas and sagebrush focal areas, fuel treatments in high-risk areas (i.e., areas likely to experience wildfire at an intensity level that might result in movement away from the greater sage-grouse desired conditions in table 1) should be designed to reduce the spread and/or intensity of wildfire or the susceptibility of greater sage-grouse attributes to move away from desired conditions (table 1a and table 1b).

GRSG-GRSGH-GL-034-Guideline – In priority and general habitat management areas and sagebrush focal areas, native plant species should be used, when possible, to maintain, restore, or enhance desired habitat conditions (table 1a or 1b).

GRSG-GRSGH-GL-035-Guideline – In priority habitat management areas and sagebrush focal areas, vegetation treatment projects should only be conducted if they maintain, restore, or enhance desired habitat conditions (table 1a or 1b).

GRSG-GRSGH-GL-036-Guideline – Vegetation treatment activities in lentic riparian areas (i.e., seeps, springs, and wet meadows) in priority and general habitat management areas and sagebrush focal areas, should only be authorized if they maintain or improve conditions to meet greater sage-grouse desired conditions (table 1a or 1b).

GRSG-GRSGH-GL-037-Guideline – When authorizing vegetation management treatments in priority and general sage grouse habitat management areas and sagebrush focal areas, priority should be given to treatments in Phase I and early Phase II pinyon and/or juniper stands in areas with a sagebrush component. Pinyon-Juniper treatments in Phase I and Phase II condition should be designed to maintain or enhance sagebrush in the treatment areas. Treatments in late Phase II or Phase III condition should only be authorized to create movement corridors, connect habitats, or reduce the potential for catastrophic fire.

GRSG-GRSGH-GL-038-Guideline – In priority and general habitat management areas and sagebrush focal areas, treatment methodologies should be based on the treatment areas' resistance to annual invasive grasses and the resilience of native vegetation to respond after disturbance. Use mechanical treatments (i.e., do not use fire) in areas with relatively low resistance to annuals and treat areas in early- to mid-phase pinyon-juniper expansion.

Livestock Grazing

GRSG-LG-DC-039-Desired Condition – In priority and general habitat management areas, sagebrush focal areas, and within lek buffers, livestock grazing is managed to maintain or move towards desired conditions. (tables 1a and 1b)

GRSG-LG-ST-040-Standard – In priority and general management areas and sagebrush focal areas, do not approve construction of water developments unless beneficial to greater sage-grouse habitat and consistent with State approved water rights.

GRSG-LG-ST-041-Standard – When vertical embankments in water troughs or open water facilities pose a drowning risk to birds, wildlife escape ramps should be installed and maintained.

GRSG-LG-GL-042-Guideline – Grazing guidelines should be applied in each of the seasonal habitats in table 3. If values in table 3 guidelines cannot be achieved based upon a site-specific analysis using Ecological Site Descriptions, long-term ecological site potential analysis, or other similar analysis, adjust grazing management to move towards desired habitat conditions in table 1a or 1b consistent with the ecological site potential. Do not use drought and degraded habitat condition to adjust values. Grazing guidelines in table 3 would not apply to isolated parcels of National Forest System lands that have less than 200 acres of greater sage-grouse habitat.

Table 3. Grazing Guidelines for Greater Sage-grouse Seasonal Habitat.

SEASONAL HABITAT	GRAZING GUIDELINES
Breeding and nesting ¹ within 4 miles of occupied leks	Perennial grass height: ² When grazing occurs during breeding and nesting season (March 1 to June 30) manage for upland perennial grass height of 7 inches. ^{3,5} Measure average droop height, assuming current vegetation composition has the capability to achieve these heights. Heights will be measured at the end of the nesting period (Connelly et al., 2000). When grazing occurs post breeding and nesting season but before fall (July 1 to September 15) manage for 4 inches of upland perennial grass height. ^{5,6}
Brood rearing and summer ¹	When grazing occurs post breeding and nesting season but before fall (July 1 to September 15), retain an average stubble height of 4 inches for herbaceous riparian/mesic meadow vegetation in all ⁷ greater sage-grouse habitats. ^{5,8,9}
Winter/Fall ¹	≤35% utilization of sagebrush

¹ For descriptions of Seasonal Habitat and Seasonal Periods of greater sage-grouse see table 1a and 1b.

² Grass heights only apply in breeding and nesting habitat with ≥10% sagebrush cover to support nesting.

³ Holloran, M. J., B. J. Heath, A. G. Lyon, S. J. Slater, J. L. Kuipers, and S. H. Anderson. 2005. Greater sage-grouse nesting habitat selection and success in Wyoming. *Journal Wildlife Management* 69:638-649.

⁵ Hagen C., J.W. Connelly, and M.A. Schroeder. 2007. *A meta-analysis of greater sage-grouse *Centrocercus urophasianus* nesting and brood-rearing habitats.*

⁶ Stubble height to be measured at the end of the growing season.

⁷ All GRSG habitat with greater than 10% sagebrush cover irrespective of lek buffers and designated habitat management areas.

⁸ In riparian brood-rearing habitat, sage-grouse prefer the lower vegetation (5–15 cm vs. 30–50 cm; Oakleaf 1971, Neel 1980, Klebenow 1982, Evans 1986) and succulent forb growth stimulated by moderate livestock grazing in spring and early summer (Neel 1980, Evans 1986); moderate use equates to a 10-cm residual stubble height for most grasses and sedges and 5-cm for Kentucky bluegrass (Mosley et al. 1997, Clary and Leininger 2000) (Crawford et al. 2004. *Ecology and Management of sage-grouse habitat*).

⁹ Stubble height to be measured in the meadow areas used by greater sage-grouse for brood-rearing (not on the hydric greenline). These meadows typically have sagebrush within 328 feet of the meadow.

GRSG-LG-GL-043-Guideline – In priority and general habitat management areas and sagebrush focal areas, when grazing permits are waived without preference or obtained through permit cancellation, consider the agency’s full range of administrative authorities for future allotment management, including, but not limited to allotment closure, vacancy status for resource protection, establishment of forage reserve, re-stocking, or livestock conversion as management options to maintain or achieve desired habitat conditions (table 1).

GRSG-LG-GL-044-Guideline – Bedding sheep and placing camps within 2.0 miles from the perimeter of a lek during lekking (March 1 to May 15) should be restricted.

GRSG-LG-GL-045-Guideline – During the breeding and nesting season (March 1 to June 30), trailing livestock through breeding and nesting habitat should be minimized. Specific routes should be identified, existing trails should be used, and stopovers on active leks should be avoided.

GRSG-LG-GL-046-Guideline – Fences should not be constructed or reconstructed within 1.2 miles from the perimeter of occupied leks, unless the collision risk can be mitigated through design features or markings (e.g., mark, laydown fences, or other design features).

GRSG-LG-GL-047-Guideline – New permanent livestock facilities (e.g., windmills, water tanks, corrals) should not be constructed within 1.2 miles from the perimeter of occupied leks.

Fire Management

GRSG-FM-DC-048-Desired Condition – In priority and general habitat management areas and sagebrush focal areas, protect sagebrush sage grouse habitat from loss due to unwanted wildfires or damages resulting from management related activities while using agency risk management protocols to manage for fire fighter and public safety and other high priority values. In all fire response, first priority is the management of risk to firefighters and the public. Sage grouse habitat will be prioritized as a high value resource along with other high value resources and assets.

GRSG-FM-ST-049-Standard – In priority and general habitat management areas and sagebrush focal areas, do not use prescribed fire in 12-inch or less precipitation zones unless necessary to facilitate restoration of greater sage-grouse habitat consistent with desired conditions in table 1a or 1b or for pile burning.

GRSG-FM-ST-050-Standard – In priority and general habitat management areas and sagebrush focal areas, if it is necessary to use prescribed fire for restoration of greater sage-grouse habitat consistent with desired conditions in tables 1a and 1b, the associated NEPA analysis must identify how the project would move towards greater sage-grouse desired conditions, why alternative techniques were not selected, and how potential threats to greater sage-grouse habitat would be minimized.

GRSG-FM-GL-051-Guideline – In wintering or breeding and nesting habitat, sagebrush removal or manipulation, including prescribed fire, should be restricted unless the removal strategically reduces the potential impacts from wildfire or supports the attainment of desired conditions.

GRSG-FM-GL-052-Guideline – In planned fuels management activities or part of an overall vegetative management strategy to mitigate the impacts of wildfire in priority and general habitat management areas and sagebrush focal areas, when reseeding in fuel breaks, fire resistant native plant species should be used if available, or consider using fire resistance non-native species, if analysis and/or best available science demonstrates that non-native plants will not degrade greater sage-grouse habitat in the long-term.

GRSG-FM-GL-053-Guideline – In priority and general habitat management areas and sagebrush focal areas, fuel treatments should be designed to maintain, restore, or enhance greater sage-grouse habitat.

GRSG-FM-GL-054-Guideline – Locating temporary wildfire suppression facilities (e.g., incident command posts, spike camps, helibases, mobile retardant plants) in priority and general habitat management areas and sagebrush focal areas should be avoided. When needed to best provide for firefighter or public safety or to minimize fire size in sage grouse habitat, impacts to greater sage grouse should be considered and removal of sagebrush should be limited.

GRSG-FM-GL-055-Guideline – In priority and general habitat management areas and sagebrush focal areas, cross-country vehicle travel during fire operations should be restricted. When needed to best provide for firefighter or public safety or to minimize fire size in sage grouse habitat, impacts to sage grouse should be considered and removal of sagebrush should be limited.

GRSG-FM-GL-056-Guideline – In priority and general habitat management areas and sagebrush focal areas, use fire management tactics and strategies that seek to minimize loss of existing sagebrush habitat. The safest and most practical means to do so will be determined by fireline leadership and incident commanders.

GRSG-FM-GL-057-Guideline – In priority and general habitat management areas and sagebrush focal areas, prescribed fire prescriptions should minimize undesirable effects on vegetation and/or soils (e.g., minimize mortality of desirable perennial plant species and reduce risk of hydrophobicity).

GRSG-FM-GL-058-Guideline – In priority and general habitat management areas and sagebrush focal areas, roads and natural fuel breaks should be incorporated into planned fuel break design to improve effectiveness and minimize loss of existing sagebrush habitat.

GRSG-FM-GL-059-Guideline – In priority and general habitat management areas and sagebrush focal areas, where practical and available, all fire-associated vehicles and equipment should be inspected and cleaned using standardized protocols and procedures and approved vehicle/equipment decontamination systems before entering and exiting the area beyond initial attack activities to minimize the introduction of invasive annual grasses and other invasive plant species and noxious weeds.

GRSG-FM-GL-060-Guideline – Unit-specific greater sage-grouse fire management related information should be added to wildland fire decision support systems (currently, the Wildland Fire Decision Support System), local operating plans and resources advisor plans to be used during

fire situation to inform management decision, aid in development of strategies and tactics and for the prioritization of resources.

GRSG-FM-GL-061-Guideline – Localized maps of priority and general habitat management areas and sagebrush focal areas should be made available to fireline, dispatch and fire support personnel.

GRSG-FM-GL-062-Guideline – In or near priority and general habitat management areas and sagebrush focal areas, a greater sage-grouse resource advisor should be assigned to all extended attack fires.

GRSG-FM-GL-063-Guideline – On critical fire weather days, protection of greater sage-grouse habitat should receive high consideration, along with other high values, for positioning of resources.

GRSG-FM-GL-064-Guideline – Line officers should be involved in setting pre-season wildfire response priorities and, prioritizing protection of priority and general habitat management areas and sagebrush focal areas, along with other high values. During periods of multiple fires or limited resource availability fire management organizational structure (local, regional, national) will prioritize fires and allocation of resources in which sage grouse habitat is a consideration along with other high values.

GRSG-FM-GL-065-Guideline – In priority and general habitat management areas and sagebrush focal areas, consider using fire retardant and mechanized equipment only if it is likely to result in minimizing burned acreage, preventing the loss of other high value resources, or increasing the effectiveness of other tactical strategies. Agency administrators, or their designee, or fireline leadership should consider fire suppression effects while determining suppression strategy and tactics; the use of fire retardant and mechanized equipment may be approved by agency administrators, or their designee, or fireline leadership.

GRSG-FM-GL-066-Guideline – In priority and general habitat management areas and sagebrush focal areas, to minimize sagebrush habitat loss, consider using the full range of suppression techniques to protect unburned islands, doglegs, and other sage grouse habitat features that may exist within the perimeter of wildfires. These suppression objectives and activities should be prioritized against other wildland fire suppression activities and priorities.

Wild Horse and Burro

GRSG-HB-DC-067-Desired Condition – In priority and general habitat management areas, wild horse and burro populations are within established appropriate management levels.

GRSG-HB-ST-068-Standard – In priority and general habitat management areas, consider adjusting appropriate management levels, consistent with applicable law, if greater sage-grouse management standards are not met due to degradation that can be at least partially attributed to wild horse or burro populations.

GRSG-HB-ST-069-Standard – In priority and general management areas, remove wild horses and burros outside of a wild horse and burro territory.

GRSG-HB-GL-070-Guideline – In priority and general habitat, herd gathering should be prioritized when wild horse and burro populations exceed the upper limit of the established appropriate management level.

GRSG-HB-GL-071-Guideline – In priority and general habitat, wild horse and burro population levels should be managed at the lower limit of established appropriate management level ranges, as appropriate.

GRSG-HB-GL-072-Guideline – In priority and general habitat, consider exclusion of wild horse or burros immediately following emergency situation (e.g., fire, floods, and drought).

Recreation

GRSG-R-DC-073-Desired Condition – In priority and general habitat management areas and sagebrush focal areas, recreation activities are balanced with the ability of the land to support them, while meeting greater sage-grouse seasonal habitat desired conditions (table 1a and 1b) and creating minimal user conflicts.

GRSG-R-ST-074-Standard – In priority and general habitat management areas and sagebrush focal areas, do not authorize temporary recreation uses (i.e., facilities or activities) that result in loss of habitat or would have long-term (i.e., greater than 5 years) negative impacts on greater sage-grouse or their habitats.

GRSG-R-GL-075-Guideline – In priority and general habitat management areas and sagebrush focal areas, terms and conditions that protect and/or restore greater sage-grouse habitat within the permit area should be included in new recreation special use authorizations. During renewal, amendment, or reauthorization, terms and conditions in existing permits and operating plans should be modified to protect and/or restore greater sage-grouse habitat.

GRSG-R-GL-076-Guideline – In priority and general habitat management areas and sagebrush focal areas, new recreational facilities or expansion of existing recreational facilities (e.g., roads, trails, campgrounds), including special use authorizations for facilities and activities, should not be approved unless the development results in a net conservation gain to greater sage-grouse or their habitats or the development is required for visitor safety.

GRSG-R-GL-077-Guideline – During breeding and nesting (March 1 to June 30), outfitter-guide activities within 0.25 mile from the perimeter of active leks should not be authorized.

Roads/Transportation

GRSG-RT-DC-078-Desired Condition – In priority and general habitat management areas and sagebrush focal areas, within the forest transportation system and on roads and trails authorized under a special use authorization, greater sage-grouse experience minimal disturbance during breeding and nesting (March 1 to June 30) and wintering (November 1 to February 28) periods.

GRSG-RT-ST-079-Standard – In priority and general habitat management areas and sagebrush focal areas, do not conduct or allow new road or trail construction (does not apply to realignments for resource protection) except when necessary for administrative access to existing and authorized uses, public safety, or to access valid existing rights. If necessary to construct new roads and trails for one of these purposes, construct them to the minimum standard, length, and number and avoid, minimize, and mitigate impacts.

GRSG-RT-ST-080-Standard – Do not construct or allow road and trail maintenance activities within 2 miles from the perimeter of active leks during lekking (March 1 to May 15) from 6 pm to 9 am.

GRSG-RT-ST-081-Standard – In priority habitat management areas and sagebrush focal areas, do not allow public motor vehicle use on temporary energy development roads.

GRSG-RT-GL-082-Guideline – In priority habitat management areas and sagebrush focal areas, new roads and road realignments should be designed and administered to reduce collisions with greater sage-grouse.

GRSG-RT-GL-083-Guideline – In priority habitat management areas and sagebrush focal areas, road construction within riparian areas and mesic meadows should be restricted. If not possible to restrict construction within riparian areas and mesic meadows, roads should be designed and constructed at right angles to ephemeral drainages and stream crossings, unless topography prevents doing so.

GRSG-RT-GL-084-Guideline – In priority and general habitat management areas and sagebrush focal areas, when decommissioning roads and unauthorized routes, restoration activity should be designed to move habitat towards desired conditions (table 1a or 1b).

GRSG-RT-GL-085-Guideline – In priority and general habitat management areas and sagebrush focal areas, dust abatement terms and conditions should be included in road-use authorizations when dust has the potential to impact greater sage-grouse.

GRSG-RT-GL-086-Guideline – In priority and general habitat management areas and sagebrush focal areas, road and road-way maintenance activities should be designed and implemented to reduce the risk of vehicle or human-caused wildfires and the spread of invasive plants. Such activities include but are not limited to the removal or mowing of vegetation a car-width off the edge of roads; use of weed-free earth-moving equipment, gravel, fill, or other materials; and blading or pulling roadsides and ditches that are infested with noxious weeds only if required for public safety or protection of the roadway.

GRSG-RT-GL-087-Guideline – In priority and general habitat management areas and sagebrush focal areas, during breeding and nesting (March 1 to June 30), consider seasonal road closures on motorized travel routes with high traffic volume, speeds, or noise levels.

GRSG-RT-GL-088-Guideline – In priority and general habitat management areas and sagebrush focal areas, from November 1 to February 28, consider limiting over-snow motorized vehicles in wintering areas.

Minerals

Fluid Minerals – Unleased

GRSG-M-FMUL-ST-089-Standard – In priority habitat management areas, any new oil and gas leases must include a no surface occupancy stipulation. There will be no waivers or modifications. An exception could be granted by the authorized officer with unanimous concurrence from a team of agency greater sage-grouse experts from the Fish and Wildlife Service, Forest Service, and State wildlife agency if:

- There would be no direct, indirect, or cumulative effects to greater sage-grouse or their habitats or
- Granting the exception provides an alternative to a similar action occurring on a nearby parcel and
- The exception provides a clear net conservation gain to greater sage-grouse.

GRSG-M-FMUL-ST-090-Standard – In general habitat management areas, any new leases must include appropriate controlled surface use and timing limitation stipulations to protect sage-grouse and their habitat.

GRSG-M-FMUL-ST-091-Standard – In sagebrush focal areas, there will be no surface occupancy and no waivers, exceptions, or modifications for fluid mineral leasing.

GRSG-M-FMUL-ST-092-Standard – In priority habitat management areas outside of sagebrush focal areas, proposed geothermal projects may be considered if:

- A team of agency greater sage-grouse experts from the Fish and Wildlife Service, Forest Service, BLM, and State wildlife agency advises on project-mitigation measures, including lek buffer distances, using the best available science;
- Mitigation actions are consistent with the Mitigation Strategy; and
- The footprint of the project is consistent with the disturbance protocols identified in GRSG-GEN-ST-004.

GRSG-M-FMUL-ST-093-Standard – In priority and general habitat management areas and sagebrush focal areas, only allow geophysical exploration or similar type of exploratory

operations that are consistent with vegetation objectives in table 1a or 1b, as appropriate, and include applicable seasonal restrictions.

Fluid Minerals – Leased

GRSG-M-FML-ST-094-Standard – In priority habitat management areas and sagebrush focal areas, when approving the Surface Use Plan of Operation portion of the Application for Permit to Drill on existing leases that are not yet developed, require that leaseholders avoid and minimize surface disturbing and disruptive activities consistent with the rights granted in the lease.

GRSG-M-FML-ST-095-Standard – In priority and general habitat management areas and sagebrush focal areas, when facilities are no longer needed or leases are relinquished, require reclamation plans to include terms and conditions to restore habitat to desired conditions as described in table 1a or 1b.

GRSG-M-FML-ST-096-Standard – In priority and general habitat management areas and sagebrush focal areas, authorize new transmission line corridors, transmission line right-of-ways, transmission line construction, or transmission line-facility construction associated with fluid mineral leases with stipulations necessary to protect greater sage-grouse and their habitats, consistent with the terms and conditions of the permit.

GRSG-M-FML-ST-097-Standard – Locate compressor stations on portions of a lease that are non-habitat and are not used by greater sage-grouse, and if there would be no direct, indirect, or cumulative effects on sage-grouse or their habitat. If this is not possible, work with the operator to use mufflers, sound insulation, or other features to reduce noise, consistent with GRSG-GEN-ST-006-Standard.

GRSG-M-FML-ST-098-Standard – In priority and general habitat management areas and sagebrush focal areas, when authorizing development of fluid mineral resources, work with the operator to minimize impacts to greater sage-grouse and their habitat, such as locating facilities in non-habitat areas first and then in the least suitable habitat.

GRSG-M-FML-GL-099-Guideline – In priority and general habitat management areas and sagebrush focal areas, operators should be encouraged to reduce disturbance to greater sage-grouse habitat. At the time of approval of the Surface Use Plan of Operation portion of the Application for Permit to Drill, terms and conditions should be included to reduce disturbance to greater sage-grouse habitat, where appropriate and feasible and consistent with the rights granted to the lessee.

GRSG-M-FML-GL-100-Guideline – On existing Federal leases in priority and general habitat management areas and sagebrush focal areas, when surface occupancy cannot be restricted due to valid existing rights or development requirements, disturbance and surface occupancy should be limited to areas least harmful to greater sage-grouse based on vegetation, topography, or other habitat features.

GRSG-M-FML-GL-101-Guideline - In priority and general habitat management areas and sagebrush focal areas, where the Federal government owns the surface and the mineral estate is

in non-Federal ownership, coordinate with the mineral estate owner/lessee to apply appropriate stipulations, conditions of approval, conservation measures, and required design features to the appropriate surface management instruments to the maximum extent permissible under existing authorities.

Fluid Minerals – Operations

GRSG-M-FMO-ST-102-Standard – In priority and general habitat management areas and sagebrush focal areas, do not authorize employee camps.

GRSG-M-FMO-ST-103-Standard – In priority and general habitat management areas and sagebrush focal areas, when feasible, do not locate tanks or other structures that may be used as raptor perches. If this is not feasible, use perch deterrents.

GRSG-M-FMO-GL-104-Guideline – In priority and general habitat management areas and sagebrush focal areas, closed-loop systems should be used for drilling operations with no reserve pits, where feasible.

GRSG-M-FMO-GL-105-Guideline – In priority and general habitat management areas and sagebrush focal areas, during drilling operations, soil compaction should be minimized and soil structure should be maintained using the best available techniques to improve vegetation reestablishment.

GRSG-M-FMO-GL-106-Guideline – In priority and general habitat management areas and sagebrush focal areas, dams, impoundments and ponds for mineral development should be constructed to reduce potential for West Nile virus. Examples of methods to accomplish this include:

- Increase the depth of ponds to accommodate a greater volume of water than is discharged.
- Build steep shorelines (greater than 2 feet) to reduce shallow water and aquatic vegetation around the perimeter of impoundments to reduce breeding habitat for mosquitoes.
- Maintain the water level below that of rooted aquatic and upland vegetation. Avoid flooding terrestrial vegetation in flat terrain or low-lying areas.
- Construct dams or impoundments that restrict down-slope seepage or overflow by digging ponds in flat areas rather than damming natural draws for effluent water storage or lining constructed ponds in areas where seepage is anticipated.
- Line the channel where discharge water flows into the pond with crushed rock or use a horizontal pipe to discharge inflow directly into existing open water.
- Line the overflow spillway with crushed rock and construct the spillway with steep sides.
- Fence pond sites to restrict access by livestock and other wild ungulates.
- Remove or re-inject produced water.

- Treat waters with larvicides to reduce mosquito production where water occurs on the surface.

GRSG-M-FMO-GL-107-Guideline – In priority and general habitat management areas and sagebrush focal areas to keep habitat disturbance at a minimum, a phased development approach should be applied to fluid mineral operations, wherever possible, consistent with the rights granted under the lease. Disturbed areas should be reclaimed as soon as they are no longer needed for mineral operations.

Locatable Minerals

GRSG-M-LM-ST-108-Standard – In priority and general habitat management areas and sagebrush focal areas, only approve Plans of Operation if they include mitigation to protect greater sage-grouse and their habitats, consistent with the rights of the mining claimant as granted by the General Mining Act of 1872, as amended.

GRSG-M-LM-GL-109-Guideline – In priority and general habitat management areas and sagebrush focal areas, to keep habitat disturbance at a minimum, a phased development approach should be applied to operations consistent with the rights granted under the General Mining Act of 1872, as amended. Disturbed areas should be reclaimed as soon as they are no longer needed for mineral operations.

GRSG-M-LM-GL-110-Guideline – In priority and general habitat management areas and sagebrush focal areas, abandoned mine sites should be closed or mitigated to reduce predation of greater sage-grouse by eliminating tall structures that could provide nesting opportunities and perching sites for predators.

Non-energy Leasable Minerals

GRSG-M-NEL-GL-111-Guideline – In priority and general habitat management areas and sagebrush focal areas, at the time of issuance of prospecting permits, exploration licenses and leases, or readjustment of leases, the Forest Service should provide recommendations to the BLM for the protection of greater sage-grouse and their habitats.

GRSG-M-NEL-GL-112-Guideline – In priority and general habitat management areas and sagebrush focal areas, the Forest Service should recommend to the BLM that expansion or readjustment of existing leases avoid, minimize, or mitigate the effects to greater sage-grouse and their habitat.

Mineral Materials

GRSG-M-MM-ST-113-Standard – In priority management areas and sagebrush focal areas, do not authorize new mineral material disposal or development.

GRSG-M-MM-ST-114-Standard – In priority habitat management areas and sagebrush focal areas, free-use mineral material collection permits may be issued and expansion of existing active pits may be allowed, except from March 1 to May 15 between 6 pm and 9 am within 2

miles from the perimeter of occupied leks, within the Biologically Significant Unit and proposed project area if doing so does not exceed the disturbance cap.

GRSG-M-MM-ST-115-Standard – In priority and general habitat management areas and sagebrush focal areas, any permit for existing mineral material operations must include appropriate requirements for operation and reclamation of the site to maintain, restore, or enhance desired habitat conditions (table 1a or 1b).

Predation

GRSG-P-DC-116-Desired Condition – Anthropogenic uses on public lands are managed to reduce the effects of predation on greater sage-grouse.

Glossary of Terms as Used in this Plan

Active lek – Any lek that has been attended by male greater sage-grouse during the most recent strutting season.

Adjacent – Installation of new improvements (e.g., equipment or facilities) parallel, near, or next to existing improvements.

Administrative access – Access for resource management and administrative purposes such as wildfire suppression, cadastral surveys, permit compliance, law enforcement, and military in the performance of their official duty, or other access needed to manage National Forest System lands or uses.

Allotment – A designated area of land in which one or more livestock operators graze their livestock. An allotment may include one or more separate pastures. Livestock numbers and periods of use are specified for each allotment.

Ambient (noise level) – Sometimes called background noise level, reference sound level, or room noise level is the background sound pressure level at a given location, normally specified as a reference level to study a new intrusive sound source.

Anthropogenic disturbances – Human-created features including but are not limited to paved highways, graded gravel roads, transmission lines, substations, wind turbines, oil and gas wells and associated facilities, geothermal wells and associated facilities, pipelines, landfills, agricultural conversion, homes, grazing-related facilities and structures, and mines.

Authorize use – An activity (i.e., resource use) occurring on the public lands that is either explicitly or implicitly recognized and legalized by law or regulation. The term may refer to activities occurring on the public lands for which the Forest Service has issued a formal authorization document (e.g., livestock grazing permit, special use authorization, approved plan of operation, etc.). Formal authorized uses can involve both commercial and noncommercial activity, facility placement, or event. These authorized uses are often spatially or temporally limited. Unless constrained or bounded by statute, regulation, or an approved forest plan decision, legal activities involving public enjoyment and use of the public lands (e.g., hiking, camping, hunting, etc.) require no formal Forest Service authorization.

Baseline condition – The pre-existing condition of a defined area and/or resource that can be quantified by an appropriate metric(s). During environmental reviews, the baseline is considered the affected environment that exists at the time of the review's initiation, and is used to compare predictions of the effects of the proposed action or a reasonable range of alternatives.

Biologically significant unit – A geographical/spatial area within greater sage-grouse habitat that contains relevant and important habitats that is used as the basis for comparative calculations to support evaluation of changes to habitat. A biologically significant unit or subset of the unit is used in the calculation of the anthropogenic disturbance threshold and in the adaptive management habitat trigger. Specifically, in Nevada a biologically significant unit is determined to be where GRSG interactions have been documented between two or more population management units (Areas

delineated based on aggregations of GRSG lek locations, where the potential for short-term genetic interchange among populations is high.), which represent local GRSG population habitats and seasonal use areas in the sub-region.

Causal factor – A resource use or activity (e.g., livestock grazing or oil and gas development) or other factor (e.g., wildfire or drought) contributing to the decline of GRSG habitat and/or populations as identified under the Adaptive Management (Appendix C), resulting in a soft or hard trigger being tripped. A causal factor can occur singly or in combination with one another.

Co-location – Installation of new linear improvements (i.e., communication towers, electrical lines, other rights-of-way, or designated corridors) in, or on, or adjacent to existing linear improvements.

Communication tower site – Sites that include broadcast types of uses (e.g., television, AM/FM radio, cable television, broadcast translator) and non-broadcast uses (e.g., commercial or private mobile radio service, cellular telephone, microwave, local exchange network, passive reflector).

Compensatory mitigation – Compensating for the residual impact of a certain action or parts of an action by replacing or providing substitute resources or environments.

Compensatory mitigation projects – The restoration, creation, enhancement, and/or preservation of impacted resources, such as on-the-ground actions to improve and/or protect habitats (e.g. chemical vegetation treatments, land acquisitions, conservation easements).

Controlled surface use – A category of moderate constraint stipulations that allows some use and occupancy of public land while protecting identified resources or values and is applicable to fluid mineral leasing and all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes, construction of wells and/or pads).

Corridor – A tract of land varying in width forming passageway through which various commodities such as oil, gas, and electricity are transported.

Disruptive activities – Land resource uses/activities that are likely to alter the behavior, displace, or cause excessive stress to greater sage-grouse populations occurring at a specific location and/or time. Actions that alter behavior or cause the displacement of individuals such that reproductive success is negatively affected, or an individual's physiological ability to cope with environmental stress is compromised.

Distribution line – An electrical utility line with a capacity of less than 100kV or a natural gas, hydrogen, or water pipeline less than 24” in diameter.

Diversity (biological) – The number and distribution of plant and animal species within a specified geographic area. For purpose of the National Forest Management Act, the geographic area is a national forest or grassland unit.

Durable (protective and ecological) – The administrative, legal, and financial assurances that secure and protect the conservation status of a compensatory mitigation site, and the ecological benefits of a compensatory mitigation project, for at least as long as the associated impacts persist.

Enhance – The improvement of habitat by increasing missing or modifying unsatisfactory components and/or attributes of the plant community to meet greater sage-grouse objectives.

Exception – A case-by-case exemption from a lease stipulation. The stipulation continues to apply to all other sites within the leasehold to which the restrictive criteria apply. The authorized officer (any employee of the Forest Service to whom has been delegated the authority to perform the duties described in the applicable Forest Service manual or handbook) may grant an exception if an environmental record of review determines that the action, as proposed or conditioned, would not impair the function or utility of the site for the current or subsequent seasonal habitat, life-history, or behavioral needs of greater sage-grouse.

Feasible – see technically/economically feasible.

Fluid minerals – Oil, gas, coal bed natural gas, and geothermal resources.

Forage reserve – Designation for allotments on which there is no current term permit obligation for some or all of the estimated livestock grazing capacity and where there has been a determination made to use the available forage on the allotment to enhance management flexibility for authorized livestock use (FSH id_2209.13-2007-1)

Forest transportation system – Roads, trails, and areas designated for motor vehicle use that provide access to National Forest System lands for both motorized and non-motorized uses in a manner that is socially, environmentally, and economically sustainable over the long term, enhances public enjoyment of National Forest System roads, and maintains other important values and uses.

General habitat management areas – NFS lands that are occupied seasonally or year-round habitat outside of PHMA where some special management would apply to sustain GRSG populations. The boundaries and management strategies for GHMAs are derived from and generally follow the Preliminary General Habitat boundaries.

Habitat – An environment that meets a specific set of physical, biological, temporal, or spatial characteristics that satisfy the requirements of a plant or animal species or group of species for part or all of their life cycle.

Hard triggers – Thresholds indicating that immediate action is necessary to stop a severe deviation from sage grouse conservation objectives set forth in the land and resources management plan.

High-voltage transmission line – An electrical power line that is 100 kilovolts or larger.

Holder – An individual or entity that holds a valid special use authorization.

Impact – The effect, influence, alteration, or imprint caused by an action.

Indicators – Factors that describe resource condition and change and can help the BLM and the Forest Service determine trends over time.

Isolated parcel – An individual parcel of land that may share a corner, but does not have a common border with another parcel.

Invasive species (invasives plant species, invasives) – An alien species whose introduction does or is likely to cause economic or environmental harm or harm to human health. The species must cause, or be likely to cause, harm, and be exotic to the ecosystem it has infested before considered invasive.

Landownership adjustment – Land adjustments to National Forest System lands by purchase, exchange, interchange, or conveyance under authority delegated by law to the Secretary of Agriculture.

Landscape – A distinct association of land types that exhibit a unique combination of local climate, landform, topography, geomorphic process, surficial geology, soil, biota, and human influences. Landscapes are generally of a size that the eye can comprehend in a single view.

Lease – A contract granting use or occupation of property during a specified period in exchange for a specified rent or other form of payment; a type of special use authorization (usually granted for uses other than linear rights-of-way) that is used when substantial capital investment is required and when conveyance of a conditional and transferable interest in National Forest System lands is necessary or desirable to serve or facilitate authorized long-term uses, and that may be revocable and compensable according to its terms.

Leasable minerals – Those minerals or materials designated as leasable under the Mineral Leasing Act of 1920, as amended, and the Mineral Leasing Act for Acquired Lands of 1947. These include energy-related mineral resources such as oil, natural gas, coal, and geothermal, and some non-energy minerals, such as phosphate, sodium, potassium, and sulfur. Geothermal resources are also leasable under the Geothermal Steam Act of 1970.

Lek – A courtship display area attended by male greater sage-grouse in or adjacent to sagebrush dominated habitat. For management purposes, leks with less than five males observed strutting should be confirmed active for 2 years to meet the definition of a lek (Connelly et al 2000, Connelly et al. 2003, 2004).

Lessee – A person or entity holding record title in a lease issued by the United States; a person or entity authorized to use and occupy National Forest System land under a specific instrument identified as a lease.

Livestock conversion – To change the kind of livestock authorized to graze on National Forest System lands (e.g., a change from sheep to cows).

Locatable minerals – Mineral disposable under the General Mining Act of 1872, as amended, that was not excepted in later legislation. They include hardrock, placer, industrial minerals, and uncommon varieties of rock found on public domain lands.

Major pipeline – A pipeline that is 24 inches or more in outside-pipe diameter (Mineral Leasing Act of 1920, as amended, 30 U.S.C. § 181; 36 CFR 251.54(f)(1)).

Mineral – Any naturally formed inorganic material, solid or fluid inorganic substance that can be extracted from the earth, any of various naturally occurring homogeneous substances (as stone, coal, salt, sulfur, sand, petroleum, water, or natural gas) obtained usually from the ground. Under

Federal laws, considered as locatable (subject to the general mining laws), leasable (subject to the Mineral Leasing Act of 1920, as amended), and salable (subject to the Materials Act of 1947).

Mineral materials – Common varieties of mineral materials such as soil, sand and gravel, stone, pumice, pumicite, and clay that are not obtainable under the mining or leasing laws but that can be acquired under the Materials Act of 1947, as amended.

Minimization mitigation – Minimizing impacts by limiting the degree or magnitude of the action and its implementation.

Mitigation – Specific means, measures, or practices that could reduce, avoid, or eliminate adverse impacts. Mitigation can include avoiding the impact altogether by not taking a certain action or parts of an action, minimizing the impact by limiting the degree of magnitude of the action and its implementation, rectifying the impact by repairing, rehabilitation, or restoring the affected environment, reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action, and compensating for the impact by replacing or providing substitute resources or environments.

Modification (oil and gas) – A fundamental change to the provisions of a lease stipulation, either temporarily or for the term of the lease. A modification may include an exemption from or alteration to a stipulated requirement. Depending on the specific modification, the stipulation may or may not apply to all other sites within the leasehold to which the restrictive criteria applied.

Native plant species – A plant species which occurs naturally in a particular region, state, ecosystem and habitat without direct or indirect human actions.

Net conservation gain – The actual benefit or gain above baseline conditions. Actions which result in habitat loss and degradation include those identified as threats which contribute to GRSG disturbance as identified by the USFWS in its 2010 listing decision (*75 Federal Register* 13910) and shown in Table 2 in the Greater Sage-Grouse Monitoring Framework (Appendix A).

No surface occupancy (NSO) – A major constraint where use or occupancy of the land surface for fluid mineral exploration or development and all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes, construction of wells and/or pads) are prohibited to protect identified resource values. Areas identified as NSO are open to fluid mineral leasing, but surface occupancy or surface-disturbing activities associated with fluid mineral leasing cannot be conducted on the surface of the land. Access to fluid mineral deposits would require horizontal drilling from outside the boundaries of the NSO area.

Occupied lek – A lek that has been active during at least one strutting season within the prior 10 years.

Permit – A special use authorization that provides permission, without conveying an interest in land, to occupy and use National Forest System land or facilities for specified purposes, and which is both revocable and terminable.

Permit cancellation – Action taken to permanently invalidate a term grazing permit in whole or part.

Persistent woodlands – Long-lived pinyon-juniper woodlands that typically have sparse understories and occur on poor substrates in the assessment area.

Plan of Operation – A Plan of Operation is required for all mining activity conducted under the General Mining Act of 1872, as amended, if the proposed operations will likely cause significant disturbance of surface resources. The Plan of Operation describes the type of operations proposed and how they would be conducted, the type and standard of existing and proposed roads or access routes, the means of transportation to be used, the period during which the proposed activity will take place, and measures to be taken to meet the requirements for environmental protection (36 CR 228.4).

Prescribed fire – Any fire ignited by management actions to meet specific objectives. A written, approved prescribed fire plan must exist and NEPA requirements, where applicable, must be met before ignition.

Priority habitat management areas – NFS lands identified as having highest habitat value for maintaining sustainable GRSB populations. The boundaries and management strategies for PHMAs are derived from and generally follow the Preliminary Priority Habitat boundaries. Areas of PHMAs largely coincide with areas identified as Priority Areas for Conservation (PACs) in the COT report.

Reclamation plans – Plans that guide the suite of actions taken within an area affected by human disturbance, the outcome of which is intended to change the condition of the disturbed area to meet pre-determined objectives and/or make it acceptable for certain defined resources (e.g., wildlife habitat, grazing, ecosystem function, etc.).

Residual impacts – Impacts from an implementation-level decision that remain after applying avoidance and minimization mitigation; also referred to as unavoidable impacts.

Restoration – Implementation of a set of actions that promotes plant community diversity and structure that allows plant communities to be more resilient to disturbance and invasive species over the long term. The long-term goal is to create functional, high quality habitat that is occupied by greater sage-grouse. Short-term goal may be to restore the landform, soils and hydrology and increase the percentage of preferred vegetation, seeding of desired species, or treatment of undesired species.

Restriction/restrict – A limitation or constraint, not a prohibition, on public land uses and operations. Restrictions can be of any kind, but most commonly apply to certain types of vehicle use, temporal and/or spatial constraints, or certain authorizations.

Right-of-way – Land authorized to be used or occupied for the construction, operation, maintenance, and termination of a project or facility passing over, upon, under or through such land.

Road or trail – A road or trail wholly or partly within or adjacent to and serving the National Forest System that the Forest Service determines is necessary for the protection, administration, and utilization of the National Forest System and the use and development of its resources.

Sagebrush focal areas – Areas identified by the U.S. Fish and Wildlife Service that represent recognized “strongholds” for greater sage-grouse that have been noted and referenced as having the highest densities of greater sage-grouse and other criteria important for the persistence of the species.

Soft triggers – An intermediate threshold indicating that management changes are needed at the implementation level to address habitat or population losses.

Special use authorization – A written permit, term permit, lease, or easement that authorizes use or occupancy of National Forest System lands and specifies the terms and conditions under which the use or occupancy may occur.

Stipulation (general) – A term or condition in an agreement, contract, or written authorization.

Stipulation (oil and gas) – A provision that modifies standard lease rights and is attached to and made a part of the lease. Lease stipulations include No Surface Occupancy, Timing Limitations, and Controlled Surface Use.

Surface disturbing activities – Actions that alter the vegetation, surface/near surface soil resources, and/or surface geologic features, beyond natural site conditions and on a scale that affects other public land values. Examples of surface disturbing activities may include operation of heavy equipment to construct well pads, roads, pits and reservoirs; installation of pipelines and power lines; maintenance activities, and several types of vegetation treatments (e.g., prescribed fire, etc.). Surface disturbing activities may be either restricted, not allowed, or not authorized.

Surface occupancy – Placement or construction on the land surface of semi-permanent or permanent facilities requiring continual service or maintenance. Casual use is not included.

Surface uses – Activities that may be present on the surface or near-surface (e.g., pipelines) of public lands. When administered as a use restriction (e.g., no surface occupancy), this phrase prohibits all but specified resource uses and activities in a certain area to protect particular sensitive resource values and property. This designation typically applies to small acreage sensitive resource sites (e.g., plant community study enclosure, etc.), and/or administrative sites (e.g., government ware-yard, etc.) where only authorized, agency personnel are admitted.

Tall structures – A wide array of infrastructure (e.g., poles that support lights, telephone and electrical distribution, communication towers, meteorological towers, high-tension transmission towers, and wind turbines) that have the potential to disrupt lekking or nesting birds by creating new perching/nesting opportunities and/or decreasing the use of an area. A determination as to whether something is considered a tall structure would be based on local conditions such as vegetation or topography.

Technically/economically feasible – Actions that are practical or feasible from the technical and economic standpoint and using common sense, rather than simply desirable from the standpoint of

the applicant. It is the Forest Service's responsibility to determine what actions are technically and economically feasible based on a review of the applicant's rationale and the available best science. The Forest Service will consider whether implementation of the proposed action is likely given past and current practice and technology; this consideration does not necessarily require a cost-benefit analysis or speculation about an applicant's costs and profit.

Temporary special use permit – A type of permit that terminates within 1 year or less after the approval date. All other provisions applicable to permits apply fully to temporary permits. Temporary special use permits are issued for seasonal or short-duration uses involving minimal improvement and investment.

Term permit – An authorization to occupy and use National Forest System land, other than rights-of-way for a specified period that is both revocable and compensable according to its terms.

Timely – The conservation benefits from compensatory mitigation accruing as early as possible or before impacts have begun.

Timing limitation (TL) – A moderate constraint, applicable to fluid mineral leasing, on all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes, construction of wells and/or pads), and other surface disturbing activities (i.e., those not related to fluid mineral leasing). Areas identified for TL are closed to fluid mineral exploration and development, surface-disturbing activities, and intensive human activity during identified time frames. This stipulation does not apply to operation and basic maintenance activities, including associated vehicle travel, unless otherwise specified. Construction, drilling, completions, and other operations considered to be intensive in nature are not allowed. Intensive maintenance, such as workovers on wells, is not permitted. TLs can overlap spatially with NSO and CSU, as well as with areas that have no other restrictions.

Transmission line – An electrical utility line with a capacity greater than or equal to 100kV or a natural gas, hydrogen, or water pipeline greater than or equal to 24" in diameter.

Utility-scale and/or commercial energy development – A project that is capable of producing 20 or more megawatts of electricity for distribution to customers through the electricity-transmission-grid system.

Valid existing rights – Documented legal rights or interests in the land that allow a person or entity to use said land for a specific purpose and that are still in effect. Such rights include but are not limited to fee title ownership, mineral rights, and easements. Such rights may have been reserved, acquired, granted, permitted, or otherwise authorized under various statutes of law over time.

Vegetation treatment – Management practices that are designed to maintain current vegetation structure or change the vegetation structure to a different stage of development. Vegetation treatment methods may include managed fire, prescribed fire, chemical, mechanical, and seeding.

Waiver (oil and gas) – Permanent exemption from a lease stipulation. The stipulation no longer applies anywhere within the leasehold.


Waived without preference – A permittee waives a term grazing permit to the United States without identifying a preferred applicant (i.e., a third party that has purchased either permitted livestock, base property, or both).

West Nile virus – A virus that is found in temperate and tropical regions of the world and most commonly transmitted by mosquitoes. West Nile virus can cause flu-like symptoms in humans and can be lethal to birds, including greater sage-grouse.

Wildfire suppression – An appropriate management response to wildfire, escaped wildland fire use or prescribed fire that results in curtailment of fire spread and eliminates all identified threats from the particular fire.

Withdrawal (land) – Withholding an area of Federal land from settlement, sale, location, or entry, under some or all of the general land laws, including the mining and mineral leasing laws, for the purpose of limiting activities under those laws to maintain other public values in the area, or for reserving the area for a particular public purpose or program.

Map 1. GRSG Habitat on the Humboldt-Toiyabe National Forest.



ATTACHMENT C – GREATER SAGE-GROUSE UTAH PLAN AMENDMENT

Forest Service Plan Components¹

Desired condition – A description of specific social, economic, and/or ecological characteristics of the plan area, or a portion of the plan area, toward which management of the land and resources should be directed. Desired conditions must be described in terms that are specific enough to allow progress toward their achievement to be determined but do not include completion dates.

Objective – A concise, measurable, and time-specific statement of a desired rate of progress toward a desired condition or conditions. Objectives should be based on reasonably foreseeable budgets.

Standard – A mandatory constraint on project and activity decision making established to help achieve or maintain the desired condition or conditions; to avoid or mitigate undesirable effects; or to meet applicable legal requirements.

Guideline – A constraint on project and activity decision making that allows for departure from its terms so long as the purpose of the guideline is met. Guidelines are established to help achieve or maintain a desired condition or conditions; to avoid or mitigate undesirable effects; or to meet applicable legal requirements.

The direction in the following standards and guidelines will be applied consistently with applicable valid existing rights, laws, and regulations.

General Greater Sage-grouse

GRSG-GEN-DC-001-Desired Condition – The landscape for the greater sage-grouse encompasses large contiguous areas of native vegetation, approximately 6-to-62 square miles in area, to provide for multiple aspects of species life requirements. Within these landscapes, a variety of sagebrush-community compositions exist without invasive species, which have variations in subspecies composition, co-dominant vegetation, shrub cover, herbaceous cover, and stand structure to meet seasonal requirements for food, cover, and nesting for the greater sage-grouse.

GRSG-GEN-DC-002-Desired Condition – Anthropogenic disturbance is focused in non-habitat areas outside of priority and general habitat management areas and sagebrush focal areas.² Disturbance in general management areas is limited, and there is little to no disturbance in priority habitat management areas and sagebrush focal areas except for valid existing rights and existing authorized uses.

¹ Plan component definitions are based on generally accepted meanings under the 1982 rule and the Forest Service Plan Wording Style Guide 2009, http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5260265.pdf.

² Priority management areas and general management areas may contain non-habitat, but management direction would not apply to those areas of non-habitat. However, management direction would apply to all areas within sagebrush focal areas including non-habitat.

GRSG-GEN-DC-003-Desired Condition – In greater sage-grouse seasonal habitat, including all seasonal habitats, 70% or more of lands capable of producing sagebrush have from 10 to 30% sagebrush canopy cover and less than 10% conifer canopy cover. In addition, within breeding and nesting habitat, sufficient herbaceous vegetation structure and height provides overhead and lateral concealment for nesting and early brood rearing life stages. Within brood rearing habitat, wet meadows and riparian areas sustain a rich diversity of perennial grass and forb species relative to site potential. Within winter habitat, sufficient sagebrush height and density provides food and cover for the greater sage-grouse during this seasonal period. Specific desired conditions for the greater sage-grouse based on seasonal habitat requirements are in table 1.

Table 1. Seasonal Habitat Desired Conditions for Greater Sage-grouse at the Landscape Scale.

ATTRIBUTE	INDICATORS	DESIRED CONDTION
BREEDING AND NESTING^{1,2,3} (Seasonal Use Period from March 1 to June 15) Apply 4 miles from active leks.⁴		
Lek Security	Proximity of trees ⁵	Trees or other tall structures are absent to uncommon within 1.86 miles of leks. ^{6,7}
	Proximity of sagebrush to leks ⁶	Adjacent protective sagebrush cover within 328 feet of lek. ⁶
Cover	Seasonal habitat extent ⁷ (Percent of seasonal habitat meeting desired conditions)	>80% of the breeding and nesting habitat.
	Sagebrush canopy cover ^{6,7,8}	15 to 25%.
	Sagebrush height ⁷ Arid sites ^{6,7,9} Mesic sites ^{6,7,10}	12 to 32 inches. 16 to 32 inches.
	Predominant sagebrush shape ⁶	>50% in spreading. ¹¹
	Perennial grass canopy cover ^{6,7} Arid sites ^{7,9} Mesic sites ^{7,10}	≥10%. ≥15%.
	Perennial grass height ^{6,7,8}	Provide overhead and lateral concealment from predators ^{7,15}
	Perennial forb canopy cover ^{6,7,8} Arid sites ⁹ Mesic sites ¹⁰	≥5%. ^{6,7} ≥10%. ^{6,7}

ATTRIBUTE	INDICATORS	DESIRED CONDITON
BROOD-REARING/SUMMER¹ (Seasonal Use Period from June 16 to October 31)		
Cover	Seasonal habitat extent ⁷ (Percent of seasonal habitat meeting desired conditions)	>40% of the brood-rearing/summer habitat.
	Sagebrush canopy cover ^{6,7,8}	10 to 25%.
	Sagebrush height ^{7,8}	16 to 32 inches.
	Perennial grass and forb canopy cover ^{7,8}	>15%.
	Riparian areas/mesic meadows	Proper Functioning Condition. ¹²
	Upland and riparian perennial forb availability ^{6,7}	Preferred forbs are common with several preferred species present. ¹³
	Sagebrush cover adjacent to riparian areas/mesic meadows ⁶	Within 328 feet.
WINTER¹ (Seasonal Use Period from November 1 to February 28)		
Cover and Food	Seasonal habitat extent ^{6,7,8} (Percent of seasonal habitat meeting desired conditions)	>80% of the winter habitat.
	Sagebrush canopy cover above snow ^{6,7,8}	>10%.
	Sagebrush height above snow ^{6,7,8}	>10 inches. ¹⁴

¹Seasonal dates can be adjusted; that is, start and end dates may be shifted either earlier or later, but the local unit cannot lengthen or shorten the amount of days.

²Doherty, K. 2008. *Sage-grouse and Energy Development: Integrating Science with Conservation Planning to Reduce Impacts*. University of Montana. Missoula, MT.

³Holloran and Anderson. 2005. *Spatial Distribution of Greater Sage-grouse nests in relatively contiguous sagebrush habitats*. Condor 107:742-752.

⁴Buffer distance may be changed only if 3 out of 5 years if peer-reviewed and published telemetry studies indicate the 4 miles is not appropriate.

⁵Baruch-Mordo, S., J.S. Evans, J.P. Severson, D.E. Naugle, J.D. Maestas, J.M. Kiesecker, M.J. Falkowski, C.A. Hagen, and K.P. Reese. 2013. *Saving sage-grouse from trees: A proactive solution to reducing a key threat to a candidate species*. Biological Conservation 167: 233-241.

⁶Stiver, S.J., E.T. Rinkes, D.E. Naugle, P.D. Makela, D.A. Nance, and J.W. Karl, eds., 2015. *Sage-Grouse Habitat Assessment Framework: A Multiscale Assessment Tool*. Technical Reference 6710-1. BLM and Western Association of Fish and Wildlife Agencies, Denver, Colorado.

⁷Connelly, J., M.A. Schroweder, A.R. Sands, and C.E. Braun. 2000. *Guidelines to manage sage-grouse populations and its habitat*. Wildlife Society Bulletin 28 (4): 967-985.

⁸Connelly, J., K. Reese, and M. Schroder. 2003. *Monitoring of Greater sage-grouse habitats and populations*. Station Bulletin 80, Contribution 979. University of Idaho, College of Natural Resources Experiment Station. Moscow, ID.

⁹10–12 inch precipitation zone; *Artemisia tridentata wyomingensis* is a common big sagebrush sub-species for this type site (Stiver et al. 2015).

¹⁰≥12 inch precipitation zone; *Artemisia tridentata vaseyana* is a common big sagebrush sub-species for this type site (Stiver et al. 2015).

¹¹Sagebrush plants with a spreading shape provide more protective cover than sagebrush plants that are more tree- or columnar shaped (Stiver et al. 2014).

¹²Existing LMP desired conditions for riparian areas/wet meadows (spring seeps) may be used in place of properly functioning conditions, if appropriate for meeting greater sage-grouse habitat requirements.

¹³Preferred forbs are listed in Table III-2 (Stiver et al. 2015). Overall total forb cover may be greater than that of preferred forb cover since not all forb species are listed as preferred in Table III-2.

¹⁴The height of sagebrush remaining above the snow depends upon snow depth in a particular year. Intent is to manage for tall, healthy sagebrush stands.

GRSG-GEN-ST-004-Standard – In priority habitat management areas and sagebrush focal areas, do not issue new discretionary written authorizations unless all existing discrete anthropogenic disturbances cover less than 3% of the total greater sage-grouse habitat within the Biologically Significant Unit and the proposed project area, regardless of ownership, and the new use will not cause exceedance of the 3% cap. Discretionary activities that might result in disturbance above 3% at the Biologically Significant Unit and proposed project area would be prohibited unless approved by the forest supervisor with concurrence from the regional forester after review of new or site-specific information that indicates the project would result in a net conservation gain at the Biologically Significant Unit and proposed project area scale. Within existing designated utility corridors, the 3% disturbance cap may be exceeded at the project scale if the site specific NEPA analysis indicates that a net conservation gain to the species will be achieved. This exception is limited to projects that fulfill the use for which the corridors were designated (e.g., transmission lines, pipelines) and the designated width of a corridor will not be exceeded as a result of any project co-location. Consider the likelihood of surface disturbing activities as a result of development of valid existing rights when authorizing new projects in priority habitat management areas.

GRSG-GEN-ST-005-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, only allow new authorized land uses if after avoiding and minimizing impacts, any remaining residual impacts to the greater sage-grouse or its habitat are fully offset by compensatory mitigation projects that provide a net conservation gain to the species, subject to valid existing rights, by applying beneficial mitigation actions. Any compensatory mitigation will be durable, timely, and in addition to what would have resulted without the compensatory mitigation as addressed in the Mitigation Strategy (Appendix B).

GRSG-GEN-ST-006-Standard – Do not authorize new surface disturbing and disruptive activities that create noise at 10dB above ambient measured at the perimeter of an occupied lek during lekking (from March 1 to April 30) from 6 p.m. to 9 a.m. Do not include noise resulting from human activities that have been authorized and initiated within the past 10 years in the ambient baseline measurement.

GRSG-GEN-GL-007-Guideline – During breeding and nesting (from March 1 to June 15), surface disturbing and disruptive activities to nesting birds should be avoided.

GRSG-GEN-GL-008-Guideline – When breeding and nesting habitat overlaps with other seasonal habitats, habitat should be managed for breeding and nesting desired conditions in table 1.

GRSG-GEN-GL-009-Guideline – Development of tall structures within 2 miles from the perimeter of occupied leks, as determined by local conditions (e.g., vegetation or topography), with the potential to disrupt breeding or nesting by creating new perching/nesting opportunities for avian predators or by decreasing the use of an area, should be restricted within nesting habitat.

Adaptive Management

GRSG-AM-ST-010-Standard – If a hard trigger is met, immediate action is necessary to stop a severe deviation from greater sage-grouse conservation objectives. The hard trigger responses are identified in table 3 of the Adaptive Management Appendix C. The Forest Service will review available and pertinent data in coordination with greater sage-grouse biologists from multiple agencies.

GRSG-AM-ST-011-Standard – If a soft trigger is met, the Forest Service will determine the specific cause or causes that are contributing to the decline. In completing this evaluation, the Forest Service will coordinate with greater sage-grouse biologists from multiple agencies. If it is determined that the decline is related to a natural variation in the population, no specific management actions would be required. However, if Forest Service management actions are determined to be the cause or contribute to the decline, the Forest Service would apply measures within its implementation-level discretion to mitigate the decline of populations and/or habitat. These measures would apply more conservative or restrictive implementation-level conservation conditions, terms, or decisions within the agency’s discretion to mitigate the decline. (Appendix C)

Lands and Realty

Special-use Authorizations (non-recreation)

GRSG-LR-SUA-O-012-Objective – In nesting habitats, retrofit existing tall structures (e.g., power poles, communication tower sites, etc.) with perch deterrents or other anti-perching devices within 2 years of signing the ROD.

GRSG-LR-SUA-ST-013-Standard – In priority habitat, sagebrush focal areas, and Anthro Mountain, restrict issuance of new lands special-use authorizations that authorize infrastructure, such as high-voltage transmission lines, major pipelines, distribution lines, and communication tower sites. Exceptions must be limited (e.g., safety needs) and based on rationale (e.g., monitoring, modeling, or best available science) that explicitly demonstrates that adverse impacts to the greater sage-grouse will be avoided by the exception. Existing authorized uses will continue to be recognized.

GRSG-LR-SUA-ST-014-Standard – In general habitat management areas, new lands special-use authorizations may be issued for infrastructure, such as high-voltage transmission lines, major pipelines, distribution lines, and communication tower sites if they can be located within existing designated corridors or rights-of-way and the authorization includes stipulations to protect the greater sage-grouse and its habitat. Existing authorized uses will continue to be recognized.

GRSG-LR-SUA-ST-015-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, do not authorize temporary lands special-uses (i.e., facilities or activities) that result in loss of habitat or would have long-term (i.e., greater than 5 years) negative impact on the greater sage-grouse or its habitat.

GRSG-LR-SUA-ST-016-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, require protective stipulations (e.g., noise, tall structure, guy wire removal, perch deterrent installation, etc.) when issuing new authorizations or during renewal, amendment, or reissuance of existing authorizations that authorize infrastructure (e.g., high-voltage transmission lines, major pipelines, roads, distribution lines, and communication tower sites).

GRSG-LR-SUA-ST-017-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, locate upgrades to existing transmission lines within the existing designated corridors or rights-of way unless an alternate route would benefit the greater sage-grouse or its habitat.

GRSG-LR-SUA-ST-018-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, when a lands special-use authorization is revoked or terminated and no future use is contemplated, require the authorization holder to remove overhead lines and other surface infrastructure in compliance with 36 CFR 251.60(i).

GRSG-LR-SUA-GL-019-Guideline – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, outside of existing designated corridors and rights-of-way, new transmission lines and pipelines should be buried to limit disturbance to the smallest footprint unless explicit rationale is provided that the biological impacts to the greater sage-grouse are being avoided. When new transmission lines and pipelines are not buried, locate them adjacent to existing transmission lines and pipelines.

GRSG-LR-SUA-GL-020-Guideline – The best available science and monitoring should be used to inform infrastructure siting in greater sage-grouse habitat.

Land Ownership Adjustments

GRSG-LR-LOA-ST-021-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, do not approve landownership adjustments, including land exchanges, unless the action results in a net conservation gain to the greater sage-grouse or it will not directly or indirectly adversely affect greater sage-grouse conservation.

GRSG-LR-LOA-GL-022-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, and with minority federal ownership, consider landownership adjustments to achieve a landownership pattern (e.g., consolidation, reducing fragmentation, etc.) that supports improved greater sage-grouse population trends and habitat.

Land Withdrawal

GRSG-LR-LW-GL-023-Guideline – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, use land withdrawals as a tool, where appropriate, to withhold an area from activities that will be detrimental to the greater sage-grouse or its habitat.

Wind and Solar

GRSG-WS-ST-024-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, do not authorize new solar utility-scale and/or commercial energy development except for on-site power generation associated with existing industrial infrastructure (e.g., mine sites).

GRSG-WS-ST-025-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, do not authorize new wind utility-scale and/or commercial energy development except for on-site power generation associated with existing industrial infrastructure (e.g., mine sites).

Greater Sage-grouse Habitat

GRSG-GRSGH-O-026-Objective – Every 10 years for the next 50 years, improve greater sage-grouse habitat by removing invading conifers and other undesirable species based upon the number of acres shown in table 2.

Table 2. Treatment Acres per Decade.¹

FOREST	ACRES		
	MECHANICAL ²	PRESCRIBED FIRE ³	GRASS RESTORATION ⁴
Ashley	10000	0	2000
Dixie	13000	1000	7000
Fishlake	7000	0	1000
Manti-La Sal	3000	0	4000
Uinta-Wasatch-Cache	9000	0	0

¹These are estimates of treatments required to achieve and/or maintain desired habitat conditions over a period of 10 years. There are many dynamic and highly variable disturbances that may happen over that period of time that could have a significant effect on the amount, type, and timing of treatment needed. Those disturbances are factored into the 10-year simulation using stochastic, not deterministic, techniques. Probabilities of events such as large wildfires are used in the model to make the simulation as realistic as possible, given empirical data about such events in the past, but the results of the simulation cannot be used to predict the future occurrence of such events, including their timing, size, or location, which are essentially random.

²Removal of conifers that have invaded sagebrush including phase 1 juniper that is 10% or less and reducing sagebrush cover in areas over 30% canopy cover

³Acres are those that are greater than 30% sagebrush canopy cover and/or invaded by 10% or greater conifer.

⁴Acres presently dominated by annual grasses that could be improved by herbicide application and seeding of perennial vegetation⁴ acres presently dominated by annual grasses that could be improved by herbicide application and seeding of perennial vegetation.

GRSG-GRSGH-ST-027-Standard – Design habitat restoration projects to move towards desired conditions (table 1).

GRSG-GRSGH-ST-028-Standard – On the Dixie and Fishlake National Forests, where greater sage-grouse priority habitat management areas overlap with identified Utah prairie dog habitat, the most current version of conservation measures developed by the U.S. Fish and Wildlife Service will be used during implementation of recovery actions.

GRSG-GRSGH-GL-029-Guideline – When removing conifers that are encroaching into greater sage-grouse habitat, avoid persistent woodlands (i.e., old growth relative to the site or more than 100-years old).

GRSG-GRSGH-GL-030-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, actions and authorizations should include design features to limit the spread and effect of undesirable non-native plant species.

GRSG-GRSGH-GL-031-Guideline – To facilitate safe and effective fire management actions in priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, fuel treatments in high-risk areas (i.e., areas likely to experience wildfire at an intensity level that might result in movement away from the greater sage-grouse desired conditions in table 1) should be designed to reduce the spread and/or intensity of wildfire or the susceptibility of greater sage-grouse attributes to move away from desired conditions (table 1).

GRSG-GRSGH-GL-032-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, native plant species should be used when possible to maintain, restore, or enhance desired conditions (table 1).

GRSG-GRSGH-GL-033-Guideline – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, vegetation treatment projects should only be conducted if they maintain, restore, or enhance desired conditions (table 1).

Livestock Grazing

GRSG-LG-DC-034-Desired Condition – In priority and general habitat management areas, sagebrush focal areas, within lek buffers, and Anthro Mountain, livestock grazing is managed to maintain or move towards desired conditions (table 1).

GRSG-LG-ST-035-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, do not approve construction of water developments unless beneficial to greater sage-grouse habitat.

GRSG-LG-GL-036-Guideline – Grazing guidelines should be applied in each of the seasonal habitats in table 3. If values in table 3 guidelines cannot be achieved based upon a site-specific analysis using Ecological Site Descriptions, long-term ecological site potential analysis, or other similar analysis, adjust grazing management to move towards desired habitat conditions in table 1 consistent with the ecological site potential. Do not use drought and degraded habitat condition to adjust values. Grazing guidelines in table 3 would not apply to isolated parcels of National Forest System lands that have less than 200 acres of greater sage-grouse habitat.

Table 3. Grazing Guidelines for Greater Sage-grouse Seasonal Habitat.

SEASONAL HABITAT	GRAZING GUIDELINES
Breeding and nesting ¹ within 4 miles of occupied leks	Perennial grass height: ² When grazing occurs during breeding and nesting season (from March 1 to June 15) manage for upland perennial grass height of 7 inches. ^{3,5} Measure average droop height, assuming current vegetation composition has the capability to achieve these heights. Heights will be measured at the end of the nesting period (Connelly et al. 2000). When grazing occurs post breeding and nesting season (from June 16 to October 30) manage for 4 inches ^{5,6} of upland perennial grass height.
Brood rearing and summer ¹	When grazing occurs post breeding and nesting season (from June 16 to October 30), retain an average stubble height of 4 inches for herbaceous riparian/mesic meadow vegetation in all ⁷ greater sage-grouse habitats. ^{8,9}
Winter ¹	≤35% utilization of sagebrush

¹For descriptions of seasonal habitat and seasonal periods of greater sage-grouse see table 1.

²Grass heights only apply in breeding and nesting habitat with ≥10% sagebrush cover to support nesting.

³Holloran et al. 2005. *Greater sage-grouse nesting habitat selection and success in Wyoming*.

⁵Hagen C., J.W. Connelly, and M.A. Schroeder. 2007. *A meta-analysis of greater sage-grouse *Centrocercus urophasianus* nesting and brood-rearing habitats*. *Wildlife Biology* 13(1): 42-50.

⁶Stubble height to be measured at the end of the growing season.

⁷All GRSG habitat with greater than 10% sagebrush cover irrespective of lek buffers and designated habitat management areas.

⁸In riparian brood-rearing habitat, sage-grouse prefer the lower vegetation (5–15 cm vs. 30–50 cm; Oakleaf 1971, Neel 1980, Klebenow 1982, Evans 1986) and succulent forb growth stimulated by moderate livestock grazing in spring and early summer (Neel 1980, Evans 1986); moderate use equates to a 10-cm residual stubble height for most grasses and sedges and 5-cm for Kentucky bluegrass (Mosley et al. 1997, Clary and Leininger 2000) (Crawford et al. 2004. *Ecology and Management of sage-grouse habitat*).

⁹Stubble height to be measured in the meadow areas used by greater sage-grouse for brood-rearing (not on the hydric greenline). These meadows typically have sagebrush within 328 feet of the meadow.

GRSG-LG-GL-037-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, when grazing permits are waived without preference or obtained through permit cancellation, consider the agency’s full range of administrative authorities for future allotment management, including but not limited to allotment closure, vacancy status for resource protection, establishment of forage reserve, re-stocking, or livestock conversion as management options to maintain or achieve desired habitat conditions (table 1).

GRSG-LG-GL-038-Guideline – Bedding sheep and placing camps within 1.2 miles from the perimeter of a lek during lekking (from March 1 to April 30) should be restricted.

GRSG-LG-GL-039-Guideline – During the breeding and nesting season (from March 1 to June 15), trailing livestock through breeding and nesting habitat should be minimized. Specific routes should be identified; existing trails should be used; and stopovers on active leks should be avoided.

GRSG-LG-GL-040-Guideline – Fences should not be constructed or reconstructed within 1.2 miles from the perimeter of occupied leks unless the collision risk can be mitigated through design features or markings (e.g., mark, laydown fences, or other design features).

GRSG-LG-GL-041-Guideline – New permanent livestock facilities (e.g., windmills, water tanks, corrals, etc.) should not be constructed within 1.2 miles from the perimeter of occupied leks.

Fire Management

GRSG-FM-DC-042-Desired Condition – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, protect sagebrush sage grouse habitat from loss due to unwanted wildfires or damages resulting from management related activities while using agency risk management protocols to manage for firefighter and public safety and other high priority values. In all fire response, first priority is the management of risk to firefighters and the public. Sage grouse habitat will be prioritized as a high value resource along with other high value resources and assets.

GRSG-FM-ST-043-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, do not use prescribed fire in 12-inch or less precipitation zones unless necessary to facilitate restoration of greater sage-grouse habitat consistent with desired conditions in table 1 or for pile burning.

GRSG-FM-ST-044-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, if it is necessary to use prescribed fire for restoration of greater sage-grouse habitat consistent with desired conditions in table 1, the associated National Environmental Policy Act analysis must identify how the project would move towards greater sage-grouse desired conditions; why alternative techniques were not selected; and how potential threats to greater sage-grouse habitat would be minimized.

GRSG-FM-GL-045-Guideline – In wintering or breeding and nesting habitat, sagebrush removal or manipulation, including prescribed fire, should be restricted unless the removal strategically reduces the potential impacts from wildfire or supports the attainment of desired conditions.

GRSG-FM-GL-046-Guideline – In planned fuels management activities or part of an overall vegetative management strategy to mitigate the impacts of wildfire in priority and general habitat management areas and sagebrush focal areas, when reseeding in fuel breaks, fire resistant native plant species should be used if available, or consider using fire resistance non-native species if analysis and/or best available science demonstrates that non-native plants will not degrade greater sage-grouse habitat in the long-term.

GRSG-FM-GL-047-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, fuel treatments should be designed to maintain, restore, or enhance greater sage-grouse habitat.

GRSG-FM-GL-048-Guideline – Locating temporary wildfire suppression facilities (e.g., incident command posts, spike camps, helibases, mobile retardant plants) in priority and general habitat management areas and sagebrush focal areas should be avoided. When needed to best provide for firefighter or public safety or to minimize fire size in sage grouse habitat, impacts to the greater sage-grouse should be considered, and removal of sagebrush should be limited.

GRSG-FM-GL-049-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, cross-country vehicle travel during fire operations should be restricted. When needed to best provide for firefighter or public safety or to minimize fire size in

greater sage-grouse habitat, impacts to the greater sage-grouse should be considered, and removal of sagebrush should be limited.

GRSG-FM-GL-050-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, use fire management tactics and strategies that seek to minimize loss of existing sagebrush habitat. The safest and most practical means to do so will be determined by fireline leadership and incident commanders.

GRSG-FM-GL-051-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, prescribed fire prescriptions should minimize undesirable effects on vegetation and/or soils (e.g., minimize mortality of desirable perennial plant species and reduce risk of hydrophobicity).

GRSG-FM-GL-052-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, roads and natural fuel breaks should be incorporated into planned fuel break design to improve effectiveness and minimize loss of existing sagebrush habitat.

GRSG-FM-GL-053-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, where practical and available, all fire-associated vehicles and equipment should be inspected and cleaned using standardized protocols and procedures and approved vehicle/equipment decontamination systems before entering and exiting the area beyond initial attack activities to minimize the introduction of invasive annual grasses and other invasive plant species and noxious weeds.

GRSG-FM-GL-054-Guideline – Unit-specific greater sage-grouse fire management-related information should be added to wildland fire decision support systems (currently, the Wildland Fire Decision Support System); local operating plans and resource advisor plans to be used during fire situations to inform management decisions; and aid in development of strategies and tactics for resource prioritization.

GRSG-FM-GL-055-Guideline – Localized maps of priority and general habitat management areas and sagebrush focal areas should be made available to fireline, dispatch, and fire support personnel.

GRSG-FM-GL-056-Guideline – In or near priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, a greater sage-grouse resource advisor should be assigned to all extended attack fires.

GRSG-FM-GL-057-Guideline – On critical fire weather days, protection of greater sage-grouse habitat should receive high consideration, along with other high values, for positioning of resources.

GRSG-FM-GL-058-Guideline – Line officers should be involved in setting pre-season wildfire response priorities and prioritizing protection of priority and general habitat management areas and sagebrush focal areas, along with other high values. During periods of multiple fires or limited resource availability, fire management organizational structure (local, regional, national) will prioritize fires and allocation of resources in which greater sage-grouse habitat is a consideration along with other high values.

GRSG-FM-GL-059-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, consider using fire retardant and mechanized equipment only if it is likely to result in minimizing burned acreage; preventing the loss of other high value resources; or increasing the effectiveness of other tactical strategies. Agency administrators, their designee, or fireline leadership should consider fire suppression effects while determining suppression strategy and tactics; the use of fire retardant and mechanized equipment may be approved by agency administrators, their designee, or fireline leadership.

GRSG-FM-GL-060-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, to minimize sagebrush habitat loss consider using the full range of suppression techniques to protect unburned islands, doglegs, and other greater sage-grouse habitat features that may exist within the perimeter of wildfires. These suppression objectives and activities should be prioritized against other wildland fire suppression activities and priorities.

Recreation

GRSG-R-DC-061-Desired Condition – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, recreation activities are balanced with the ability of the land to support them while meeting greater sage-grouse seasonal habitat desired conditions (table 1) and creating minimal user conflicts.

GRSG-R-ST-062-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, do not authorize temporary recreation uses (i.e., facilities or activities) that result in loss of habitat or would have long-term (i.e., greater than 5 years) negative impacts on the greater sage-grouse or its habitat.

GRSG-R-GL-063-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, terms and conditions that protect and/or restore greater sage-grouse habitat within the permit area should be included in new recreation special-use authorizations. During renewal, amendment, or reauthorization, terms and conditions in existing permits and operating plans should be modified to protect and/or restore greater sage-grouse habitat.

GRSG-R-GL-064-Guideline – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, new recreational facilities or expansion of existing recreational facilities (e.g., roads, trails, campgrounds), including special-use authorizations for facilities and activities, should not be approved unless the development results in a net conservation gain to the greater sage-grouse or its habitat or the development is required for visitor safety.

Roads/Transportation

GRSG-RT-DC-065-Desired Condition – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, within the forest transportation system and on roads and trails authorized under a special-use authorization, the greater sage-grouse experience minimal disturbance during breeding and nesting (from March 1 to June 15) and wintering (from November 1 to February 28) periods.

GRSG-RT-ST-066-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, do not conduct or allow new road or trail construction (does not apply to realignments for resource protection) except when necessary for administrative access to existing and authorized uses, public safety, or to access valid existing rights. If necessary to construct new roads and trails for one of these purposes, construct them to the minimum standard, length, and number and avoid, minimize, and mitigate impacts.

GRSG-RT-ST-067-Standard – Do not conduct or allow road and trail maintenance activities within 2 miles from the perimeter of active leks during lekking (from March 1 to April 30) from 6 p.m. to 9 a.m.

GRSG-RT-ST-068-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, do not allow public motor vehicle use on temporary energy development roads.

GRSG-RT-GL-069-Guideline – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, new roads and road realignments should be designed and administered to reduce collisions with the greater sage-grouse.

GRSG-RT-GL-070-Guideline – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, road construction within riparian areas and mesic meadows should be restricted. If not possible to restrict construction within riparian areas and mesic meadows, roads should be designed and constructed at right angles to ephemeral drainages and stream crossings unless topography prevents doing so.

GRSG-RT-GL-071-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, when decommissioning roads and unauthorized routes, restoration activity should be designed to move habitat towards desired conditions (table 1).

GRSG-RT-GL-072-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, dust abatement terms and conditions should be included in road-use authorizations when dust has the potential to affect the greater sage-grouse.

GRSG-RT-GL-073-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, road and road-way maintenance activities should be designed and implemented to reduce the risk of vehicle- or human-caused wildfires and the spread of invasive plants. Such activities include but are not limited to the removal or mowing of vegetation a car-width off the edge of roads; use of weed-free earth-moving equipment, gravel, fill, or other materials; and blading or pulling roadsides and ditches that are infested with noxious weeds only if required for public safety or protection of the roadway.

Minerals

Fluid Minerals – Unleased

GRSG-M-FMUL-ST-074-Standard – In priority habitat management areas and Anthro Mountain, any new oil and gas leases must include a No Surface Occupancy stipulation. There will be no waivers or modifications. An exception could be granted by the authorized officer with unanimous concurrence from a team of agency greater sage-grouse experts from the U.S. Fish and Wildlife Service, the Forest Service, and state wildlife agency if:

- There would be no direct, indirect, or cumulative effects to the greater sage-grouse or its habitat; or
- Granting the exception provides an alternative to a similar action occurring on a nearby parcel; and
- The exception provides a clear net conservation gain to the greater sage-grouse.

GRSG-M-FMUL-ST-075-Standard – In sagebrush focal areas, there will be No Surface Occupancy and no waivers, exceptions, or modifications for fluid mineral leasing.

Fluid Minerals – Leased

GRSG-M-FML-ST-076-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, when approving the Surface Use Plan of Operation portion of the Application for Permit to Drill on existing leases that are not yet developed, require that leaseholders avoid and minimize surface disturbing and disruptive activities consistent with the rights granted in the lease.

GRSG-M-FML-ST-077-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, when facilities are no longer needed or leases are relinquished, require reclamation plans to include terms and conditions to restore habitat to desired conditions as described in table 1.

GRSG-M-FML-ST-078-Standard – In general management areas, authorize new transmission line corridors, transmission line right-of-ways, transmission line construction, or transmission line-facility construction associated with fluid mineral leases with stipulations necessary to protect the greater sage-grouse and its habitat, consistent with the terms and conditions of the permit.

GRSG-M-FML-ST-079-Standard – Locate compressor stations on portions of a lease that are non-habitat and are not used by the greater sage-grouse, and if there would be no direct, indirect, or cumulative effects on the greater sage-grouse or its habitat. If this is not possible, work with the operator to use mufflers, sound insulation, or other features to reduce noise, consistent with GRSG-GEN-ST-006-Standard.

GRSG-M-FML-ST-080-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, when authorizing development of fluid mineral resources,

work with the operator to minimize impacts to the greater sage-grouse and its habitat, such as locating facilities in non-habitat areas first and then in the least suitable habitat.

GRSG-M-FML-ST-081-Standard – Apply the following conditions of approval on existing fluid mineral leases in Anthro Mountain.

- Use a phased approach for development in greater sage-grouse habitat.
- No well pads or permanent structures will be permitted within a 0.6 mile buffer of an occupied lek.
- Project-related activities and vehicle access will not be allowed in or through the 0.6 mile lek buffer.
- No project-related vehicles or activities (including routine maintenance, production vehicles, or work-over rigs) will be allowed from 1 hour before sunset to 2 hours after sunrise within mapped sage-grouse habitat from March 1 to May 31.
- No surface disturbing activities (including construction, drilling, and well-flaring) will be allowed for wells located within mapped greater sage-grouse habitat from March 1 through June 30.
- No well pad construction, road construction, drilling, or work-over rigs will be allowed on ridge tops from November 1 to March 1 within 4 miles of a lek.
- Within mapped greater sage-grouse habitat, disturbance will be limited to an average of one disturbance per square mile (640 acres). Disturbance should be clustered in areas of habitat most distal from leks or areas of habitat least important to the greater sage-grouse.
- Disturbance within the mapped greater sage-grouse habitat on Anthro Mountain will be no more than 3%.
- Within 4 miles of a lek, well pads and roads should avoid openings in the pinyon/juniper tracts. If avoidance of an opening is not possible, then well pads and roads should be located as close to the edge of the opening as possible.
- Noise levels at leks must be limited to no more than 10dB above ambient (not to exceed 20-24 dB), measured at the perimeter of a lek, during the breeding season (from March 1 to May 31).
- Low profile tanks will be required for all well pads within mapped greater sage-grouse habitat.
- Raptor perch avoidance devices will be installed on any required tank batteries in greater sage-grouse habitat.
- Closed-loop drilling will be used for wells within greater sage-grouse habitat.

- If a new lek is discovered outside of mapped habitat, contiguous greater sage-grouse habitat within 4 miles of the lek will be mapped. Apply the same protections to the new mapped habitat and the new lek.

GRSG-M-FML-GL-082-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, operators should be encouraged to reduce disturbance to greater sage-grouse habitat. At the time of approval of the Surface Use Plan of Operation portion of the Application for Permit to Drill, terms and conditions should be included to reduce disturbance to greater sage-grouse habitat where appropriate and feasible and consistent with the rights granted to the lessee.

GRSG-M-FML-GL-083-Guideline – On existing Federal leases in priority habitat management areas, sagebrush focal areas, and Anthro Mountain, when surface occupancy cannot be restricted due to valid existing rights or development requirements, disturbance and surface occupancy should be limited to areas least harmful to greater sage-grouse based on vegetation, topography, or other habitat features.

GRSG-M-FML-GL-084-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, where the federal government owns the surface and the mineral estate is in non-federal ownership, coordinate with the mineral estate owner/lessee to apply appropriate stipulations, conditions of approval, conservation measures, and required design features to the appropriate surface management instruments to the maximum extent permissible under existing authorities.

Fluid Minerals – Operations

GRSG-M-FMO-ST-085-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, do not authorize employee camps.

GRSG-M-FMO-ST-086-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, when feasible do not locate tanks or other structures that may be used as raptor perches. If this is not feasible, use perch deterrents.

GRSG-M-FMO-GL-087-Guideline – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, closed-loop systems should be used for drilling operations with no reserve pits, where feasible.

GRSG-M-FMO-GL-088-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, during drilling operations, soil compaction should be minimized and soil structure should be maintained using the best available techniques to improve vegetation reestablishment.

GRSG-M-FMO-GL-089-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, dams, impoundments, and ponds for mineral development should be constructed to reduce potential for West Nile virus. Examples of methods to accomplish this include the following:

- Increase the depth of ponds to accommodate a greater volume of water than is discharged.

- Build steep shorelines (greater than 2 feet) to reduce shallow water and aquatic vegetation around the perimeter of impoundments to reduce breeding habitat for mosquitoes.
- Maintain the water level below that of rooted aquatic and upland vegetation. Avoid flooding terrestrial vegetation in flat terrain or low-lying areas.
- Construct dams or impoundments that restrict down-slope seepage or overflow by digging ponds in flat areas rather than damming natural draws for effluent water storage or lining constructed ponds in areas where seepage is anticipated.
- Line the channel where discharge water flows into the pond with crushed rock or use a horizontal pipe to discharge inflow directly into existing open water.
- Line the overflow spillway with crushed rock and construct the spillway with steep sides.
- Fence pond sites to restrict access by livestock and other wild ungulates.
- Remove or re-inject produced water.
- Treat waters with larvicides to reduce mosquito production where water occurs on the surface.

GRSG-M-FMO-GL-090-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, to keep habitat disturbance at a minimum, a phased development approach should be applied to fluid mineral operations wherever possible, consistent with the rights granted under the lease. Disturbed areas should be reclaimed as soon as they are no longer needed for mineral operations.

Coal Mines – Unleased

GRSG-M-CMUL-ST-091-Standard – When consenting to new underground coal leases, include a lease stipulation prohibiting the location of surface facilities in priority habitat management areas, sagebrush focal areas, and Anthro Mountain.

Coal Mines – Leased

GRSG-M-CML-ST-092-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, do not authorize new appurtenant surface facilities related to existing underground mines unless no technically feasible alternative exists. If new appurtenant surface facilities associated with existing mine leases cannot be located outside of priority habitat management areas and sagebrush focal areas, locate them within any existing disturbed areas, if possible. If location within an existing disturbed area is not possible, then construct new facilities to minimize disturbed areas while meeting mine safety standards and requirements as identified by the Mine Safety and Health Administration mine-plan approval process and locate the facilities in an area least harmful to greater sage-grouse habitat based on vegetation, topography, or other habitat features.

GRSG-M-CML-GL-093-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, when coal leases are subject to readjustment, additional requirements should be included in the readjusted lease to conserve, enhance, and restore greater sage-grouse and its habitat for long-term viability.

Locatable Minerals

GRSG-M-LM-ST-094-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, only approve Plans of Operation if they include mitigation to protect the greater sage-grouse and its habitat, consistent with the rights of the mining claimant as granted by the General Mining Act of 1872, as amended.

GRSG-M-LM-GL-095-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, to keep habitat disturbance at a minimum, a phased development approach should be applied to operations consistent with the rights granted under the General Mining Act of 1872, as amended. Disturbed areas should be reclaimed as soon as they are no longer needed for mineral operations.

GRSG-M-LM-GL-096-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, abandoned mine sites should be closed or mitigated to reduce predation of the greater sage-grouse by eliminating tall structures that could provide nesting opportunities and perching sites for predators.

Non-energy Leasable Minerals

GRSG-M-NEL-GL-097-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, at the time of issuance of prospecting permits; exploration licenses and leases; or readjustment of leases, the Forest Service should provide recommendations to the BLM for the protection of greater sage-grouse and its habitat.

GRSG-M-NEL-GL-098-Guideline – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, the Forest Service should recommend to the BLM that expansion or readjustment of existing leases avoid, minimize, or mitigate the effects to the greater sage-grouse and its habitat.

Mineral Materials

GRSG-M-MM-ST-099-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, do not authorize new mineral material disposal or development.

GRSG-M-MM-ST-100-Standard – In priority habitat management areas, sagebrush focal areas, and Anthro Mountain, free-use mineral material collection permits may be issued and expansion of existing active pits may be allowed, except from March 1 to April 30 between 6 p.m. and 9 a.m. within 2 miles from the perimeter of occupied leks, within the Biologically Significant Unit and proposed project area if doing so does not exceed the disturbance cap.

GRSG-M-MM-ST-101-Standard – In priority and general habitat management areas, sagebrush focal areas, and Anthro Mountain, any permit for existing mineral material operations must

include appropriate requirements for operation and reclamation of the site to maintain, restore, or enhance desired habitat conditions (table 1).

GLOSSARY OF TERMS AS USED IN THIS PLAN

Active lek – Any lek that has been attended by the male greater sage-grouse during the most recent strutting season.

Adjacent – Installation of new linear improvements (e.g., equipment or facilities) parallel, near, or next to existing linear improvements.

Administrative access – Access for resource management and administrative purposes such as wildfire suppression, cadastral surveys, permit compliance, law enforcement, and military in the performance of their official duty, or other access needed to manage National Forest System lands or uses.

Allotment – A designated area of land in which one or more livestock operators graze their livestock. An allotment may include one or more separate pastures. Livestock numbers and periods of use are specified for each allotment.

Ambient (noise level) – Sometimes called background noise level, reference sound level, or room noise level; the background sound pressure level at a given location, normally specified as a reference level to study a new intrusive sound source.

Anthropogenic disturbances – Human-created features including but not limited to paved highways; graded gravel roads; transmission lines; substations; wind turbines; oil and gas wells and associated facilities; geothermal wells and associated facilities; pipelines; landfills; agricultural conversion; homes; grazing-related facilities and structures; and mines.

Appurtenant (minerals) – A piece of equipment (e.g., pump jack, separator, storage tank, compressor station, metering equipment, etc.) necessary for production.

Authorized use – An activity (i.e., resource use) occurring on public lands that is either explicitly or implicitly recognized and legalized by law or regulation. The term may refer to activities occurring on public lands for which the Forest Service has issued a formal authorization document (e.g., livestock grazing permit, special-use authorization, approved plan of operation, etc.). Formal authorized uses can involve both commercial and non-commercial activity, facility placement, or event. These authorized uses are often spatially or temporally limited. Unless constrained or bounded by statute, regulation, or an approved forest plan decision, legal activities involving public enjoyment and use of the public lands (e.g., hiking, camping, hunting, etc.) require no formal Forest Service authorization.

Baseline condition – The pre-existing condition of a defined area and/or resource that can be quantified by an appropriate metric(s). During environmental reviews, the baseline is considered the affected environment that exists at the time of the review's initiation and is used to compare predictions of the effects of the proposed action or a reasonable range of alternatives.

Biologically Significant Unit – A geographical/spatial area within greater sage-grouse habitat that contains relevant and important habitat that is used as the basis for comparative calculations to support evaluation of changes to habitat. A Biologically Significant Unit or subset of the unit is used

in the calculation of the anthropogenic disturbance threshold and in the adaptive management habitat trigger. Specifically in Utah, a Biologically Significant Unit is considered the total priority habitat management area associated with a greater sage-grouse population area.

Co-location – Installation of new linear improvements (i.e., communication towers, electrical lines, other rights-of-way, or designated corridors) in, on, or adjacent to existing linear improvements.

Communication tower site – Sites that include broadcast types of uses (e.g., television, AM/FM radio, cable television, broadcast translator) and non-broadcast uses (e.g., commercial or private mobile radio service, cellular telephone, microwave, local exchange network, or passive reflector).

Compensatory mitigation – Compensating for the residual impact of a certain action or parts of an action by replacing or providing substitute resources or environments(s).

Compensatory mitigation projects – The restoration, creation, enhancement, and/or preservation of impacted resources, such as on-the-ground actions to improve and/or protect habitat (e.g. chemical vegetation treatments, land acquisitions, conservation easements, etc.).

Corridor – A tract of land varying in width forming passageway through which various commodities such as oil, gas, and electricity are transported.

Disruptive activities – Land resource uses/activities that are likely to alter the behavior, displace, or cause excessive stress to the greater sage-grouse population occurring at a specific location and/or time. Actions that alter behavior or cause the displacement of individuals such that reproductive success is negatively affected or an individual's physiological ability to cope with environmental stress is compromised.

Distribution line – An electrical utility line with a capacity of less than 100kV or a natural gas, hydrogen, or water pipeline less than 24” in diameter.

Diversity – The number and distribution of plant and animal species within a specified geographic area. For the purpose of the National Forest Management Act, the geographic area is a national forest or grassland.

Durable (protective and ecological) – The administrative, legal, and financial assurances that secure and protect the conservation status of a compensatory mitigation site and the ecological benefits of a compensatory mitigation project, for at least as long as the associated impacts persist.

Enhance – The improvement of habitat by increasing missing or modifying unsatisfactory components and/or attributes of the plant community habitat to meet greater sage-grouse objectives.

Exception (minerals) – A case-by-case exemption from a lease stipulation. The stipulation continues to apply to all other sites within the leasehold to which the restrictive criteria apply. The authorized officer (any employee of the Forest Service to whom has been delegated the authority to perform the duties described in the applicable Forest Service manual or handbook) may grant an exception if an environmental record of review determines that the action, as proposed or

conditioned, would not impair the function or utility of the site for the current or subsequent seasonal habitat, life-history, or behavioral needs of the greater sage-grouse.

Feasible – see technically/economically feasible.

Fluid minerals – Oil, gas, coal bed natural gas, and geothermal resources.

Forage reserve – Designation for allotments on which there is no current term permit obligation for some or all of the estimated livestock grazing capacity and where there has been a determination made to use the available forage on the allotment to enhance management flexibility for authorized livestock use (FSH id_2209.13-2007-1).

Forest transportation system – Roads, trails, and areas designated for motor vehicle use that provide access to National Forest System lands for both motorized and non-motorized uses in a manner that is socially, environmentally, and economically sustainable over the long-term; enhances public enjoyment of National Forest System roads; and maintains other important values and uses.

General habitat management areas – National Forest System lands that are occupied seasonally or year-round habitat outside of priority habitat management areas where some special management would apply to sustain the greater sage-grouse population. The boundaries and management strategies for general habitat management areas are derived from and generally follow the preliminary general habitat boundaries.

Habitat – An environment that meets a specific set of physical, biological, temporal, or spatial characteristics that satisfy the requirements of a plant or animal species or group of species for part or all of its life cycle.

Hard trigger – A threshold indicating that immediate action is necessary to stop a severe deviation from greater sage-grouse conservation objectives set forth in the land and RMP.

High-voltage transmission line – An electrical power line that is 100 kilovolts or larger.

Holder – An individual or entity that holds a valid special-use authorization.

Impact – The effect, influence, alteration, or imprint caused by an action.

Indicators – Factors that describe resource condition and change and can help the BLM and the Forest Service determine trends over time.

Invasive species (invasives plant species, invasives) – An alien species whose introduction does or is likely to cause economic or environmental harm or harm to human health. The species must cause or be likely to cause harm and be exotic to the ecosystem it has infested before considered invasive.

Isolated parcel – An individual parcel of land that may share a corner but does not have a common border with another parcel.

Landownership adjustment – Land adjustments to National Forest System lands by purchase, exchange, interchange, or conveyance under authority delegated by law to the Secretary of Agriculture.

Landscape – A distinct association of land types that exhibit a unique combination of local climate, landform, topography, geomorphic process, surficial geology, soil, biota, and human influences. Landscapes are generally of a size that the eye can comprehend in a single view.

Lease – A contract granting use or occupation of property during a specified period in exchange for a specified rent or other form of payment; a type of special-use authorization (usually granted for uses other than linear rights-of-way) that is used when substantial capital investment is required and when conveyance of a conditional and transferable interest in National Forest System lands is necessary or desirable to serve or facilitate authorized long-term uses and that may be revocable and compensable according to the terms.

Leasable minerals – Those minerals or materials designated as leasable under the Mineral Leasing Act of 1920, as amended, and the Mineral Leasing Act for Acquired Lands of 1947. These include energy-related mineral resources such as oil, natural gas, coal, and geothermal and some non-energy minerals, such as phosphate, sodium, potassium, and sulfur. Geothermal resources are also leasable under the Geothermal Steam Act of 1970.

Lek – A courtship display area attended by the male greater sage-grouse in or adjacent to sagebrush-dominated habitat. For management purposes, leks with less than five males observed strutting should be confirmed active for 2 years to meet the definition of a lek (Connelly et al. 2000; Connelly et al. 2003, 2004).

Lessee – A person or entity holding record title in a lease issued by the United States; a person or entity authorized to use and occupy National Forest System lands under a specific instrument identified as a lease. Forest special-use leases are limited to authorize certain wireless communication uses.

Livestock conversion – To change the kind of livestock authorized to graze on National Forest System lands (e.g., a change from sheep to cows).

Locatable minerals – Mineral disposable under the General Mining Act of 1872, as amended, that was not excepted in later legislation. These include hardrock, placer, and industrial minerals and uncommon varieties of rock found on public domain lands.

Major pipeline – A pipeline that is 24 inches or more in outside-pipe diameter (Mineral Leasing Act of 1920, as amended, 30 U.S.C. § 181; 36 CFR 251.54(f)(1)).

Mineral – Any naturally formed inorganic material; solid or fluid inorganic substance that can be extracted from the earth; any of various naturally occurring homogeneous substances (e.g., stone, coal, salt, sulfur, sand, petroleum, water, or natural gas) obtained usually from the ground. Under federal laws, considered as locatable (subject to the general mining laws), leasable (subject to the Mineral Leasing Act of 1920, as amended), and salable (subject to the Materials Act of 1947).

Mineral materials – Common varieties of mineral materials such as soil, sand and gravel, stone, pumice, pumicite, and clay that are not obtainable under the mining or leasing laws but that can be acquired under the Materials Act of 1947, as amended.

Minimization mitigation – Minimizing impacts by limiting the degree or magnitude of the action and its implementation.

Mitigation – Includes specific means, measures, or practices that could reduce, avoid, or eliminate adverse impacts. Mitigation can include avoiding the impact altogether by not taking a certain action or parts of an action; minimizing the impact by limiting the degree of magnitude of the action and its implementation; rectifying the impact by repairing, rehabilitating, or restoring the affected environment; reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action; and compensating for the impact by replacing or providing substitute resources or environments.

Modification (oil and gas) – A fundamental change to the provisions of a lease stipulation either temporarily or for the term of the lease. A modification may include an exemption from or alteration to a stipulated requirement. Depending on the specific modification, the stipulation may or may not apply to all other sites within the leasehold to which the restrictive criteria applied.

Native plant species – A plant species that occurs naturally in a particular region, state, ecosystem, and habitat without direct or indirect human actions.

Net conservation gain – The actual benefit or gain above baseline conditions. Actions which result in habitat loss and degradation include those identified as threats which contribute to GRSG disturbance as identified by the USFWS in its 2010 listing decision (75 *Federal Register* 13910) and shown in Table 2 in the Greater Sage-Grouse Monitoring Framework (Appendix A).

No Surface Occupancy – A major constraint where use or occupancy of the land surface for fluid mineral exploration or development and all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes, construction of wells and/or pads) are prohibited to protect identified resource values. Areas identified as No Surface Occupancy are open to fluid mineral leasing, but surface occupancy or surface-disturbing activities associated with fluid mineral leasing cannot be conducted on the surface of the land. Access to fluid mineral deposits would require horizontal drilling from outside the boundaries of the No Surface Occupancy area.

Occupied lek – A lek that has been active during at least one strutting season within the prior 10 years.

Permit — A special-use authorization that provides permission, without conveying an interest in land, to occupy and use National Forest System lands or facilities for specified purposes and which is both revocable and terminable.

Permit cancellation – Action taken to permanently invalidate a term grazing permit in whole or part.

Persistent woodlands – Long-lived pinyon-juniper woodlands that typically have sparse understories and occur on poor substrates in the assessment area.

Plan of Operation – A Plan of Operation is required for all mining activity conducted under the General Mining Act of 1872, as amended, if the proposed operations will likely cause significant disturbance of surface resources. The Plan of Operation describes the type of operations proposed and how they would be conducted; the type and standard of existing and proposed roads or access routes; the means of transportation to be used; the period during which the proposed activity will take place; and measures to be taken to meet the requirements for environmental protection (36 CR 228.4).

Prescribed fire – Any fire ignited by management actions to meet specific objectives. A written, approved prescribed fire plan must exist, and National Environmental Policy Act requirements, where applicable, must be met before ignition.

Priority habitat management areas – National Forest System lands identified as having highest habitat value for maintaining sustainable greater sage-grouse populations. The boundaries and management strategies for priority habitat management areas are derived from and generally follow the preliminary priority habitat boundaries. Priority habitat management areas largely coincide with areas identified as priority areas for conservation in the Conservation Objectives Team report.

Prohibit – To forbid (something) by law, rule, or other authority; no authorizations will be issued, meaning no authorization will be granted.

Reclamation plans – Plans that guide the suite of actions taken within an area affected by human disturbance, the outcome of which is intended to change the condition of the disturbed area to meet pre-determined objectives and/or make it acceptable for certain defined resources (e.g., wildlife habitat, grazing, ecosystem function, etc.).

Residual impacts – Impacts from an implementation-level decision that remain after applying avoidance and minimization mitigation; also referred to as unavoidable impacts.

Restoration – Implementation of a set of actions that promotes plant community diversity and structure that allows plant communities to be more resilient to disturbance and invasive species over the long-term. The long-term goal is to create functional, high quality habitat that is occupied by the greater sage-grouse. The short-term goal may be to restore the landform, soils, and hydrology and increase the percentage of preferred vegetation, seeding of desired species, or treatment of undesired species.

Restriction/restrict – A limitation or constraint, not a prohibition, on public land uses and operations. Restrictions can be of any kind but most commonly apply to certain types of vehicle use, temporal and/or spatial constraints, or certain authorizations.

Right-of-way – Land authorized to be used or occupied for the construction, operation, maintenance, and termination of a project or facility passing over, upon, under, or through such land.

Road or trail – A road or trail wholly or partly within or adjacent to and serving the National Forest System that the Forest Service determines is necessary for the protection, administration, and utilization of the National Forest System and the use and development of its resources.

Sagebrush focal areas – Areas identified by the U.S. Fish and Wildlife Service that represent recognized “strongholds” for the greater sage-grouse that have been noted and referenced as having the highest densities of greater sage-grouse and other criteria important for the persistence of the species.

Soft triggers – An intermediate threshold indicating that management changes are needed at the implementation level to address habitat or population losses.

Special-use authorization – A written permit, term permit, lease, or easement that authorizes use or occupancy of National Forest System lands and specifies the terms and conditions under which the use or occupancy may occur.

Stipulation (general) – A term or condition in an agreement, contract, or written authorization.

Stipulation (oil and gas) – A provision that modifies standard lease rights and is attached to and made a part of the lease. Lease stipulations include No Surface Occupancy, Timing Limitations, and Controlled Surface Use.

Surface disturbing activities – Actions that alter the vegetation, surface/near surface soil resources, and/or surface geologic features beyond natural site conditions and on a scale that affects other public land values. Examples of surface disturbing activities may include operation of heavy equipment to construct well pads, roads, pits, and reservoirs; installation of pipelines and power lines; maintenance activities; and several types of vegetation treatments (e.g., prescribed fire, etc.). Surface disturbing activities may be restricted, not allowed, or not authorized.

Surface occupancy – Placement or construction on the land surface of semi-permanent or permanent facilities requiring continual service or maintenance. Casual use is not included.

Surface use – Activities that may be present on the surface or near-surface (e.g., pipelines) of public lands. When administered as a use restriction (e.g., No Surface Occupancy), this phrase prohibits all but specified resource uses and activities in a certain area to protect particular sensitive resource values and property. This designation typically applies to small acreage sensitive resource sites (e.g., plant community study enclosure, etc.) and/or administrative sites (e.g., government ware-yard, etc.) where only authorized agency personnel are admitted.

Tall structures – A wide array of infrastructures (e.g., poles that support lights, telephone, and electrical distribution; communication towers; meteorological towers; high-tension transmission towers; and wind turbines) that have the potential to disrupt lekking or nesting birds by creating new perching/nesting opportunities and/or decreasing the use of an area. A determination as to whether something is considered a tall structure would be based on local conditions such as vegetation or topography.

Technically/economically feasible – Actions that are practical or feasible from the technical and economic standpoint and using common sense rather than simply desirable from the standpoint of

the applicant. It is the Forest Service's responsibility to determine what actions are technically and economically feasible based on a review of the applicant's rationale and the available best science. The Forest Service will consider whether implementation of the proposed action is likely given past and current practice and technology; this consideration does not necessarily require a cost-benefit analysis or speculation about an applicant's costs and profit.

Temporary special-use permit – A type of permit that terminates within 1 year or less after the approval date. All other provisions applicable to permits apply fully to temporary permits. Temporary special-use permits are issued for seasonal or short-duration uses involving minimal improvement and investment.

Term permit – An authorization to occupy and use National Forest System lands other than rights-of-way for a specified period that is both revocable and compensable according to its terms.

Timely – The conservation benefits from compensatory mitigation accruing as early as possible or before impacts have begun.

Timing Limitations – A moderate constraint, applicable to fluid mineral leasing, on all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes; construction of wells and/or pads); and other surface disturbing activities (i.e., those not related to fluid mineral leasing). Areas identified for Timing Limitations are closed to fluid mineral exploration and development; surface-disturbing activities; and intensive human activity during identified timeframes. This stipulation does not apply to operation and basic maintenance activities, including associated vehicle travel, unless otherwise specified. Construction, drilling, completions, and other operations considered to be intensive in nature are not allowed. Intensive maintenance, such as workovers on wells, is not permitted. Timing Limitations can overlap spatially with No Surface Occupancy and Controlled Surface Use, as well as with areas that have no other restrictions.

Transmission line – An electrical utility line with a capacity greater than or equal to 100kV or a natural gas, hydrogen, or water pipeline greater than or equal to 24" in diameter.

Utility-scale and/or commercial energy development – A project that is capable of producing 20 or more megawatts of electricity for distribution to customers through the electricity-transmission-grid system.

Valid existing rights – Documented legal rights or interests in the land that allow a person or entity to use said land for a specific purpose and that are still in effect. Such rights include but are not limited to fee title ownership, mineral rights, and easements. Such rights may have been reserved, acquired, granted, permitted, or otherwise authorized under various statutes of law over time.

Vegetation treatments – Management practices that are designed to maintain current vegetation structure or change the vegetation structure to a different stage of development. Vegetation treatment methods may include managed fire, prescribed fire, chemical, mechanical, and seeding.

Viability – For purposes of the National Forest Management Act and its enabling regulations, viability is the availability of habitat that allows a species to persist on landscapes for long-periods (multi-generational) of time. It assumes that populations are abundant (sufficient numbers) and well-distributed (sufficient redundancy of populations) to provide for long-term population persistence on a landscape.

Waived without preference – A permittee waives a term grazing permit to the United States without identifying a preferred applicant (i.e., a third party that has purchased either permitted livestock, base property, or both).


Waiver (oil and gas) – Permanent exemption from a lease stipulation. The stipulation no longer applies anywhere within the leasehold.

West Nile virus – A virus that is found in temperate and tropical regions of the world and most commonly transmitted by mosquitoes. West Nile virus can cause flu-like symptoms in humans and can be lethal to birds, including the greater sage-grouse.


Wildfire suppression – An appropriate management response to wildfire or prescribed fire that results in curtailment of fire spread and eliminates all identified threats from the particular fire.

Withdrawal (land) – Withholding an area of federal land from settlement, sale, location, or entry under some or all of the general land laws, including the mining and mineral leasing laws, for the purpose of limiting activities under those laws to maintain other public values in the area or for reserving the area for a particular public purpose or program.


Map 1. GRSG Habitat on National Forest System Lands in Utah.




Map 2. GRSG Habitat on the Ashley National Forest.




Map 3. GRSG Habitat on the Dixie National Forest.




Map 4. GRSG Habitat on the Fishlake National Forest.



Map 5. GRSG Habitat on the Manti-La Sal National Forest.



Map 6. GRSG Habitat on the Uinta-Wasatch-Cache National Forest.



ATTACHMENT D – GREATER SAGE-GROUSE WYOMING PLAN AMENDMENT

FOR PORTIONS OF THE ASHLEY AND UINTA-WASATCH-CACHE NATIONAL FORESTS THAT OCCUR IN WYOMING

Forest Service Plan Components¹

Desired condition – A description of specific social, economic, and/or ecological characteristics of the plan area, or a portion of the plan area, toward which management of the land and resources should be directed. Desired conditions must be described in terms that are specific enough to allow progress toward their achievement to be determined but do not include completion dates.

Guideline – A constraint on project and activity decision making that allows for departure from its terms so long as the purpose of the guideline is met. Guidelines are established to help achieve or maintain a desired condition or conditions; to avoid or mitigate undesirable effects; or to meet applicable legal requirements.

Objective – A concise, measurable, and time-specific statement of a desired rate of progress toward a desired condition or conditions. Objectives should be based on reasonably foreseeable budgets.

Standard – A mandatory constraint on project and activity decision making established to help achieve or maintain the desired condition or conditions; to avoid or mitigate undesirable effects; or to meet applicable legal requirements.

The direction in the following standards and guidelines will be applied consistently with applicable valid existing rights, laws, and regulations.

Greater Sage-grouse Habitat

GRSG-GRSGH-DC-001-Desired Condition – The landscape for the greater sage-grouse encompasses large contiguous areas of native vegetation, approximately 6-to-62 square miles in area, to provide for multiple aspects of species life requirements. Within these landscapes, a variety of sagebrush-community compositions exist without invasive species, which have variations in subspecies composition, co-dominant vegetation, shrub cover, herbaceous cover, and stand structure to meet seasonal requirements for food, cover, and nesting for the greater sage-grouse.

GRSG-GRSGH-DC-002-Desired Condition – In greater sage-grouse habitat management areas, including all seasonal habitat, 70% or more of lands capable of producing sagebrush have from 10 to 30% sagebrush canopy cover and less than 10% conifer canopy cover. In addition, within breeding and nesting habitat, sufficient herbaceous vegetation structure and height provides

¹Plan component definitions are based on generally accepted meanings under the 1982 rule and the Forest Service Plan Wording Style Guide 2009, http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5260265.pdf.

overhead and lateral concealment for nesting and early brood rearing life stages. Within brood rearing habitat, wet meadows and riparian areas sustain a rich diversity of perennial grass and forb species relative to site potential. Within winter habitat, sufficient sagebrush height and density provides food and cover for the greater sage-grouse during this seasonal period. Specific desired conditions for the greater sage-grouse based on seasonal habitat requirements are in table 1.

Table 1. Seasonal Habitat Desired Conditions for Greater Sage- grouse at the Landscape Scale.

ATTRIBUTE	INDICATORS	DESIRED CONDITION
AREAS MANAGED FOR BREEDING AND NESTING^{1,2,3} (Seasonal Use Period from March 15 to June 30) Apply 5.3 miles from occupied leks.⁴		
Lek Security	Proximity of trees ⁵	Trees or other tall structures are absent to uncommon within 1.86 miles of leks. ^{6,7}
	Proximity of sagebrush to leks ⁶	Adjacent protective sagebrush cover within 328 feet of lek. ⁶
Cover	Seasonal habitat extent ⁷ (Percent of seasonal habitat meeting desired conditions)	>80% of the breeding and nesting habitat.
	Sagebrush canopy cover ^{6,7,8}	15 to 25%.
	Sagebrush height ⁷ Arid sites ^{7,9} Mesic sites ^{7,10}	4 to 32 inches in black sage and 12 to 32 inches in all other areas. All Wyoming National Forests and National Grasslands: 16 to 32 inches.
	Predominant sagebrush shape ⁶	>50% in spreading. ¹¹
	Perennial grass canopy cover ^{6,7} Arid sites ^{6,7,9} Mesic sites ^{6,7,10}	≥10%. ≥15%.
	Perennial grass height ^{6,7,8}	Provide overhead and lateral concealment from predators. ^{6,15}
	Perennial forb canopy cover ^{6,7,8} Arid sites ⁹ Mesic sites ¹⁰	≥5%. ^{6,7} ≥10%. ^{6,7}

ATTRIBUTE	INDICATORS	DESIRED CONDITION
AREAS MANAGED FOR BROOD-REARING/SUMMER¹ (Seasonal Use Period from July 1-to November 30)		
Cover	Seasonal habitat extent ⁷ (Percent of seasonal habitat meeting desired conditions)	>40% of the brood-rearing/summer habitat.
	Sagebrush canopy cover ^{6,7,8}	10 to 25%
	Sagebrush height ^{7,8}	4 to 32 inches in black sage and 12 to 32 inches in all other areas.
	Perennial grass canopy cover and forbs ^{7,8}	>15%
	Riparian areas/mesic meadows	Proper functioning condition. ¹²
	Upland and riparian perennial forb availability ^{6,7}	Preferred forbs are common with several preferred species present. ¹³
	Sagebrush cover adjacent to riparian areas/mesic meadows ⁶	Within 328 feet.
WINTER¹ (Seasonal Use Period from December 1 to March 14)		
Cover and Food	Seasonal habitat extent ^{6,7,8} (Percent of seasonal habitat meeting desired conditions)	>80% of the winter habitat.
	Sagebrush canopy cover above snow ^{6,7,8}	>10%.
	Sagebrush height above snow ^{6,7,8}	>10 inches. ¹⁴

¹Seasonal dates can be adjusted; that is, start and end dates may be shifted either earlier or later, but the local unit cannot shorten or lengthen the amount of days.

²Doherty, K. 2008. *Sage-grouse and Energy Development: Integrating Science with Conservation Planning to Reduce Impacts*. University of Montana. Missoula, MT.

³Holloran and Anderson. 2005. *Spatial Distribution of Greater Sage-grouse nests in relatively contiguous sagebrush habitats*. Condor 107:742-752.

⁴Buffer distance may be changed only if 3 out of 5 years if peer-reviewed and published telemetry studies indicate the 5.3 miles is not appropriate.

⁵Baruch-Mordo, S., J.S. Evans, J.P. Severson, D.E. Naugle, J. D. Maestas, J.M. Kiesecker, M.J. Falkowski, C.A. Hagen, and K.P. Reese. 2013. *Saving sage-grouse from trees: A proactive solution to reducing a key threat to a candidate species*. Biological Conservation 167: 233-241.

⁶Stiver, S.J., E.T. Rinkes, D.E. Naugle, P.D. Makela, D.A. Nance, and J.W. Karl, eds., 2015. *Sage-Grouse Habitat Assessment Framework: A Multiscale Assessment Tool*. Technical Reference 6710-1. BLM and Western Association of Fish and Wildlife Agencies, Denver, Colorado.

⁷Connelly, J., M. A. Schroweder, A.R. Sands, and C.E. Braun. 2000. Guidelines to manage sage-grouse populations and their habitats. Wildlife Society Bulletin 28 (4): 967-985.

⁸Connelly, J., K. Reese, and M. Schroder. 2003. *Monitoring of Greater sage-grouse habitats and populations*. Station Bulletin 80, Contribution 979. University of Idaho, College of Natural Resources Experiment Station. Moscow, ID.

⁹10–12 inch precipitation zone; *Artemisia tridentata wyomingensis* is a common big sagebrush sub-species for this type site (Stiver et al. 2015).

¹⁰≥12 inch precipitation zone; *Artemisia tridentata vaseyana* is a common big sagebrush sub-species for this type site (Stiver et al. 2015).

¹¹Sagebrush plants with a spreading shape provide more protective cover than sagebrush plants that are more tree- or columnar shaped (Stiver et al. 2015).

¹³Existing LMP desired conditions for riparian areas/wet meadows (spring seeps) may be used in place of properly functioning conditions, if appropriate for meeting greater sage-grouse habitat requirements.

¹³Preferred forbs are listed in Table III-2 (Stiver et al. 2015). Overall total forb cover may be greater than that of preferred forb cover since not all forb species are listed as preferred in Table III-2.

¹⁴The height of sagebrush remaining above the snow depends upon snow depth in a particular year. Intent is to manage for tall, healthy sagebrush stands.

GRSG-GRSGH-ST-003-Standard – Design habitat restoration projects to move towards the desired conditions in table 1.

GRSG-GRSGH-ST-004-Standard – A soft trigger is hit when there is any deviation from normal trends in habitat or population in any given year. Normal population trends are calculated as the five-year running mean of annual population counts. Metrics include but are not limited to annual lek counts, wing counts, aerial surveys, habitat monitoring, and Density and Disturbance Calculation Tool evaluations. The Forest Service, with the assistance of the BLM, local Wyoming Game and Fish Department offices, and local sage-grouse working groups, will evaluate the metrics with the Adaptive Management Working Group on an annual basis. The purpose of these strategies is to address the localized greater sage-grouse population and habitat changes by providing the framework in which project management will change if monitoring identifies negative population and habitat anomalies to avoid crossing a hard trigger threshold. This strategy may include curtailment of activities that may adversely affect the greater sage-grouse population or habitat. In cooperation with the Adaptive Management Working Group, implement an appropriate response strategy to address causal factors.

GRSG-GRSGH-ST-005-Standard – Hard triggers are considered a catastrophic indicator that the species is not responding to conservation actions or that a larger-scale impact or set of impacts is having a negative effect. Metrics include but are not limited to number of active leks, acres of available habitat, and population trends based upon lek counts. Within the range of normal population variables (five-year running mean of annual population counts), hard triggers shall be determined to take effect when two of the three metrics exceed 60 percent of normal variability for the area under management in a single year or when any of the three metrics exceed 40% of normal variability for a 3-year time period within a 5-year range of analysis. A minimum of 3 consecutive years in a 5-year period is used to determine trends (i.e., Y1-2-3, Y2-3-4, Y3-4-5). If a hard trigger is hit, the Forest Service will immediately defer issuance of discretionary authorizations for new actions for a period of 90 days. Cooperate with the Adaptive Management Working Group to initiate development of an interim response strategy within 14 days and initiate a causal factor assessment. Implement the interim response strategy within 90 days for the appropriate Biologically Significant Unit. Once the causal factor assessment has been completed, the interim strategy will be modified to adequately address the causal factors.

GRSG-GRSGH-GL-006-Guideline – Within priority habitat management areas and sagebrush focal areas in northeast Wyoming, vegetation treatments in nesting and wintering habitat that would reduce sagebrush canopy to less than 15% should be restricted.

GRSG-GRSGH-GL-007- Guideline – When removing conifers that are encroaching into greater sage-grouse habitat, avoid persistent woodlands (i.e., old growth relative to the site or more than 100 years old).

GRSG-GRSGH-GL-008-Guideline – In priority and general habitat management areas and sagebrush focal areas, actions and authorizations should be designed to limit the spread and effect of undesirable non-native plant species.

GRSG-GRSGH-GL-009-Guideline – To facilitate safe and effective fire management actions, in priority and general habitat management areas and sagebrush focal areas, fuel treatments in high-risk areas (i.e., areas likely to experience wildfire at an intensity level that might result in movement away from the greater sage-grouse desired conditions in table 1) should be designed to reduce the spread and/or intensity of wildfire or the susceptibility of greater sage-grouse attributes to move away from desired conditions (table 1).

GRSG-GRSGH-GL-010-Guideline – In priority and general habitat management areas and sagebrush focal areas, native plant species should be used, when possible, to maintain, restore, or enhance desired conditions (table 1).

GRSG-GRSGH-GL-011-Guideline – When breeding and nesting habitat overlaps with other seasonal habitats, habitat should be managed for breeding and nesting desired conditions (table 1).

Timing, Distance, Density, and Disturbance

GRSG-TDDD-ST-012-Standard² – In priority habitat management areas and sagebrush focal areas, do not authorize new surface occupancy or surface disturbing activities on or within a 0.6 mile radius of the perimeter of occupied leks that are located in priority habitat management and sagebrush focal areas.

GRSG-TDDD-ST-013-Standard¹² – In general habitat management areas, do not authorize new surface occupancy or surface disturbing activities on or within a 0.25 mile radius of the perimeter of occupied leks.

GRSG-TDDD-ST-014-Standard – Do not authorize new surface disturbing and disruptive activities that create noise at 10dB above ambient measured at the perimeter of an occupied lek during lekking (from March 1 to April 30) from 6 p.m. to 9 a.m. Do not include noise resulting from human activities that have been authorized and initiated within the past 10 years in the ambient baseline measurement.

GRSG-TDDD-ST-015-Standard – In priority and general habitat management areas and sagebrush focal areas, only allow new authorized land uses if after avoiding and minimizing impacts, any remaining residual impacts to the greater sage-grouse or its habitat are fully offset by compensatory mitigation projects that provide a net conservation gain to the species, subject to valid existing rights, by applying beneficial mitigation actions. Any compensatory mitigation will be durable, timely, and in addition to what would have resulted without the compensatory mitigation as addressed in the Mitigation Framework (Appendix B).

² On a case-by-case basis, and only when it can be demonstrated that the activity will not cause declines in the greater sage-grouse population, allow exceptions and modifications. The authorized officer, with concurrence from the next higher authority (Forest Supervisor or Regional Forester) may grant an exception if a review determines that the action, as proposed or conditioned, would not impair the function or utility of the site for the current or subsequent seasonal habitat, life-history, or behavioral needs of the greater sage-grouse. Exceptions may also be granted for prescribed fire activity that is intended to protect or improve greater sage-grouse habitat over time.

GRSG-TDDD-GL-016-Guideline³ – In priority-core habitat management areas and sagebrush focal areas, do not authorize new surface disturbing or disruptive activities from March 15 through June 30. Where credible data, based upon field analysis, support different timeframes for the seasonal restriction, dates may be shifted by either 14 days before or subsequent to the above dates, but not both.

GRSG-TDDD-GL-017-Guideline¹³ – Within priority-connectivity habitat management areas, do not authorize new surface disturbing or disruptive activities from March 15 through June 30 within 4 miles of a lek perimeter. Where credible data, based upon field analysis, support different timeframes for this seasonal restriction, dates may be shifted by either 14 days before or after the above dates, but not both.

GRSG-TDDD-GL-018-Guideline¹³ – In general habitat management areas, do not authorize new surface disturbing or disruptive activities from March 15 to June 30 within 2 miles of the lek or lek perimeter of any occupied lek located inside general areas. Where credible data, based upon field analysis, support different timeframes for this restriction, dates may be shifted by either 14 days before or subsequent to the above dates, but not both.

GRSG-TDDD-GL-019-Guideline¹³ – Within mapped winter concentration areas in priority-core habitat management areas and sagebrush focal areas, do not authorize new surface disturbing or disruptive activities from December 1 through March 14 to protect priority-core and sagebrush focal area greater sage-grouse populations that use these winter concentration habitats.

GRSG-TDDD-GL-020-Guideline¹³ – Within mapped winter concentration areas in priority-connectivity and general habitat management areas, do not authorize new surface disturbing or disruptive activities from December 1 through March 14 where winter concentration areas are identified as supporting populations of greater sage-grouse that attend leks within priority-core habitat management areas and sagebrush focal areas.

GRSG-TDDD-GL-021-Guideline¹³ – In priority-core habitat management areas and sagebrush focal areas, limit the density of activities related to oil and gas development or mining activities to no more than an average of one pad or mining operation per 640 acres, using the current Density Disturbance Calculation Tool process or its replacement.

GRSG-TDDD-GL-022-Guideline¹³ – In priority habitat management areas and sagebrush focal areas, do not authorize surface disturbing activities unless all existing discrete anthropogenic disturbances cover less than 5% of the suitable habitat in the surrounding area using the current Density Disturbance Calculation Tool process or its replacement and the new use will not cause exceedance of the 5% cap. An exception is described in GRSG-M-LM-ST-097-Standard. Consider the likelihood of surface disturbing activities as a result of development of valid existing rights when authorizing new projects in priority habitat management areas.

³ On a case-by-case basis, and only when it can be demonstrated that the activity will not cause declines in the greater sage-grouse population, allow exceptions and modifications. The authorized officer may grant an exception if a review determines that the action, as proposed or conditioned, would not impair the function or utility of the site for the current or subsequent seasonal habitat, life-history, or behavioral needs of the greater sage-grouse. Exceptions may also be granted for prescribed fire activity that is intended to protect or improve greater sage-grouse habitat over time.

Infrastructure

GRSG-INFRA-GL-023-Guideline – In priority habitat management areas and sagebrush focal areas, when constructing new infrastructure and during maintenance, replacement, and upgrades to existing infrastructure, impacts to the greater sage-grouse and its habitat should be mitigated.

- Existing guy wires should be removed or appropriately marked with bird flight diverters to make them more visible to the greater sage-grouse in flight. Authorization of new infrastructure with guy wires should be restricted.
- Power lines (distribution and transmission) should be designed to minimize wildlife-related impacts and constructed to the latest APLIC standards.
- When possible, perch deterrents should be installed on existing and new overhead facilities. Tanks and other above-ground facilities should be equipped with structures or devices that discourage nesting and perching of raptors and corvids.
- Permanent structures should be designed or sited to minimize impacts to the greater sage-grouse, with emphasis on locating and operating facilities that create movement (e.g., pump jacks) or attract frequent human use and vehicular traffic (e.g., fluid storage tanks) in a manner that will minimize disturbance of the greater sage-grouse or interference with habitat use.
- Liquid gathering facilities in priority habitat management areas and sagebrush focal areas should be buried and reclaimed to limit or eliminate human disturbance and physical habitat disturbance. To reduce truck traffic and perching and nesting of ravens and raptors, tanks should not be placed at well locations.

Lands and Realty

Special-use Authorizations (non-recreation)

GRSG-LR-SUA-ST-024-Standard – In priority habitat management areas and sagebrush focal areas, restrict issuance of new special-use authorizations for infrastructure, such as high-voltage transmission lines, major pipelines distribution lines, and communication towers. Exceptions may include co-location and must be limited (e.g., safety needs) and based on rationale (e.g., monitoring, modeling, or best available science) that explicitly demonstrates that adverse impacts to the greater sage-grouse will be avoided with the exception. If co-location of new infrastructure cannot be accomplished, locate it adjacent to existing infrastructure, roads, or already disturbed areas and limit disturbance to the smallest footprint or where it best limits impacts to the greater sage-grouse or its habitat. Existing authorized uses will continue to be recognized.

GRSG-LR-SUA-ST-025-Standard – In priority and general habitat management areas and sagebrush focal areas, do not authorize temporary lands special-use permits (i.e., facilities or activities) that result in loss of habitat or would have long-term (i.e., greater than 5 years) negative impact on the greater sage-grouse or its habitat.

GRSG-LR-SUA-ST-026-Standard – In priority and general habitat management areas and sagebrush focal areas, when a lands special-use authorization is revoked or terminated and no future use is contemplated, require the authorization holder to remove overhead lines and other infrastructure in compliance with 36 CFR 251.60(i).

GRSG-LR-SUA-ST-027-Standard – In priority habitat management areas and sagebrush focal areas, new power transmission projects must be located within the 2-mile wide transmission line route in south-central and southwestern Wyoming or as close as technically feasible (i.e., within 0.5 mile) on either side of existing 115 kV or larger transmission lines or corridors creating a route no wider than 1 mile. These projects will not be counted against the 5% disturbance cap.

GRSG-LR-SUA-ST-029-Standard – In priority and general habitat management areas and sagebrush focal areas, locate upgrades to existing transmission lines within the existing designated corridors or rights-of-way unless an alternate route would benefit greater sage-grouse or their habitats.

GRSG-LR-SUA-GL-030-Guideline – Authorization of new temporary meteorological towers should be restricted in priority habitat management areas and sagebrush focal areas within 2 miles of occupied greater sage-grouse leks, unless they are out of direct line of sight of an occupied lek.

GRSG-LR-SUA-GL-031-Guideline – In priority habitat management areas and sagebrush focal areas, outside of existing designated corridors and rights-of-way, new transmission lines and pipelines should be buried to limit disturbance to the smallest footprint unless explicit rationale is provided that the biological impacts to the greater sage-grouse are being avoided. If new transmission lines and pipelines are not buried, locate them adjacent to existing transmission lines and pipelines.

Land Ownership Adjustments

GRSG-LR-LOA-ST-032-Standard – In priority and general management areas and sagebrush focal areas, do not approve landownership adjustments, including land exchanges, unless the action results in a net conservation gain to the greater sage-grouse or it will not directly or indirectly adversely affect greater sage-grouse conservation.

GRSG-LR-LOA-GL-033-Guideline – In priority habitat management areas and sagebrush focal areas, do not issue new discretionary written authorizations unless all existing discrete anthropogenic disturbances cover less than 5% of the total greater sage-grouse habitat within the Biologically Significant Unit and the proposed project area, regardless of ownership, and the new use will not cause exceedance of the 5% cap. Discretionary activities that might result in disturbance above 5% at the Biologically Significant Unit and proposed project area would be prohibited unless approved by the forest supervisor with concurrence from the regional forester after review of new or site-specific information that indicates the project would result in a net conservation gain at the Biologically Significant Unit and proposed project area scale. Within existing designated utility corridors, the 5% disturbance cap may be exceeded at the project scale if the site specific NEPA analysis indicates that a net conservation gain to the species will

be achieved. This exception is limited to projects that fulfill the use for which the corridors were designated (e.g., transmission lines, pipelines) and the designated width of a corridor will not be exceeded as a result of any project co-location. Consider the likelihood of surface disturbing activities as a result of development of valid existing rights when authorizing new projects in priority habitat management areas.

Land Withdrawal

GRSG-LR-LW-GL-034-Guideline – In priority habitat management areas and sagebrush focal areas, use land withdrawals as a tool, where appropriate, to withhold an area from activities that will be detrimental to the greater sage-grouse or its habitat.

Wind Energy Development

GRSG-WS-GL-035-Guideline – In priority habitat management areas and sagebrush focal areas, restrict authorization of wind utility-scale and/or commercial energy development except for on-site power generation associated with existing industrial infrastructure (e.g., mine site).

Livestock Grazing

GRSG-LG-DC-036-Desired Condition – In priority and general habitat management areas, sagebrush focal areas, and within lek buffers, livestock grazing is managed to maintain or move towards desired habitat conditions (table 1).

GRSG-LG-GL-037-Guideline – Grazing guidelines in table 2 should be applied in each of the seasonal habitats in table 2. If values in table 2 cannot be achieved based upon a site-specific analysis using Ecological Site Descriptions, long-term ecological site potential analysis, or other similar analysis, adjust grazing management to move towards desired habitat conditions in table 1 consistent with the ecological site potential. Do not use drought and degraded habitat condition to adjust values. Grazing guidelines in table 2 would not apply to isolated parcels of National Forest System lands that have less than 200 acres of greater sage-grouse habitat.

Table 2. Grazing Guidelines for Greater Sage-grouse Seasonal Habitat.

SEASONAL HABITAT	GRAZING GUIDELINES
Areas managed for breeding and nesting ¹ within 5.3 miles of occupied leks	Perennial grass height: ² When grazing occurs during breeding and nesting season (from March 15 to June 30) manage for upland perennial grass height of 7 inches. ^{3,5,6} Measure average droop height, assuming current vegetation composition has the capability to achieve these heights. Heights will be measured at the end of the nesting period (Connelly et al. 2000). When grazing occurs post breeding and nesting season (from July 1 to November 30) manage for 4 inches ^{5,9} of upland perennial grass height.

SEASONAL HABITAT	GRAZING GUIDELINES
Areas managed for brood rearing and summer habitat ¹	When grazing occurs post breeding and nesting season (from July 1 to November 30) retain an average stubble height of 4 inches for herbaceous riparian/mesic meadow vegetation in all ⁷ greater sage-grouse habitat. ^{8,10}
Winter ¹	≤35% utilization of sagebrush.

¹ For descriptions of seasonal habitat and seasonal periods of greater sage-grouse see table 1.

² Grass heights only apply in breeding and nesting habitat with ≥10% sagebrush cover to support nesting.

³ Holloran et al. 2005. *Greater sage-grouse nesting habitat selection and success in Wyoming*.

⁵ Hagen C., J.W. Connelly, and M.A. Schroeder. 2007. *A meta-analysis of greater sage-grouse *Centrocercus urophasianus* nesting and brood-rearing habitats*. *Wildlife Biology* 13(1): 42-50.

⁶ Due to variability of annual precipitation and forage production 7" stubble height may not be possible every year, even in the absence of livestock grazing.

⁷ All GRSG habitat with greater than 10% sagebrush cover irrespective of lek buffers and designated habitat management areas.

⁸ In riparian brood-rearing habitat, sage-grouse prefer the lower vegetation (5–15 cm vs. 30–50 cm; Oakleaf 1971, Neel 1980, Klebenow 1982, Evans 1986) and succulent forb growth stimulated by moderate livestock grazing in spring and early summer (Neel 1980, Evans 1986); moderate use equates to a 10-cm residual stubble height for most grasses and sedges and 5-cm for Kentucky bluegrass (Mosley et al. 1997, Clary and Leininger 2000) (Crawford et al. 2004. *Ecology and Management of sage-grouse habitat*).

⁹ Stubble height to be measured at the end of the growing season.

¹⁰ Stubble height to be measured in the meadow areas used by the greater sage-grouse for brood-rearing (not on the hydric greenline). These meadows typically have sagebrush within 328 feet of the meadow.

GRSG-LG-GL-038-Guideline – On the Thunder Basin National Grassland, if 90% or more of the allotment falls within nesting or brood rearing habitat, 25% of the allotment would be exempted from the breeding/nesting residual perennial grass height guidelines in table 2.

GRSG-LG-GL-039-Guideline – In priority and general habitat management areas and sagebrush focal areas, when grazing permits are waived without preference or obtained through permit cancellation, consider the agency’s full range of administrative authorities for future allotment management, including but not limited to allotment closure, vacancy status for resource protection, establishment of forage reserve, re-stocking, or livestock conversion as management options to maintain or achieve desired habitat conditions (table 1).

GRSG-LG-GL-040-Guideline – Bedding sheep and locating camps within 0.6 miles from the perimeter of a lek during lekking (from March 1 to May 15) should be restricted.

GRSG-LG-GL-GL-041-Guideline – From March 15 through June 30, trailing livestock should be limited to existing trails. Specific routes and timeframes should be identified; existing trails should be used; and stopovers on occupied leks should be avoided. New trailing activities should be assessed to determine a route that will minimize impacts to the greater sage-grouse and its habitats. Where credible data based upon field analysis support different timeframes for the seasonal restriction, dates may be shifted by either 14 days before or subsequent to the above dates, but not both.

GRSG-LG-GL-042-Guideline – Collision risk associated with existing fences within 1.2 miles of leks should be minimized through removal or modification (e.g. marking, laydown fences, or other design features).

GRSG-LG-GL-043-Guideline – In priority habitat management areas and sagebrush focal areas, new permanent livestock facilities, except fences, should not be constructed within 0.6 miles from

the perimeter of occupied leks. In general habitat management areas, new permanent livestock facilities should not be constructed within 0.25 miles of occupied leks.

GRSG-LG-GL-044-Guideline – On the Thunder Basin National Grassland, where general habitat management areas overlap with Management Area 8.4 (Mineral Production), Management Area 3.63 (Black-footed Ferret Reintroduction Habitat), or other designated areas for short-grass species, livestock grazing should be managed to meet the objectives for that Management Area.

Fire Management

GRSG-FM-DC-045-Desired Condition – In priority and general habitat management areas and sagebrush focal areas, protect sagebrush habitat from loss due to unwanted wildfires or damages resulting from management related activities while using agency risk management protocols to manage for firefighter and public safety and other high priority values. In all fire response, first priority is the management of risk to firefighters and the public. Greater sage-grouse habitat will be prioritized as a high value resource along with other high value resources and assets.

GRSG-FM-ST-046-Standard – In priority and general habitat management areas and sagebrush focal areas, when prescribed fire is used for fuels management or vegetation treatments, design the burn to move towards desired habitat conditions (table 1). Restrict prescribed fire in areas of Wyoming big sagebrush, other xeric sagebrush species, where cheatgrass or other fire-invasive species occur, and/or within areas of less than 12-inch precipitation zones unless necessary for restoration of greater sage-grouse habitat consistent with desired conditions in table 1.

GRSG-FM-ST-047-Standard – In priority and general habitat management areas and sagebrush focal areas, if it is necessary to use prescribed fire for restoration of greater sage-grouse habitat consistent with desired conditions in table 1, the associated National Environmental Policy Act analysis must identify how the project would move towards greater sage-grouse desired conditions; why alternative techniques were not selected; and how potential threats to greater sage-grouse habitat would be minimized.

GRSG-FM-ST-048-Standard – On the Thunder Basin National Grassland, where general habitat management areas overlap with Management Area 3.63 (Black-footed Ferret Reintroduction Habitat) or other designated areas for short-grass species, allow prescribed fire to meet objectives for that Management Area.

GRSG-FM-GL-049-Guideline – In planned fuels management activities or part of an overall vegetative management strategy to mitigate the impacts of wildfire in priority and general habitat management areas and sagebrush focal areas, when reseeding in fuel breaks, fire-resistant native plant species should be used if available or consider using fire-resistant non-native species if analysis and/or best available science demonstrates that non-native plants will not degrade greater sage-grouse habitat in the long-term.

GRSG-FM-GL-050-Guideline – Locating temporary wildfire suppression facilities (e.g., incident command posts, spike camps, helibases, mobile retardant plants) in priority and general habitat management areas and sagebrush focal areas should be avoided. When needed to best provide for

firefighter or public safety or to minimize fire size in greater sage-grouse habitat, impacts to the greater sage-grouse should be considered and removal of sagebrush should be limited.

GRSG-FM-GL-051-Guideline – In priority and general habitat management areas and sagebrush focal areas, cross-country vehicle travel during fire operations should be restricted. When needed to best provide for firefighter or public safety or to minimize fire size in greater sage-grouse habitat, impacts to the greater sage-grouse should be considered and removal of sagebrush should be limited.

GRSG-FM-GL-052-Guideline – In priority and general habitat management areas and sagebrush focal areas, use fire management tactics and strategies that seek to minimize loss of existing sagebrush habitat. The safest and most practical means to do so will be determined by fireline leadership and incident commanders.

GRSG-FM-GL-053-Guideline – In priority and general habitat management areas and sagebrush focal areas, prescribed fire prescriptions should minimize undesirable effects on vegetation and/or soils (e.g., minimize mortality of desirable perennial plant species and reduce risk of hydrophobicity).

GRSG-FM-GL-054-Guideline – In priority and general habitat management areas and sagebrush focal areas, roads and natural fuel breaks should be incorporated into planned fuel break design to improve effectiveness and minimize loss of existing sagebrush habitat.

GRSG-FM-GL-055-Guideline – In priority and general habitat management areas and sagebrush focal areas, where practical and available, all fire-associated vehicles and equipment should be inspected and cleaned using standardized protocols and procedures and approved vehicle/equipment decontamination systems before entering and exiting the area beyond initial attack activities to minimize the introduction of invasive annual grasses and other invasive plant species and noxious weeds.

GRSG-FM-GL-056-Guideline – Unit-specific greater sage-grouse fire management related information should be added to wildland fire decision support systems (currently, the Wildland Fire Decision Support System, WFDSS); local operating plans and resource advisor plans to be used during fire situation to inform management decisions; and aid in development of strategies and tactics for resource prioritization.

GRSG-FM-GL-057-Guideline – Localized maps of priority and general habitat management areas and sagebrush focal areas should be made available to fireline, dispatch, and fire support personnel.

GRSG-FM-GL-059-8Guideline – In or near priority and general habitat management areas and sagebrush focal areas, a greater sage-grouse resource advisor should be assigned to all extended attack fires.

GRSG-FM-GL-059-Guideline – On critical fire weather days, protection of greater sage-grouse habitat should receive high consideration, along with other high values, for positioning of resources.

GRSG-FM-GL-060-Guideline – Line officers should be involved in setting pre-season wildfire response priorities and prioritizing protection of priority and general habitat management areas and sagebrush focal areas, along with other high values. During periods of multiple fires or limited resource availability, fire management organizational structure (local, regional, national) will prioritize fires and allocation of resources in which greater sage-grouse habitat is a consideration along with other high values.

GRSG-FM-GL-061-Guideline – In priority and general habitat management areas and sagebrush focal areas, consider using fire retardant and mechanized equipment only if it is likely to result in minimizing burned acreage; preventing the loss of other high value resources; or increasing the effectiveness of other tactical strategies. Agency administrators, their designee, or fireline leadership should consider fire suppression effects while determining suppression strategy and tactics; the use of fire retardant and mechanized equipment may be approved by agency administrators, their designee, or fireline leadership.

GRSG-FM-GL-062-Guideline – In priority and general habitat management areas and sagebrush focal areas, to minimize sagebrush habitat loss, consider using the full range of suppression techniques to protect unburned islands, doglegs, and other sage grouse habitat features that may exist within the perimeter of wildfires. These suppression objectives and activities should be prioritized against other wildland fire suppression activities and priorities.

GRSG-FM-GL-063-Guideline – In wintering or breeding and nesting habitat, sagebrush removal or manipulation, including prescribed fire, should be restricted unless the removal strategically reduces the potential impacts from wildfire or supports the attainment of desired conditions.

Recreation

GRSG-R-DC-064-Desired Condition – In priority habitat management areas and sagebrush focal areas, recreation activities are balanced with the ability of the land to support them while meeting greater sage-grouse seasonal habitat desired conditions (table 1) and creating minimal user conflicts.

GRSG-R-ST-065-Standard – In priority and general habitat management areas and sagebrush focal areas, do not authorize temporary recreation uses (i.e., facilities or activities) that result in loss of habitat or would have long-term (i.e., greater than 5 years) negative impact on the greater sage-grouse or its habitat.

GRSG-R-GL-066-Guideline – In priority and general habitat management areas and sagebrush focal areas habitat management areas, terms and conditions that protect and restore greater sage-grouse habitat within the permit area should be included in new recreation special-use authorizations. During renewal, amendment, or reauthorization, terms and conditions in existing permits and operating plans should be modified to protect and/or restore greater sage-grouse habitat.

GRSG-R-GL-067-Guideline – In priority habitat management areas and sagebrush focal areas, new recreational facilities or expansion of existing recreational facilities (e.g., roads, trails,

campgrounds), including special-use authorizations for facilities and activities, should not be approved unless the development results in a net conservation gain to the greater sage-grouse or its habitat or the development is required for visitor safety.

Roads/Transportation

GRSG-RT-DC-068-Desired Condition – In priority and general habitat management areas and sagebrush focal areas, within the forest transportation system and on roads and trails authorized under a special-use authorization, the greater sage-grouse experience minimal disturbance during breeding and nesting (from March 15 to June 30) and wintering (from December 1 to March 15) periods; dates may be shifted by either 14 days before or after the above dates, but not both.

GRSG-RT-ST-069-Standard – Restrict construction of new maintenance level 4 and 5 roads within 1.9 miles of the perimeter of occupied greater sage-grouse leks within priority habitat management areas and sagebrush focal areas unless construction allows decommissioning of an existing route that negatively affects the greater sage-grouse.

GRSG-RT-ST-070-Standard – Do not allow any category of road construction within 0.6 miles from the perimeter of occupied leks in priority habitat management areas and sagebrush focal areas or 0.25 miles from the perimeter of occupied leks in general habitat management areas as described in GRSG-TDDD-ST-012 and 013-Standards.

GRSG-RT-ST-071-Standard – In priority habitat management areas and sagebrush focal areas, do not allow improvements to existing routes that would change route category (level 1 through 5) or capacity unless the upgrading would have minimal impact on the greater sage-grouse; is necessary for motorist safety; or eliminates the need to construct a new road.

GRSG-RT-ST-072-Standard – If necessary to construct new roads and trails in priority or sagebrush focal areas for one of the reasons listed in GRSG-RT-ST-070-Standard or to access valid existing rights, limit construction to the minimum standard, length, and number and avoid, minimize, and mitigate impacts.

GRSG-RT-ST-073-Standard – In priority and general habitat management areas and sagebrush focal areas, do not allow public motor vehicle use on temporary energy development roads.

GRSG-RT-GL-074-Guideline – In priority and general habitat management areas and sagebrush focal areas, new roads and road realignments should be designed and administered to reduce collisions with the greater sage-grouse.

GRSG-RT-GL-075-Guideline – In priority and general habitat management areas and sagebrush focal areas, road construction within riparian areas and mesic meadows should be restricted. If not possible to restrict construction within riparian areas and mesic meadows, roads should be designed and constructed perpendicular to ephemeral drainages and stream crossings, unless topography prevents doing so.

GRSG-RT-GL-076-Guideline – In priority and general habitat management areas and sagebrush focal areas, when decommissioning roads and unauthorized routes, restoration activity should be designed to move habitat towards desired conditions (table 1).

GRSG-RT-GL-077-Guideline – In priority and general habitat management areas and sagebrush focal areas, dust abatement terms and conditions should be included in road-use authorizations when dust has the potential to affect the greater sage-grouse.

GRSG-RT-GL-078-Guideline – In priority and general habitat management areas and sagebrush focal areas, road and road-way maintenance activities should be designed and implemented to reduce the risk of vehicle- or human-caused wildfires and the spread of invasive plants. Such activities include but are not limited to the removal or mowing of vegetation a car-width off the edge of roads; use of weed-free earth-moving equipment, gravel, fill, or other materials; and blading or pulling roadsides and ditches that are infested with noxious weeds only if required for public safety or protection of the roadway.

Minerals

Fluid Minerals – Unleased

GRSG-M-FMUL-ST-079-Standard – In priority and general habitat management areas and sagebrush focal areas, new oil and gas leases may be offered consistent and subject to the leasing stipulations in the timing, distance, density, and disturbance direction in the Timing, Distance, Density and Disturbance section.

GRSG-M-FMUL-ST-080-Standard – In priority habitat management areas and sagebrush focal areas, require geophysical exploration projects to be designed to minimize greater sage-grouse habitat fragmentation.

Fluid Minerals – Leased

GRSG-M-FML-ST-081-Standard – In priority habitat management areas and sagebrush focal areas when approving the Surface Use Plan of Operation portion of the Application for Permit to Drill on existing leases that are not yet developed, require that leaseholders avoid and minimize surface disturbances and disruptive activities consistent with the rights granted in the lease.

GRSG-M-FML-ST-082-Standard – In priority habitat management areas and sagebrush focal areas, when facilities are no longer needed or leases are relinquished, require reclamation plans to include terms and conditions to restore habitat to desired conditions as described in table 1.

GRSG-M-FML-GL-083-Guideline – Compressor stations should be located on portions of a lease that are non-habitat and are not used by the greater sage-grouse and if there would be no direct, indirect, or cumulative effects on the greater sage-grouse or its habitat. If this is not possible, work with the operator to use mufflers, sound insulation, or other features to reduce noise consistent with GRSG-TDDD-ST-014-Standard.

GRSG-M-FML-ST-084-Standard – In priority and general habitat management areas and sagebrush focal areas, when authorizing development of fluid mineral resources, work with the operator to minimize impacts to the greater sage-grouse and its habitat, such as locating facilities in non-habitat areas first and then in the least suitable habitat.

GRSG-M-FML-GL-085-Guideline – In priority and general habitat management areas and sagebrush focal areas on existing leases, operators should be encouraged to reduce disturbance to greater sage-grouse habitat. At the time of approval of the Surface Use Plan of Operation portion of the Application for Permit to Drill, terms and conditions should be included to reduce disturbance to greater sage-grouse habitat, where appropriate and feasible and consistent with the rights granted to the lessee.

GRSG-M-FML-GL-086-Guideline – On existing federal leases in priority and general habitat management areas and sagebrush focal areas, when surface occupancy cannot be restricted due to valid existing rights or development requirements, disturbance and surface occupancy should be limited to areas least harmful to the greater sage-grouse, based on vegetation, topography, or other habitat features.

GRSG-M-FML-GL-087-Guideline – In priority and general habitat management areas and sagebrush focal areas, where the federal government owns the surface and the mineral estate is in non-federal ownership, coordinate with the mineral estate owner/lessee to apply appropriate stipulations, conditions of approval, conservation measures, and required design features to the appropriate surface management instruments to the maximum extent permissible under existing authorities.

Fluid Minerals – Operations

GRSG-M-FMO-GL-088-Guideline – In priority habitat management areas and sagebrush focal areas, do not authorize employee camps.

GRSG-M-FMO-GL-089-Guideline – In priority habitat management areas and sagebrush focal areas, closed-loop systems should be used for drilling operations with no reserve pits where feasible.

GRSG-M-FMO-GL-090-Guideline – In priority and general habitat management areas and sagebrush focal areas, during drilling operations, soil compaction should be minimized and soil structure should be maintained using the best available techniques to improve vegetation reestablishment.

GRSG-M-FMO-GL-091-Guideline – In priority and general habitat management areas and sagebrush focal areas, dams, impoundments, and ponds for mineral development should be constructed to reduce potential for West Nile virus. Examples of methods to accomplish this include the following:

- Increase the depth of ponds to accommodate a greater volume of water than is discharged.
- Build steep shorelines (greater than 2 feet) to reduce shallow water and aquatic vegetation around the perimeter of impoundments to reduce breeding habitat for mosquitoes.
- Maintain the water level below that of rooted aquatic and upland vegetation. Avoid flooding terrestrial vegetation in flat terrain or low-lying areas.
- Construct dams or impoundments that restrict down-slope seepage or overflow by digging ponds in flat areas rather than damming natural draws for effluent water storage or lining constructed ponds in areas where seepage is anticipated.
- Line the channel where discharge water flows into the pond with crushed rock or use a horizontal pipe to discharge inflow directly into existing open water.
- Line the overflow spillway with crushed rock and construct the spillway with steep sides.
- Fence pond sites to restrict access by livestock and other wild ungulates.
- Remove or re-inject produced water.
- Treat waters with larvicides to reduce mosquito production where water occurs on the surface.

GRSG-M-FMO-GL-092-Guideline – In priority and general habitat management areas and sagebrush focal areas, to keep habitat disturbance at a minimum, a phased development approach should be applied to fluid mineral operations, wherever possible, consistent with the rights granted under the lease. Disturbed areas should be reclaimed as soon as they are no longer needed for mineral operations.

Coal Mines

GRSG-M-CM-ST-093-Standard – Apply all restrictions listed in the Timing, Distance, Density and Disturbance section to coal exploration and new coal lease projects.

GRSG-M-CM-ST-094-Standard – Priority habitat management areas and sagebrush focal areas are essential habitat for maintaining the greater sage-grouse for purposes of the suitability criteria set forth at 43 CFR 3461.5(o)(1).

GRSG-M-CM-GL-095-Guideline – In priority and general habitat management areas and sagebrush focal areas, when coal leases are subject to readjustment, additional requirements should be included in the readjusted lease to protect and reduce threats to conserve, enhance, and restore the greater sage-grouse and its habitat for long-term viability.

Locatable Minerals

GRSG-M-LM-ST-096-Standard – In priority habitat management areas and sagebrush focal areas, only approve Plans of Operation with mitigation to protect the greater sage-grouse and its habitat, consistent with the rights of the mining claimant as granted by the Mining Law of 1872, as amended.

GRSG-M-LM-ST-097-Standard – The disturbance cap described in GRSG-TDDD-ST-022-Standard will not be applied to foreclose development of locatable minerals on unpatented claims located under the General Mining Act of 1872, as amended; the disturbance from locatable mining will be accounted for when determining the percent disturbance and whether the cap has been exceeded.

Non-energy Leasable Minerals

GRSG-M-NEL-GL-098-Guideline – In priority and general habitat management areas and sagebrush focal areas, at the time of issuance of prospecting permits; exploration licenses and leases; or readjustment of leases for non-energy leasable minerals, the Forest Service should provide recommendations to the BLM for the protection of the greater sage-grouse and its habitats.

GRSG-M-NEL-GL-099-Guideline – In priority and general habitat management areas and sagebrush focal areas, the Forest Service should recommend to the BLM that expansion or readjustment of existing leases avoid, minimize, or mitigate the effects to the greater sage-grouse and its habitat.

Mineral Materials

GRSG-M-MM-ST-100-Standard – Apply all restrictions listed in the Timing, Distance, Density and Disturbance section to authorizations for mineral material sales and free use.

GRSG-M-MM-ST-101-Standard – Permits for mineral material operations in priority, sagebrush focal, or general sage-grouse habitat management areas must include appropriate requirements for reclamation of the site to maintain, restore, or enhance desired habitat conditions (table 1).

Predators

GRSG-PR-GL-102-Guideline – Efforts by other agencies to minimize impacts from predators on the greater sage-grouse should be supported and encouraged where needs have been documented.

Glossary of Terms as Used in this Plan

Active lek – Any lek that has been attended by the male greater sage-grouse during the most recent strutting season.

Adjacent – Installation of new linear improvements parallel, near, or next to existing linear improvements.

Allotment – A designated area of land in which one or more livestock operators graze their livestock. An allotment may include one or more separate pastures. Livestock numbers and periods of use are specified for each allotment.

Ambient (noise level) – Sometimes called background noise level, reference sound level, or room noise level; the background sound pressure level at a given location, normally specified as a reference level to study a new intrusive sound source.

Anthropogenic disturbances – Human-created features including but not limited to paved highways; graded gravel roads; transmission lines; substations; wind turbines; oil and gas wells and associated facilities; geothermal wells and associated facilities; pipelines; landfills; agricultural conversion; homes; grazing-related facilities and structures; and mines.

Baseline condition – The pre-existing condition of a defined area and/or resource that can be quantified by an appropriate metric(s). During environmental reviews, the baseline is considered the affected environment that exists at the time of the review's initiation and is used to compare predictions of the effects of the proposed action or a reasonable range of alternatives.

Compensatory mitigation – The restoration, creation, enhancement, and/or preservation of impacted resources (adopted and modified from 33 CFR 332), such as on-the-ground actions to improve and/or protect habitats (e.g., chemical vegetation treatments, land acquisitions, and conservation easements).

Compensatory mitigation projects – The restoration, creation, enhancement, and/or preservation of impacted resources, such as on-the-ground actions to improve and/or protect habitat (e.g. chemical vegetation treatments, land acquisitions, conservation easements, etc.).

Compensatory mitigation sites – The durable areas where compensatory mitigation projects will occur.

Corridor – A tract of land varying in width forming passageway through which various commodities such as oil, gas, and electricity are transported.

Disruptive activities – Land resource uses/activities that are likely to alter the behavior, displace, or cause excessive stress to the greater sage-grouse population occurring at a specific location and/or time. Actions that alter behavior or cause the displacement of individuals such that reproductive success is negatively affected or an individual's physiological ability to cope with environmental stress is compromised.

Distribution line – An electrical utility line with a capacity of less than 100kV or a natural gas, hydrogen, or water pipeline less than 24” in diameter.

Diversity (biological) – The number and distribution of plant and animal species within a specified geographic area. For purpose of the National Forest Management Act, the geographic area is a national forest or grassland unit.

Durable (protective and ecological) – The administrative, legal, and financial assurances that secure and protect the conservation status of a compensatory mitigation site and the ecological benefits of a compensatory mitigation project, for at least as long as the associated impacts persist.

Enhance – The improvement of habitat by increasing missing or modifying unsatisfactory components and/or attributes of the plant community to meet greater sage-grouse objectives.

Exception – A case-by-case exemption from a lease stipulation. The stipulation continues to apply to all other sites within the leasehold to which the restrictive criteria apply. The authorized officer (any employee of the Forest Service to whom has been delegated the authority to perform the duties described in the applicable Forest Service manual or handbook) may grant an exception if an environmental record of review determines that the action, as proposed or conditioned, would not impair the function or utility of the site for the current or subsequent seasonal habitat, life-history, or behavioral needs of the greater sage-grouse.

Feasible – see technically/economically feasible.

Fluid minerals – Oil, gas, coal bed natural gas, and geothermal resources.

Forage reserve – Designation for allotments on which there is no current term permit obligation for some or all of the estimated livestock grazing capacity and where there has been a determination made to use the available forage on the allotment to enhance management flexibility for authorized livestock use (FSH id_2209.13-2007-1).

Forest transportation system – Roads, trails, and areas designated for motor vehicle use that provide access to National Forest System lands for both motorized and non-motorized uses in a manner that is socially, environmentally, and economically sustainable over the long-term; enhances public enjoyment of National Forest System roads; and maintains other important values and uses.

General habitat management areas – National Forest System lands that are occupied seasonally or year-round habitat outside of priority habitat management areas where some special management would apply to sustain the greater sage-grouse population. The boundaries and management strategies for general habitat management areas are derived from and generally follow the preliminary general habitat boundaries.

Habitat – An environment that meets a specific set of physical, biological, temporal, or spatial characteristics that satisfy the requirements of a plant or animal species or group of species for part or all of its life cycle.

High-voltage transmission line – An electrical power line that is 100 kilovolts or larger.

Holder – An individual or entity that holds a valid special-use authorization.

Impact – The effect, influence, alteration, or imprint caused by an action.

Indicators – Factors that describe resource condition and change and can help the BLM and the Forest Service determine trends over time.

Invasive species (invasives plant species, invasives) – An alien species whose introduction does or is likely to cause economic or environmental harm or harm to human health. The species must cause or be likely to cause harm and be exotic to the ecosystem it has infested before considered invasive.

Isolated parcel – An individual parcel of land that may share a corner but does not have a common border with another parcel.

Landownership adjustment – Land adjustments to National Forest System lands by purchase, exchange, interchange, or conveyance under authority delegated by law to the Secretary of Agriculture.

Landscape – A distinct association of land types that exhibit a unique combination of local climate, landform, topography, geomorphic process, surficial geology, soil, biota, and human influences. Landscapes are generally of a size that the eye can comprehend in a single view.

Lease – A contract granting use or occupation of property during a specified period in exchange for a specified rent or other form of payment; a type of special-use authorization (usually granted for uses other than linear rights-of-way) that is used when substantial capital investment is required and when conveyance of a conditional and transferable interest in National Forest System lands is necessary or desirable to serve or facilitate authorized long-term uses and that may be revocable and compensable according to the terms.

Leasable minerals – Those minerals or materials designated as leasable under the Mineral Leasing Act of 1920, as amended, and the Mineral Leasing Act for Acquired Lands of 1947. These include energy-related mineral resources such as oil, natural gas, coal, and geothermal and some non-energy minerals, such as phosphate, sodium, potassium, and sulfur. Geothermal resources are also leasable under the Geothermal Steam Act of 1970.

Lek – A courtship display area attended by the male greater sage-grouse in or adjacent to sagebrush-dominated habitat. For management purposes, leks with less than five males observed strutting should be confirmed active for 2 years to meet the definition of a lek (Connelly et al. 2000; Connelly et al. 2003, 2004).

Lessee – A person or entity holding record title in a lease issued by the United States; a person or entity authorized to use and occupy National Forest System lands under a specific instrument identified as a lease.

Livestock conversion – To change the kind of livestock authorized to graze on National Forest System lands (e.g., a change from sheep to cows).

Locatable minerals – Mineral disposable under the General Mining Act of 1872, as amended, that was not excepted in later legislation. These include hardrock, placer, and industrial minerals and uncommon varieties of rock found on public domain lands.

Major pipeline – A pipeline that is 24 inches or more in outside-pipe diameter (Mineral Leasing Act of 1920, as amended, 30 U.S.C. § 181; 36 CFR 251.54(f)(1)).

Mineral – Any naturally formed inorganic material; solid or fluid inorganic substance that can be extracted from the earth; any of various naturally occurring homogeneous substances (e.g., stone, coal, salt, sulfur, sand, petroleum, water, or natural gas) obtained usually from the ground. Under federal laws, considered as locatable (subject to the general mining laws), leasable (subject to the Mineral Leasing Act of 1920, as amended), and salable (subject to the Materials Act of 1947).

Mineral materials – Common varieties of mineral materials such as soil, sand and gravel, stone, pumice, pumicite, and clay that are not obtainable under the mining or leasing laws but that can be acquired under the Materials Act of 1947, as amended.

Minimization mitigation – Minimizing impacts by limiting the degree or magnitude of the action and its implementation.

Mitigation – Includes specific means, measures, or practices that could reduce, avoid, or eliminate adverse impacts. Mitigation can include avoiding the impact altogether by not taking a certain action or parts of an action; minimizing the impact by limiting the degree of magnitude of the action and its implementation; rectifying the impact by repairing, rehabilitating, or restoring the affected environment; reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action; and compensating for the impact by replacing or providing substitute resources or environments.

Modification (oil and gas) – A fundamental change to the provisions of a lease stipulation either temporarily or for the term of the lease. A modification may include an exemption from or alteration to a stipulated requirement. Depending on the specific modification, the stipulation may or may not apply to all other sites within the leasehold to which the restrictive criteria applied.

Native plant species – A plant species that occurs naturally in a particular region, state, ecosystem, and habitat without direct or indirect human actions.

Net conservation gain – The actual benefit or gain above baseline conditions. Actions which result in habitat loss and degradation include those identified as threats which contribute to GRSG disturbance as identified by the USFWS in its 2010 listing decision (75 *Federal Register* 13910) and shown in Table 2 in the Greater Sage-Grouse Monitoring Framework (Appendix A).

No Surface Occupancy – A major constraint where use or occupancy of the land surface for fluid mineral exploration or development and all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes, construction of wells and/or pads) are prohibited to protect identified resource values. Areas identified as No Surface Occupancy are open to fluid mineral leasing, but surface occupancy or surface-disturbing activities associated with fluid mineral leasing cannot be conducted on the surface of the land.

Access to fluid mineral deposits would require horizontal drilling from outside the boundaries of the No Surface Occupancy area.

Occupied lek – A lek that has been active during at least one strutting season within the prior 10 years.

Permit — A special-use authorization that provides permission, without conveying an interest in land, to occupy and use National Forest System lands or facilities for specified purposes and which is both revocable and terminable.

Permit cancellation – Action taken to permanently invalidate a term grazing permit in whole or part.

Persistent woodlands – Long-lived pinyon-juniper woodlands that typically have sparse understories and occur on poor substrates in the assessment area.

Plan of Operation – A Plan of Operation is required for all mining activity conducted under the General Mining Act of 1872, as amended, if the proposed operations will likely cause significant disturbance of surface resources. The Plan of Operation describes the type of operations proposed and how they would be conducted; the type and standard of existing and proposed roads or access routes; the means of transportation to be used; the period during which the proposed activity will take place; and measures to be taken to meet the requirements for environmental protection (36 CR 228.4).

Prescribed fire – Any fire ignited by management actions to meet specific objectives. A written, approved prescribed fire plan must exist, and National Environmental Policy Act requirements, where applicable, must be met before ignition.

Priority habitat management areas – National Forest System lands identified as having highest habitat value for maintaining sustainable greater sage-grouse populations. The boundaries and management strategies for priority habitat management areas are derived from and generally follow the preliminary priority habitat boundaries. Priority habitat management areas largely coincide with areas identified as priority areas for conservation in the Conservation Objectives Team report.

Priority-connectivity habitat management areas – Areas of priority habitat management areas that are known migration corridors that connect populations or population segments.

Priority-core habitat management areas – Areas of priority habitat management areas that are the most important breeding and nesting habitat.

Reclamation plans – Plans that guide the suite of actions taken within an area affected by human disturbance, the outcome of which is intended to change the condition of the disturbed area to meet pre-determined objectives and/or make it acceptable for certain defined resources (e.g., wildlife habitat, grazing, ecosystem function, etc.).

Residual impacts – Impacts from an implementation-level decision that remain after applying avoidance and minimization mitigation; also referred to as unavoidable impacts.

Restoration – Implementation of a set of actions that promotes plant community diversity and structure that allows plant communities to be more resilient to disturbance and invasive species over the long-term. The long-term goal is to create functional, high quality habitat that is occupied by the greater sage-grouse. The short-term goal may be to restore the landform, soils, and hydrology and increase the percentage of preferred vegetation, seeding of desired species, or treatment of undesired species.

Restriction/restrict – A limitation or constraint, not a prohibition, on public land uses and operations. Restrictions can be of any kind but most commonly apply to certain types of vehicle use, temporal and/or spatial constraints, or certain authorizations.

Right-of-way – Land authorized to be used or occupied for the construction, operation, maintenance, and termination of a project or facility passing over, upon, under, or through such land.

Road or trail – A road or trail wholly or partly within or adjacent to and serving the National Forest System that the Forest Service determines is necessary for the protection, administration, and utilization of the National Forest System and the use and development of its resources.

Road maintenance level – Defines the level of service provided by and maintenance required for a specific road, consistent with road management objectives and maintenance criteria. There are five maintenance levels:

Level 1: Assigned to intermittent service roads during the time they are closed to vehicular traffic. The closure period is 1 year or longer. Basic custodial maintenance is performed.

Level 2: Assigned to roads open for use by high-clearance vehicles. Passenger car traffic is not a consideration.

Level 3: Assigned to roads open and maintained for travel by a prudent driver in a standard passenger car. User comfort and convenience are not considered priorities.

Level 4: Assigned to roads that provide a moderate degree of user comfort and convenience at moderate travel speeds.

Level 5: Assigned to roads that provide a high degree of user comfort and convenience. Normally, roads are double-lane and paved or aggregate-surfaced with dust abatement.

Sagebrush focal areas – Areas identified by the U.S. Fish and Wildlife Service that represent recognized “strongholds” for the greater sage-grouse that have been noted and referenced as having the highest densities of greater sage-grouse and other criteria important for the persistence of the species.

Soft triggers – An intermediate threshold indicating that management changes are needed at the implementation level to address habitat or population losses.

Special-use authorization – A written permit, term permit, lease, or easement that authorizes use or occupancy of National Forest System lands and specifies the terms and conditions under which the use or occupancy may occur.

Stipulation (general) – A term or condition in an agreement, contract, or written authorization.

Stipulation (oil and gas) – A provision that modifies standard lease rights and is attached to and made a part of the lease. Lease stipulations include No Surface Occupancy, Timing Limitations, and Controlled Surface Use.

Surface disturbing activities – Actions that alter the vegetation, surface/near surface soil resources, and/or surface geologic features beyond natural site conditions and on a scale that affects other public land values. Examples of surface disturbing activities may include operation of heavy equipment to construct well pads, roads, pits, and reservoirs; installation of pipelines and power lines; maintenance activities; and several types of vegetation treatments (e.g., prescribed fire, etc.). Surface disturbing activities may be restricted, not allowed, or not authorized.

Surface occupancy – Placement or construction on the land surface of semi-permanent or permanent facilities requiring continual service or maintenance. Casual use is not included.

Surface use – Activities that may be present on the surface or near-surface (e.g., pipelines) of public lands. When administered as a use restriction (e.g., No Surface Occupancy), this phrase prohibits all but specified resource uses and activities in a certain area to protect particular sensitive resource values and property. This designation typically applies to small acreage sensitive resource sites (e.g., plant community study enclosure, etc.) and/or administrative sites (e.g., government ware-yard, etc.) where only authorized agency personnel are admitted.

Tall structures – A wide array of infrastructures (e.g., poles that support lights, telephone, and electrical distribution; communication towers; meteorological towers; high-tension transmission towers; and wind turbines) that have the potential to disrupt lekking or nesting birds by creating new perching/nesting opportunities and/or decreasing the use of an area. A determination as to whether something is considered a tall structure would be based on local conditions such as vegetation or topography.

Technically/economically feasible – Actions that are practical or feasible from the technical and economic standpoint and using common sense rather than simply desirable from the standpoint of the applicant. It is the Forest Service's responsibility to determine what actions are technically and economically feasible based on a review of the applicant's rationale and the available best science. The Forest Service will consider whether implementation of the proposed action is likely given past and current practice and technology; this consideration does not necessarily require a cost-benefit analysis or speculation about an applicant's costs and profit.

Temporary special-use permit – A type of permit that terminates within 1 year or less after the approval date. All other provisions applicable to permits apply fully to temporary permits. Temporary special-use permits are issued for seasonal or short-duration uses involving minimal improvement and investment.

Term permit – An authorization to occupy and use National Forest System lands other than rights-of-way for a specified period that is both revocable and compensable according to its terms.

Timely – The conservation benefits from compensatory mitigation accruing as early as possible or before impacts have begun.

Timing Limitations – A moderate constraint, applicable to fluid mineral leasing, on all activities associated with fluid mineral leasing (e.g., truck-mounted drilling and geophysical exploration equipment off designated routes; construction of wells and/or pads); and other surface disturbing activities (i.e., those not related to fluid mineral leasing). Areas identified for Timing Limitations are closed to fluid mineral exploration and development; surface-disturbing activities; and intensive human activity during identified timeframes. This stipulation does not apply to operation and basic maintenance activities, including associated vehicle travel, unless otherwise specified. Construction, drilling, completions, and other operations considered to be intensive in nature are not allowed. Intensive maintenance, such as workovers on wells, is not permitted. Timing Limitations can overlap spatially with No Surface Occupancy and Controlled Surface Use, as well as with areas that have no other restrictions.

Transmission line – An electrical utility line with a capacity greater than or equal to 100kV or a natural gas, hydrogen, or water pipeline greater than or equal to 24” in diameter.

Utility-scale and/or commercial energy development – A project that is capable of producing 20 or more megawatts of electricity for distribution to customers through the electricity-transmission-grid system.

Valid existing rights – Documented legal rights or interests in the land that allow a person or entity to use said land for a specific purpose and that are still in effect. Such rights include but are not limited to fee title ownership, mineral rights, and easements. Such rights may have been reserved, acquired, granted, permitted, or otherwise authorized under various statutes of law over time.

Vegetation treatments – Management practices that are designed to maintain current vegetation structure or change the vegetation structure to a different stage of development. Vegetation treatment methods may include managed fire, prescribed fire, chemical, mechanical, and seeding.

Waived without preference – A permittee waives a term grazing permit to the United States without identifying a preferred applicant (i.e., a third party that has purchased either permitted livestock, base property, or both).

Waiver (oil and gas) – Permanent exemption from a lease stipulation. The stipulation no longer applies anywhere within the leasehold.

West Nile virus – A virus that is found in temperate and tropical regions of the world and most commonly transmitted by mosquitoes. West Nile virus can cause flu-like symptoms in humans and can be lethal to birds, including the greater sage-grouse.

Wildfire suppression – An appropriate management response to wildfire or prescribed fire that results in curtailment of fire spread and eliminates all identified threats from the particular fire.

Winter concentration areas – Greater sage-grouse winter habitats that are occupied annually by the greater sage-grouse and provide sufficient sagebrush cover and food to support birds throughout the entire winter (especially periods with above-average snow cover). Many of these areas support several different breeding populations of the greater sage-grouse. The greater sage-grouse typically show high fidelity for these areas, and loss or fragmentation can result in significant population impacts.

Withdrawal (land) – Withholding an area of federal land from settlement, sale, location, or entry under some or all of the general land laws, including the mining and mineral leasing laws, for the purpose of limiting activities under those laws to maintain other public values in the area or for reserving the area for a particular public purpose or program.

APPENDIX A – GREATER SAGE-GROUSE MONITORING FRAMEWORK

Developed by the Interagency
Greater Sage-Grouse
Disturbance and Monitoring Subteam

BUREAU OF LAND MANAGEMENT
U.S. FOREST SERVICE

May 30, 2014

INTRODUCTION

The purpose of this BLM and Forest Service Greater Sage-Grouse Monitoring Framework (hereafter, monitoring framework) is to describe the methods to monitor habitats and evaluate the implementation and effectiveness of the BLM's national planning strategy (attachment to BLM Instruction Memorandum 2012-044), the BLM RMPs and the Forest Service's LMPs to conserve the species and its habitat. The regulations for the BLM (43 CFR 1610.4-9) and the Forest Service (36 CFR part 209, published July 1, 2010) require that land use plans establish intervals and standards, as appropriate, for monitoring and evaluations based on the sensitivity of the resource to the decisions involved. Therefore, the BLM and the Forest Service will use the methods described herein to collect monitoring data and to evaluate implementation and effectiveness of the Greater Sage-Grouse (GRSG) (hereafter, sage-grouse) planning strategy and the conservation measures contained in their respective land use plans (LUPs). A monitoring plan specific to the EIS, land use plan, or field office will be developed after the ROD is signed. For a summary of the frequency of reporting, see Attachment A, An Overview of Monitoring Commitments. Adaptive management will be informed by data collected at any and all scales.


To ensure that the BLM and the Forest Service are able to make consistent assessments about sage-grouse habitats across the range of the species, this framework lays out the methodology—at multiple scales—for monitoring of implementation and disturbance and for evaluating the effectiveness of BLM and Forest Service actions to conserve the species and its habitat. Monitoring efforts will include data for measurable quantitative indicators of sagebrush availability, anthropogenic disturbance levels, and sagebrush conditions. Implementation monitoring results will allow the BLM and the Forest Service to evaluate the extent that decisions from their LUPs to conserve sage-grouse and their habitat have been implemented. State fish and wildlife agencies will collect population monitoring information, which will be incorporated into effectiveness monitoring as it is made available.

This multiscale monitoring approach is necessary, as sage-grouse are a landscape species and conservation is scale-dependent to the extent that conservation actions are implemented within seasonal habitats to benefit populations. The four orders of habitat selection (Johnson 1980) used in this monitoring framework are described by Connelly et al. (2003) and were applied specifically to the scales of sage-grouse habitat selection by Stiver et al. (in press) as first order (broad scale), second order (mid scale), third order (fine scale), and fourth order (site scale).

Habitat selection and habitat use by sage-grouse occur at multiple scales and are driven by multiple environmental and behavioral factors. Managing and monitoring sage-grouse habitats are complicated by the differences in habitat selection across the range and habitat use by individual birds within a given season. Therefore, the tendency to look at a single indicator of habitat suitability or only one scale limits managers' ability to identify the threats to sage-grouse and to respond at the appropriate scale. For descriptions of these habitat suitability indicators for each scale, see "Sage-Grouse Habitat Assessment Framework: Multiscale Habitat Assessment Tool" (HAF; Stiver et al. in press).




Monitoring methods and indicators in this monitoring framework are derived from the current peer-reviewed science. Rangewide, best available datasets for broad- and mid-scale monitoring will

be acquired. If these existing datasets are not readily available or are inadequate, but they are necessary to inform the indicators of sagebrush availability, anthropogenic disturbance levels, and sagebrush conditions, the BLM and the Forest Service will strive to develop datasets or obtain information to fill these data gaps. Datasets that are not readily available to inform the fine- and site-scale indicators will be developed. These data will be used to generate monitoring reports at the appropriate and applicable geographic scales, boundaries, and analysis units: across the range of sage-grouse as defined by Schroeder et al. (2004), and clipped by Western Association of Fish and Wildlife Agencies (WAFWA) Management Zone (MZ) (Stiver et al. 2006) boundaries and other areas as appropriate for size (e.g., populations based on Connelly et al. 2004). (See Figure 1, Map of Greater Sage-Grouse range, populations, subpopulations, and Priority Areas for Conservation as of 2013.) This broad- and mid-scale monitoring data and analysis will provide context for RMP/LMP areas; states; GRSG Priority Habitat, General Habitat, and other sage- grouse designated management areas; and Priority Areas for Conservation (PACs), as defined in “Greater Sage-grouse (*Centrocercus urophasianus*) Conservation Objectives: Final Report” (Conservation Objectives Team [COT] 2013). Hereafter, all of these areas will be referred to as “sage-grouse areas.”



GRSG PACs, Subpopulations and Populations

LEGEND

-  Subpopulations
-  COT PACs
-  Populations

Sources:
 Current Range: Schroeder et al., 2004
 Populations: Connelly et al., 2004
 Subpopulations: Connelly et al., 2004
 PACs: USFWS COT Report, 2013

Figure 1. Map of Greater Sage-Grouse range, populations, subpopulations, and Priority Areas for Conservation as of 2013.

This monitoring framework is divided into two sections. The broad- and mid-scale methods , described in Section I, provide a consistent approach across the range of the species to monitor implementation decisions and actions, mid-scale habitat attributes (e.g., sagebrush availability and habitat degradation), and population changes to determine the effectiveness of the planning strategy and management decisions. (See Table 1, Indicators for monitoring implementation of the national planning strategy, RMP/LMP decisions, sage-grouse habitat, and sage-grouse populations at the broad and mid scales.) For sage-grouse habitat at the fine and site scales, described in Section II, this monitoring framework describes a consistent approach (e.g., indicators and methods) for monitoring sage-grouse seasonal habitats. Funding, support, and dedicated personnel for broad- and mid-scale monitoring will be renewed annually through the normal budget process. For an overview of BLM and Forest Service multiscale monitoring commitments, see Attachment A.

Table 1. *Indicators for monitoring implementation of the national planning strategy, RMP/LMP decisions, sage-grouse habitat, and sage-grouse populations at the broad and mid scales.*

Implementation		Habitat		Population (State Wildlife Agencies)
Geographic Scales		Availability	Degradation	Demographics
Broad Scale: From the range of sage-grouse to WAFWA Management Zones	BLM/Forest Service National planning strategy goal and objectives	Distribution and amount of sagebrush within the range	Distribution and amount of energy, mining, and infrastructure facilities	WAFWA Management Zone population trend
Mid Scale: From WAFWA Management Zone to populations ; PACs	RMP/LMP decisions	Mid-scale habitat indicators (HAF; Table 2 herein, e.g., percent of sagebrush per unit area)	Distribution and amount of energy, mining, and infrastructure facilities (Table 2 herein)	Individual population trend

I. BROAD AND MID SCALES

First-order habitat selection, the broad scale, describes the physical or geographical range of a species. The first-order habitat of the sage-grouse is defined by populations of sage-grouse associated with sagebrush landscapes, based on Schroeder et al. 2004, and Connelly et al. 2004, and on population or habitat surveys since 2004. An intermediate scale between the broad and mid scales was delineated by WAFWA from floristic provinces within which similar environmental factors influence vegetation communities. This scale is referred to as the WAFWA Sage-Grouse Management Zones (MZs). Although no indicators are specific to this scale, these MZs are biologically meaningful as reporting units.

Second-order habitat selection, the mid-scale, includes sage-grouse populations and PACs. The second order includes at least 40 discrete populations and subpopulations (Connelly et al. 2004). Populations range in area from 150 to 60,000 mi² and are nested within MZs. PACs range from 20 to 20,400 mi² and are nested within population areas.

Other mid-scale landscape indicators, such as patch size and number, patch connectivity, linkage areas, and landscape matrix and edge effects (Stiver et al. in press) will also be assessed. The methods used to calculate these metrics will be derived from existing literature (Knick et al. 2011, Leu and Hanser 2011, Knick and Hanser 2011).

A. Implementation (Decision) Monitoring

Implementation monitoring is the process of tracking and documenting the implementation (or the progress toward implementation) of RMP/LMP decisions. The BLM and the Forest Service will monitor implementation of project-level and/or site-specific actions and authorizations, with their associated conditions of approval/stipulations for sage-grouse, spatially (as appropriate) within Priority Habitat, General Habitat, and other sage-grouse designated management areas, at a minimum, for the planning area. These actions and authorizations, as well as progress toward completing and implementing activity-level plans, will be monitored consistently across all planning units and will be reported to BLM and Forest Service headquarters annually, with a summary report every 5 years, for the planning area. A national-level GRSG Land Use Plan Decision Monitoring and Reporting Tool is being developed to describe how the BLM and the Forest Service will consistently and systematically monitor and report implementation-level activity plans and implementation actions for all plans within the range of sage-grouse. A description of this tool for collection and reporting of tabular and spatially explicit data will be included in the ROD or approved plan. The BLM and the Forest Service will provide data that can be integrated with other conservation efforts conducted by state and federal partners.

B. Habitat Monitoring

The USFWS in its 2010 listing decision for the sage-grouse, identified 18 threats contributing to the destruction, modification, or curtailment of sage-grouse habitat or range (75 FR 13910 2010). The BLM and the Forest Service will, therefore, monitor the relative extent of these threats that remove sagebrush, both spatially and temporally, on all lands within an analysis area, and will report on amount, pattern, and condition at the appropriate and applicable geographic scales and boundaries. These 18 threats have been aggregated into three broad- and mid-scale measures to account for whether the threat predominantly removes sagebrush or degrades habitat. (See Table 2, Relationship between the 18 threats and the three habitat disturbance measures for monitoring.) The three measures are:

Measure 1: Sagebrush Availability (percent of sagebrush per unit area)

Measure 2: Habitat Degradation (percent of human activity per unit area)

Measure 3: Energy and Mining Density (facilities and locations per unit area)

These three habitat disturbance measures will evaluate disturbance on all lands, regardless of land ownership. The direct area of influence will be assessed with the goal of accounting for actual removal of sagebrush on which sage-grouse depend (Connelly et al. 2000) and for habitat degradation as a surrogate for human activity. Measure 1 (sagebrush availability) examines where disturbances have removed plant communities that support sagebrush (or have broadly removed sagebrush from the landscape). Measure 1, therefore, monitors the change in sagebrush availability—or, specifically, where and how much of the sagebrush community is available within the range of sage-grouse. The sagebrush community is defined as the ecological systems that have the capability of supporting sagebrush vegetation and seasonal sage-grouse habitats within the range of sage-grouse (see Section I.B.1., Sagebrush Availability). Measure 2 (see Section I.B.2., Habitat Degradation Monitoring) and Measure 3 (see Section I.B.3., Energy and Mining Density) focus on where habitat degradation is occurring by using the footprint/area of direct disturbance and the number of facilities at the mid scale to identify the relative amount of degradation per geographic area of interest and in areas that have the capability of supporting sagebrush and seasonal sage-grouse use. Measure 2 (habitat degradation) not only quantifies footprint/area of direct disturbance but also establishes a surrogate for those threats most likely to have ongoing activity. Because energy development and mining activities are typically the most intensive activities in sagebrush habitat, Measure 3 (the density of active energy development, production, and mining sites) will help identify areas of particular concern for such factors as noise, dust, traffic, etc. that degrade sage-grouse habitat.

Table 2. Relationship between the 18 threats and the three habitat disturbance measures for monitoring.

Note: Data availability may preclude specific analysis of individual layers. See the detailed methodology for more information.

USFWS Listing Decision Threat	Sagebrush Availability	Habitat Degradation	Energy and Mining Density
Agriculture	X		
Urbanization	X		
Wildfire	X		
Conifer encroachment	X		
Treatments	X		
Invasive Species	X		
Energy (oil and gas wells and development facilities)		X	X
Energy (coal mines)		X	X
Energy (wind towers)		X	X
Energy (solar fields)		X	X
Energy (geothermal)		X	X
Mining (active locatable, leasable, and saleable developments)		X	X
Infrastructure (roads)		X	
Infrastructure (railroads)		X	
Infrastructure (power lines)		X	
Infrastructure (communication towers)		X	
Infrastructure (other vertical structures)		X	
Other developed rights-of-way		X	

The methods to monitor disturbance found herein differ slightly from methods used in Manier et al. 2013, which provided a baseline environmental report (BER) of datasets of disturbance across jurisdictions. One difference is that, for some threats, the BER data were for federal lands only. In addition, threats were assessed individually, using different assumptions from those in this monitoring framework about how to quantify the location and magnitude of threats. The methodology herein builds on the BER methodology and identifies datasets and procedures to use the best available data across the range of the sage-grouse and to formulate a consistent approach to quantify impact of the threats through time. This methodology also describes an approach to combine the threats and calculate each of the three habitat disturbance measures.

1. Sagebrush Availability (Measure 1)

Sage-grouse populations have been found to be more resilient where a percentage of the landscape is maintained in sagebrush (Knick and Connelly 2011), which will be determined by sagebrush availability. Measure 1 has been divided into two submeasures to describe sagebrush availability on the landscape:

Measure 1a: the current amount of sagebrush on the geographic area of interest, and

Measure 1b: the amount of sagebrush on the geographic area of interest compared with the amount of sagebrush the landscape of interest could ecologically support.

Measure 1a (the current amount of sagebrush on the landscape) will be calculated using this formula: [the existing updated sagebrush layer] divided by [the geographic area of interest]. The appropriate geographic areas of interest for sagebrush availability include the species' range, WAFWA MZs, populations, and PACs. In some cases these sage-grouse areas will need to be aggregated to provide an estimate of sagebrush availability with an acceptable level of accuracy.

Measure 1b (the amount of sagebrush for context within the geographic area of interest) will be calculated using this formula: [existing sagebrush divided by [pre-EuroAmerican settlement geographic extent of lands that could have supported sagebrush]]. This measure will provide information to set the context for a given geographic area of interest during evaluations of monitoring data. The information could also be used to inform management options for restoration or mitigation and to inform effectiveness monitoring.

The sagebrush base layer for Measure 1 will be based on geospatial vegetation data adjusted for the threats listed in Table 2. The following subsections of this monitoring framework describe the methodology for determining both the current availability of sagebrush on the landscape and the context of the amount of sagebrush on the landscape at the broad and mid scales.

a. Establishing the Sagebrush Base Layer

The current geographic extent of sagebrush vegetation within the rangewide distribution of sage-grouse populations will be ascertained using the most recent version of the Existing Vegetation Type (EVT) layer in LANDFIRE (2013). LANDFIRE EVT was selected to serve as the sagebrush base layer for five reasons: 1) it is the only nationally consistent vegetation layer that has been updated multiple times since 2001; 2) the ecological systems classification within

LANDFIRE EVT includes multiple sagebrush type classes that, when aggregated, provide a more accurate (compared with individual classes) and seamless sagebrush base layer across jurisdictional boundaries; 3) LANDFIRE performed a rigorous accuracy assessment from which to derive the rangewide uncertainty of the sagebrush base layer; 4) LANDFIRE is consistently used in several recent analyses of sagebrush habitats (Knick et al. 2011, Leu and Hanser 2011, Knick and Hanser 2011); and 5) LANDFIRE EVT can be compared against the geographic extent of lands that are believed to have had the capability of supporting sagebrush vegetation pre-EuroAmerican settlement [LANDFIRE Biophysical Setting (BpS)]. This fifth reason provides a reference point for understanding how much sagebrush currently remains in a defined geographic area of interest compared with how much sagebrush existed historically (Measure 1b). Therefore, the BLM and the Forest Service have determined that LANDFIRE provides the best available data at broad and mid scales to serve as a sagebrush base layer for monitoring changes in the geographic extent of sagebrush. The BLM and the Forest Service, in addition to aggregating the sagebrush types into the sagebrush base layer, will aggregate the accuracy assessment reports from LANDFIRE to document the cumulative accuracy for the sagebrush base layer. The BLM—through its Assessment, Inventory, and Monitoring (AIM) program and, specifically, the BLM’s landscape monitoring framework (Taylor et al. 2014)—will provide field data to the LANDFIRE program to support continuous quality improvements of the LANDFIRE EVT layer. The sagebrush layer based on LANDFIRE EVT will allow for the mid-scale estimation of the existing percent of sagebrush across a variety of reporting units. This sagebrush base layer will be adjusted by changes in land cover and successful restoration for future calculations of sagebrush availability (Measures 1a and 1b).

This layer will also be used to determine the trend in other landscape indicators, such as patch size and number, patch connectivity, linkage areas, and landscape matrix and edge effects (Stiver et al. *in press*). In the future, changes in sagebrush availability, generated annually, will be included in the sagebrush base layer. The landscape metrics will be recalculated to examine changes in pattern and abundance of sagebrush at the various geographic boundaries. This information will be included in effectiveness monitoring (See Section I.D., Effectiveness Monitoring).

Within the Forest Service and the BLM, forest-wide and field office-wide existing vegetation classification mapping and inventories are available that provide a much finer level of data than what is provided through LANDFIRE. Where available, these finer-scale products will be useful for additional and complementary mid-scale indicators and local-scale analyses (see Section II Fine and Site Scales). The fact that these products are not available everywhere limits their utility for monitoring at the broad and mid scale, where consistency of data products is necessary across broader geographies.

i. Data Sources for Establishing and Monitoring Sagebrush Availability

There were three criteria for selecting the datasets for establishing and monitoring the change in sagebrush availability (Measure 1):

- Nationally consistent dataset available across the range
- Known level of confidence or accuracy in the dataset

- Continual maintenance of dataset and known update interval

Datasets meeting these criteria are listed in Table 3, Datasets for establishing and monitoring changes in sagebrush availability.

ii. LANDFIRE Existing Vegetation Type (EVT) Version 1.2

LANDFIRE EVT represents existing vegetation types on the landscape derived from remote sensing data. Initial mapping was conducted using imagery collected in approximately 2001. Since the initial mapping there have been two update efforts: version 1.1 represents changes before 2008, and version 1.2 reflects changes on the landscape before 2010. Version 1.2 will be used as the starting point to develop the sagebrush base layer.

Sage-grouse subject matter experts determined which of the ecological systems from the LANDFIRE EVT to use in the sagebrush base layer by identifying the ecological systems that have the capability of supporting sagebrush vegetation and that could provide suitable seasonal habitat for the sage-grouse. (See Table 4, Ecological systems in BpS and EVT capable of supporting sagebrush vegetation and capable of providing suitable seasonal habitat for Greater Sage-Grouse.) Two additional vegetation types that are not ecological systems were added to the EVT: *Artemisia tridentata* ssp. *vaseyana* Shrubland Alliance and *Quercus gambelii* Shrubland Alliance. These alliances have species composition directly related to the Rocky Mountain Lower Montane-Foothill Shrubland ecological system and the Rocky Mountain Gambel Oak- Mixed Montane Shrubland ecological system, both of which are ecological systems in LANDFIRE BpS. In LANDFIRE EVT, however, in some map zones, the Rocky Mountain Lower Montane-Foothill Shrubland ecological system and the Rocky Mountain Gambel Oak- Mixed Montane Shrubland ecological system were named *Artemisia tridentata* ssp. *vaseyana* Shrubland Alliance and *Quercus gambelii* Shrubland Alliance, respectively

Table 3. Datasets for establishing and monitoring changes in sagebrush availability.

Dataset	Source	Update Interval	Most Recent Version Year	Use
BioPhysical Setting v1.1	LANDFIRE	Static	2008	Denominator for sagebrush availability
Existing Vegetation Type	LANDFIRE	Static	2010	Numerator for sagebrush availability
Cropland Data Layer	National Agricultural Statistics Service	Annual	2012	Agricultural updates; removes existing sagebrush from numerator of sagebrush availability
National Land Cover Dataset Percent Imperviousness	Multi-Resolution Land Characteristics Consortium (MRLC)	5-Year	2011 (next available in 2016)	Urban area updates; removes existing sagebrush from numerator of sagebrush availability
Fire Perimeters	GeoMac	Annual	2013	< 1,000-acre fire updates; removes existing sagebrush from numerator of sagebrush availability
Burn Severity	Monitoring Trends in Burn Severity	Annual	2012 (2-year delay in data availability)	> 1,000-acre fire updates; removes existing sagebrush from numerator of sagebrush availability except for unburned sagebrush islands

Table 4. Ecological systems in BpS and EVT capable of supporting sagebrush vegetation and capable of providing suitable seasonal habitat for Greater Sage-Grouse.

Ecological System	Sagebrush Vegetation that the Ecological System has the Capability of Producing
Colorado Plateau Mixed Low Sagebrush Shrubland	<i>Artemisia arbuscula ssp. Longiloba</i> <i>Artemisia bigelovii</i> <i>Artemisia nova</i> <i>Artemisia frigida</i> <i>Artemisia tridentata ssp. wyomingensis</i>
Columbia Plateau Low Sagebrush Steppe	<i>Artemisia arbuscula</i> <i>Artemisia arbuscula ssp. Longiloba</i> <i>Artemisia nova</i>
Columbia Plateau Scabland Shrubland	<i>Artemisia rigida</i>
Columbia Plateau Steppe and Grassland	<i>Artemisia spp.</i>
Great Basin Xeric Mixed Sagebrush Shrubland	<i>Artemisia arbuscula ssp. Longicaulis</i> <i>Artemisia arbuscula ssp. longiloba</i> <i>Artemisia nova</i> <i>Artemisia tridentata ssp. wyomingensis</i>
Inter-Mountain Basins Big Sagebrush Shrubland	<i>Artemisia tridentata ssp. tridentata</i> <i>Artemisia tridentata ssp. Xericensis</i> <i>Artemisia tridentata ssp. Vaseyana</i> <i>Artemisia tridentata ssp. wyomingensis</i>
Inter-Mountain Basins Big Sagebrush Steppe	<i>Artemisia cana ssp. cana</i> <i>Artemisia tridentata ssp. tridentata</i> <i>Artemisia tridentata ssp. xericensis</i> <i>Artemisia tridentata ssp. wyomingensis</i> <i>Artemisia tripartita ssp. Tripartite</i> <i>Artemisia frigida</i>
Inter-Mountain Basins Curl-Leaf Mountain Mahogany Woodland and Shrubland	<i>Artemisia tridentata ssp. vaseyana</i> <i>Artemisia arbuscula</i> <i>Artemisia tridentata</i>
Inter-Mountain Basins Mixed Salt Desert Scrub	<i>Artemisia tridentata ssp. wyomingensis</i> <i>Artemisia spinescens</i>
Inter-Mountain Basins Montane Sagebrush Steppe	<i>Artemisia tridentata ssp. vaseyana</i> <i>Artemisia tridentata ssp. wyomingensis</i> <i>Artemisia nova</i> <i>Artemisia arbuscula</i> <i>Artemisia tridentata ssp. spiciformis</i>

Ecological System	Sagebrush Vegetation that the Ecological System has the Capability of Producing
Inter-Mountain Basins Semi-Desert Shrub- Steppe	<i>Artemisia tridentata</i> <i>Artemisia bigelovii</i> <i>Artemisia tridentata ssp. wyomingensis</i>
Northwestern Great Plains Mixed Grass Prairie	<i>Artemisia cana ssp. cana</i> <i>Artemisia tridentata ssp. vaseyana</i> <i>Artemisia frigida</i>
Northwestern Great Plains Shrubland	<i>Artemisia cana ssp. cana</i> <i>Artemisia tridentata ssp. tridentata</i> <i>Artemisia tridentata ssp. wyomingensis</i>
Rocky Mountain Gambel Oak-Mixed Montane Shrubland	<i>Artemisia tridentata</i>
Rocky Mountain Lower Montane-Foothill Shrubland	<i>Artemisia nova</i> <i>Artemisia tridentata</i> <i>Artemisia frigida</i>
Western Great Plains Floodplain Systems	<i>Artemisia cana ssp. cana</i>
Western Great Plains Sand Prairie	<i>Artemisia cana ssp. cana</i>
Wyoming Basins Dwarf Sagebrush Shrubland and Steppe	<i>Artemisia arbuscula ssp. longiloba</i> <i>Artemisia nova</i> <i>Artemisia tridentata ssp. wyomingensis</i> <i>Artemisia tripartita ssp. rupicola</i>
<i>Artemisia tridentata ssp. vaseyana</i> Shrubland Alliance (EVT only)	<i>Artemisia tridentata ssp. vaseyana</i>
<i>Quercus gambelii</i> Shrubland Alliance (EVT only)	<i>Artemisia tridentata</i>

iii. Accuracy and Appropriate Use of LANDFIRE Datasets

Because of concerns over the thematic accuracy of individual classes mapped by LANDFIRE, all ecological systems listed in Table 4 will be merged into one value that represents the sagebrush base layer. With all ecological systems aggregated, the combined accuracy of the sagebrush base layer (EVT) will be much greater than if all categories were treated separately.

LANDFIRE performed the original accuracy assessment of its EVT product on a map zone basis. There are 20 LANDFIRE map zones that cover the historical range of sage-grouse as defined by Schroeder (2004). (See Attachment B, User and Producer Accuracies for Aggregated Ecological Systems within LANDFIRE Map Zones.) The aggregated sagebrush base layer for monitoring had user accuracies ranging from 57.1% to 85.7% and producer accuracies ranging from 56.7% to 100%.

LANDFIRE EVT data are not designed to be used at a local level. In reports of the percent sagebrush statistic for the various reporting units (Measure 1a), the uncertainty of the percent sagebrush will increase as the size of the reporting unit gets smaller. LANDFIRE data should never be used at the 30m pixel level (900m² resolution of raster data) for any reporting. The smallest geographic extent for using the data to determine percent sagebrush is at the PAC level;

for the smallest PACs, the initial percent sagebrush estimate will have greater uncertainties compared with the much larger PACs.

iv. Agricultural Adjustments for the Sagebrush Base Layer

The dataset for the geographic extent of agricultural lands will come from the National Agricultural Statistics Service (NASS) Cropland Data Layer (CDL) (<http://www.nass.usda.gov/research/Cropland/Release/index.htm>). CDL data are generated annually, with estimated producer accuracies for “large area row crops ranging from the mid 80% to mid-90%,” depending on the state (http://www.nass.usda.gov/research/Cropland/sarsfaqs2.htm#Section3_18.0). Specific information on accuracy may be found on the NASS metadata website (<http://www.nass.usda.gov/research/Cropland/metadata/meta.htm>). CDL provided the only dataset that matches the three criteria (nationally consistent, known level of accuracy, and periodically updated) for use in this monitoring framework and represents the best available agricultural lands mapping product.

The CDL data contain both agricultural classes and nonagricultural classes. For this effort, and in the baseline environmental report (Manier et al. 2013), nonagricultural classes were removed from the original dataset. The excluded classes are:

Barren (65 & 131), Deciduous Forest (141), Developed/High Intensity (124), Developed/Low Intensity (122), Developed/Med Intensity (123), Developed/Open Space (121), Evergreen Forest (142), Grassland Herbaceous (171), Herbaceous Wetlands (195), Mixed Forest (143), OpenWater (83 & 111), Other Hay/Non Alfalfa

(37), Pasture/Hay (181), Pasture/Grass (62), Perennial Ice/Snow (112), Shrubland (64 & 152), Woody Wetlands (190).

The rule set for adjusting the sagebrush base layer for agricultural lands (and for updating the base layer for agricultural lands in the future) is that once an area is classified as agriculture in any year of the CDL, those pixels will remain out of the sagebrush base layer even if a new version of the CDL classifies that pixel as one of the nonagricultural classes listed above. The assumption is that even though individual pixels may be classified as a nonagricultural class in any given year, the pixel has not necessarily been restored to a natural sagebrush community that would be included in Table 4. A further assumption is that once an area has moved into agricultural use, it is unlikely that the area would be restored to sagebrush. Should that occur, however, the method and criteria for adding pixels back into the sagebrush base layer would follow those found in the sagebrush restoration monitoring section of this monitoring framework (see Section I.B.1.b., Monitoring Sagebrush Availability).

v. Urban Adjustments for the Sagebrush Base Layer

The National Land Cover Database (NLCD) (Fry et al. 2011) includes a percent imperviousness dataset that was selected as the best available dataset to be used for urban adjustments and monitoring. These data are generated on a 5-year cycle and are specifically designed to support monitoring efforts. Other datasets were evaluated and lacked the spatial specificity that was captured in the NLCD product. Any new impervious pixel in NLCD will be removed from the sagebrush base layer through the monitoring process. Although the impervious surface layer includes a number of impervious pixels outside of urban areas, this is acceptable for the adjustment and monitoring for two reasons. First, an evaluation of national urban area datasets did not reveal a layer that could be confidently used in conjunction with the NLCD product to screen impervious pixels outside of urban zones. This is because unincorporated urban areas were not being included, thus leaving large chunks of urban pixels unaccounted for in this rule set. Second, experimentation with setting a threshold on the percent imperviousness layer that would isolate rural features proved to be unsuccessful. No combination of values could be identified that would result in the consistent ability to limit impervious pixels outside urban areas. Therefore, to ensure consistency in the monitoring estimates, all impervious pixels will be used.

vi. Fire Adjustments for the Sagebrush Base Layer

Two datasets were selected for performing fire adjustments and updates: GeoMac fire perimeters and Monitoring Trends in Burn Severity (MTBS). An existing data standard in the BLM requires that all fires of more than 10 acres are to be reported to GeoMac; therefore, there will be many small fires of less than 10 acres that will not be accounted for in the adjustment and monitoring attributable to fire. Using fire perimeters from GeoMac, all sagebrush pixels falling within the perimeter of fires less than 1,000 acres will be used to adjust and monitor the sagebrush base layer.

For fires greater than 1,000 acres, MTBS was selected as a means to account for unburned sagebrush islands during the update process of the sagebrush base layer. The MTBS

program (<http://www.mtbs.gov>) is an ongoing, multiyear project to map fire severity and fire perimeters consistently across the United States. One of the burn severity classes within MTBS is an unburned to low-severity class. This burn severity class will be used to represent unburned islands of sagebrush within the fire perimeter for the sagebrush base layer. Areas within the other severity classes within the fire perimeter will be removed from the base sagebrush layer during the update process. Not all wildfires, however, have the same impacts on the recovery of sagebrush habitat, depending largely on soil moisture and temperature regimes. For example, cooler, moister sagebrush habitat has a higher potential for recovery or, if needed, restoration than does the warmer, dryer sagebrush habitat. These cooler, moister areas will likely be detected as sagebrush in future updates to LANDFIRE.

vii. Conifer Encroachment Adjustment for the Sagebrush Base Layer

Conifer encroachment into sagebrush vegetation reduces the spatial extent of sage-grouse habitat (Davies et al. 2011, Baruch-Mordo et al. 2013). Conifer species that show propensity for encroaching into sagebrush vegetation resulting in sage-grouse habitat loss include various juniper species, such as Utah juniper (*Juniperus osteosperma*), western juniper (*Juniperus occidentalis*), Rocky Mountain juniper (*Juniperus scopulorum*), pinyon species, including singleleaf pinyon (*Pinus monophylla*) and pinyon pine (*Pinus edulis*), ponderosa pine (*Pinus ponderosa*), lodgepole pine (*Pinus contorta*), and Douglas fir (*Pseudotsuga menziesii*) (Gruell et al. 1986, Grove et al. 2005, Davies et al. 2011).

A rule set for conifer encroachment was developed to adjust the sagebrush base layer. To capture the geographic extent of sagebrush that is likely to experience conifer encroachment, ecological systems within LANDFIRE EVT version 1.2 (NatureServe 2011) were identified if they had the capability of supporting both the conifer species (listed above) and sagebrush vegetation. Those ecological systems were deemed to be the plant communities with conifers most likely to encroach into sagebrush vegetation. (See Table 5, Ecological systems with conifers most likely to encroach into sagebrush vegetation.) Sagebrush vegetation was defined as including sagebrush species or subspecies that provide habitat for the Greater Sage-Grouse and that are included in the HAF. (See Attachment C, Sagebrush Species and Subspecies Included in the Selection Criteria for Building the EVT and BpS Layers.) An adjacency analysis was conducted to identify all sagebrush pixels that were directly adjacent to these conifer ecological systems, and these pixels were removed from the sagebrush base layer.

Table 5. Ecological systems with conifers most likely to encroach into sagebrush vegetation.

EVT Ecological Systems	Coniferous Species and Sagebrush Vegetation that the Ecological System has the Capability of Producing
Colorado Plateau Pinyon-Juniper Woodland	<i>Pinus edulis</i> <i>Juniperus osteosperma</i> <i>Artemisia tridentata</i> <i>Artemisia arbuscula</i> <i>Artemisia nova</i> <i>Artemisia tridentata ssp. tridentata</i> <i>Artemisia tridentata ssp. wyomingensis</i> <i>Artemisia tridentata ssp. vaseyana</i> <i>Artemisia bigelovii</i> <i>Artemisia pygmaea</i>
Columbia Plateau Western Juniper Woodland and Savanna	<i>Juniperus occidentalis</i> <i>Pinus ponderosa</i> <i>Artemisia tridentata</i> <i>Artemisia arbuscula</i> <i>Artemisia rigida</i> <i>Artemisia tridentata ssp. vaseyana</i>
East Cascades Oak-Ponderosa Pine Forest and Woodland	<i>Pinus ponderosa</i> <i>Pseudotsuga menziesii</i> <i>Artemisia tridentata</i> <i>Artemisia nova</i>
Great Basin Pinyon-Juniper Woodland	<i>Pinus monophylla</i> <i>Juniperus osteosperma</i> <i>Artemisia arbuscula</i> <i>Artemisia nova</i> <i>Artemisia tridentata</i> <i>Artemisia tridentata ssp. vaseyana</i>
Northern Rocky Mountain Ponderosa Pine Woodland and Savanna	<i>Pinus ponderosa</i> <i>Artemisia tridentata</i> <i>Artemisia arbuscula</i> <i>Artemisia tridentata ssp. vaseyana</i>
Rocky Mountain Foothill Limber Pine-Juniper Woodland	<i>Juniperus osteosperma</i> <i>Juniperus scopulorum</i> <i>Artemisia nova</i> <i>Artemisia tridentata</i>

EVT Ecological Systems	Coniferous Species and Sagebrush Vegetation that the Ecological System has the Capability of Producing
Rocky Mountain Poor-Site Lodgepole Pine Forest	<i>Pinus contorta</i> <i>Pseudotsuga menziesii</i> <i>Pinus ponderosa</i> <i>Artemisia tridentata</i>
Southern Rocky Mountain Pinyon-Juniper Woodland	<i>Pinus edulis</i> <i>Juniperus monosperma</i> <i>Artemisia bigelovii</i> <i>Artemisia tridentata</i> <i>Artemisia tridentata ssp. wyomingensis</i> <i>Artemisia tridentata ssp. vaseyana</i>
Southern Rocky Mountain Ponderosa Pine Woodland	<i>Pinus ponderosa</i> <i>Pseudotsuga menziesii</i> <i>Pinus edulis Pinus contorta Juniperus spp.</i> <i>Artemisia nova</i> <i>Artemisia tridentata</i> <i>Artemisia arbuscula</i> <i>Artemisia tridentata ssp. vaseyana</i>

viii. Invasive Annual Grasses Adjustments for the Sagebrush Base Layer

There are no invasive species datasets from 2010 to the present (beyond the LANDFIRE data) that meet the three criteria (nationally consistent, known level of accuracy, and periodically updated) for use in the determination of the sagebrush base layer. For a description of how invasive species land cover will be incorporated in the sagebrush base layer in the future, see Section I.B.1.b., Monitoring Sagebrush Availability.

ix. Sagebrush Restoration Adjustments for the Sagebrush Base Layer

There are no datasets from 2010 to the present that could provide additions to the sagebrush base layer from restoration treatments that meet the three criteria (nationally consistent, known level of accuracy, and periodically updated); therefore, no adjustments were made to the sagebrush base layer calculated from the LANDFIRE EVT (version 1.2) attributable to restoration activities since 2010. Successful restoration treatments before 2010 are assumed to have been captured in the LANDFIRE refresh.

b. Monitoring Sagebrush Availability

i. Monitoring Sagebrush Availability

Sagebrush availability will be updated annually by incorporating changes to the sagebrush base layer attributable to agriculture, urbanization, and wildfire. The monitoring schedule for the existing sagebrush base layer updates is as follows:

2010 Existing Sagebrush Base Layer = [Sagebrush EVT] minus [2006 Imperviousness Layer] minus [2009 and 2010 CDL] minus [2009/10 GeoMac Fires that are less than 1,000 acres] minus [2009/10 MTBS Fires that are greater than 1,000 acres, excluding unburned sagebrush islands within the perimeter] minus [Conifer Encroachment Layer]

2012 Existing Sagebrush Update = [2010 Existing Sagebrush Base Layer] minus [2011 Imperviousness Layer] minus [2011 and 2012 CDL] minus [2011/12 GeoMac Fires < 1,000 acres] minus [2011/12 MTBS Fires that are greater than 1,000 acres, excluding unburned sagebrush islands within the perimeter]

Monitoring Existing Sagebrush post 2012 = [Previous Existing Sagebrush Update Layer] minus [Imperviousness Layer (if new data are available)] minus [Next 2 years of CDL] minus [Next 2 years of GeoMac Fires < 1,000 acres] minus [Next 2 years of MTBS Fires that are greater than 1,000 acres, excluding unburned sagebrush islands within the perimeter] plus [restoration/monitoring data provided by the field]

ii. Monitoring Sagebrush Restoration

Restoration after fire, after agricultural conversion, after seedings of introduced grasses, or after treatments of pinyon pine and/or juniper are examples of updates to the sagebrush base layer that can add sagebrush vegetation back into sagebrush availability in the landscape. When restoration has been determined to be successful through rangewide, consistent, interagency fine- and site- scale monitoring, the polygonal data will be used to add sagebrush pixels back into the broad- and mid-scale sagebrush base layer.

iii. Measure 1b: Context for Monitoring the Amount of Sagebrush in a Geographic Area of Interest

Measure 1b describes the amount of sagebrush on the landscape of interest compared with the amount of sagebrush the landscape of interest could ecologically support. Areas with the potential to support sagebrush were derived from the BpS data layer that describes sagebrush pre-EuroAmerican settlement (v1.2 of LANDFIRE).

The identification and spatial locations of natural plant communities (vegetation) that are believed to have existed on the landscape (BpS) were constructed based on an approximation of the historical (pre-EuroAmerican settlement) disturbance regime and how the historical disturbance regime operated on the current biophysical environment. BpS is composed of map units that are based on NatureServe (2011) terrestrial ecological systems classification.

The ecological systems within BpS used for this monitoring framework are those ecological systems that are capable of supporting sagebrush vegetation and of providing seasonal habitat for sage-grouse (Table 4). Ecological systems selected included sagebrush species or subspecies that are included in the HAF and listed in Attachment C.

The BpS layer does not have an associated accuracy assessment, given the lack of any reference data. Visual inspection of the BpS data, however, reveals inconsistencies in the labeling of pixels among LANDFIRE map zones. The reason for these inconsistencies is that the rule sets used to map a given ecological system will vary among map zones based on different physical, biological, disturbance, and atmospheric regimes of the region. These variances can result in artificial edges in the map. Metrics will be calculated, however, at broad spatial scales using BpS potential vegetation type, not small groupings or individual pixels. Therefore, the magnitude of these observable errors in the BpS layer will be minor compared with the size of the reporting units. Since BpS will be used to identify broad landscape patterns of dominant vegetation, these inconsistencies will have only a minor impact on the percent sagebrush availability calculation. *As with the LANDFIRE EVT, LANDFIRE BpS data are not designed to be used at a local level.* LANDFIRE data should never be used at the 30m pixel level for reporting.

In conclusion, sagebrush availability data will be used to inform effectiveness monitoring and initiate adaptive management actions as necessary. The 2010 estimate of sagebrush availability will serve as the base year, and an updated estimate for 2012 will be reported in 2014 after all datasets become available. The 2012 estimate will capture changes attributable to wildfire, agriculture, and urban development. Subsequent updates will always include new fire and agricultural data and new urban data when available. Restoration data that meet the criteria for adding sagebrush areas back into the sagebrush base layer will be factored in as data allow.

Given data availability, there will be a 2-year lag (approximately) between when the estimate is generated and when the data used for the estimate become available (e.g., the 2014 sagebrush availability will be included in the 2016 estimate).

iv. Future Plans

Geospatial data used to generate the sagebrush base layer will be available through the BLM's EGIS web portal and geospatial gateway or through the authoritative data source. Legacy datasets will be preserved so that trends may be calculated. Additionally, accuracy assessment data for all source datasets will be provided on the portal either spatially, where applicable, or through the metadata. Accuracy assessment information was deemed vital to help users understand the limitation of the sagebrush estimates; it will be summarized spatially by map zone and will be included in the portal.

LANDFIRE plans to begin a remapping effort in 2015. This remapping has the potential to improve the overall quality of data products greatly, primarily through the use of higher-quality remote sensing datasets. Additionally, the BLM and the Multi-Resolution Land Characteristics Consortium (MRLC) are working to improve the accuracy of vegetation map products for broad- and mid-scale analyses through the Grass/Shrub mapping effort. The

Grass/Shrub mapping effort applies the Wyoming multiscale sagebrush habitat methodology (Homer et al. 2009) to depict spatially the fractional percent cover estimates for five components rangewide and West-wide.

These five components are percent cover of sagebrush vegetation, percent bare ground, percent herbaceous vegetation (grass and forbs combined), annual vegetation, and percent shrubs. A benefit of the design of these fractional cover maps is that they facilitate monitoring “within” class variation (e.g., examination of declining trend in sagebrush cover for individual pixels). This “within” class variation can serve as one indicator of sagebrush quality that cannot be derived from LANDFIRE’s EVT information. The Grass/Shrub mapping effort is not a substitute for fine-scale monitoring but will leverage fine-scale data to support the validation of the mapping products. An evaluation will be conducted to determine if either dataset is of great enough quality to warrant replacing the existing sagebrush layers. At the earliest, this evaluation will occur in 2018 or 2019, depending on data availability.

2. Habitat Degradation Monitoring (Measure 2)

The measure of habitat degradation will be calculated by combining the footprints of threats identified in Table 2. The footprint is defined as the direct area of influence of “active” energy and infrastructure; it is used as a surrogate for human activity. Although these analyses will try to summarize results at the aforementioned meaningful geographic areas of interest, some may be too small to report the metrics appropriately and may be combined (smaller populations, PACs within a population, etc.). Data sources for each threat are found in Table 6, Geospatial data sources for habitat degradation. Specific assumptions (inclusion criteria for data, width/area assumptions for point and line features, etc.) and methodology for each threat, and the combined measure, are detailed below. All datasets will be updated annually to monitor broad- and mid- scale year-to-year changes and to calculate trends in habitat degradation to inform adaptive management. A 5-year summary report will be provided to the USFWS.

a. Habitat Degradation Datasets and Assumptions

i. Energy (oil and gas wells and development facilities)

This dataset will compile information from three oil and gas databases: the proprietary IHS Enerdeq database, the BLM Automated Fluid Minerals Support System (AFMSS) database, and the proprietary Platts (a McGraw-Hill Financial Company) GIS Custom Data (hereafter, Platts) database of power plants. Point data from wells active within the last 10 years from IHS and producing wells from AFMSS will be considered as a 5-acre (2.0ha) direct area of influence centered on the well point, as recommended by the BLM WO-300 (Minerals and Realty Management). Plugged and abandoned wells will be removed if the date of well abandonment was before the first day of the reporting year (i.e., for the 2015 reporting year, a well must have been plugged and abandoned by 12/31/2014 to be removed). Platts oil and gas power plants data (subset to operational power plants) will also be included as a 5-acre (2.0ha) direct area of influence.

Additional Measure: Reclaimed Energy-related Degradation. This dataset will include those wells that have been plugged and abandoned. This measure thereby attempts to measure energy-related degradation that has been reclaimed but not necessarily fully restored to sage-grouse habitat. This measure will establish a baseline by using wells that have been plugged and abandoned within the last 10 years from the IHS and AFMSS datasets. Time lags for lek attendance in response to infrastructure have been documented to be delayed 2–10 years from energy development activities (Harju et al. 2010).

Reclamation actions may require 2 or more years from the Final Abandonment Notice. Sagebrush seedling establishment may take 6 or more years from the point of seeding, depending on such variables as annual precipitation, annual temperature, and soil type and depth (Pyke 2011). This 10-year period is conservative and assumes some level of habitat improvement 10 years after plugging. Research by Hemstrom et al. (2002), however, proposes an even longer period—more than 100 years—for recovery of sagebrush habitats, even with active restoration approaches. Direct area of influence will be considered 3 acres (1.2ha) (J. Perry, personal communication, February 12, 2014). This additional layer/measure could be used at the broad and mid scale to identify areas where sagebrush habitat and/or potential sagebrush habitat is likely still degraded. This layer/measure could also be used where further investigation at the fine or site scale would be warranted to: 1) quantify the level of reclamation already conducted, and 2) evaluate the amount of restoration still required for sagebrush habitat recovery. At a particular level (e.g., population, PACs), these areas and the reclamation efforts/success could be used to inform reclamation standards associated with future developments. Once these areas have transitioned from reclamation standards to meeting restoration standards, they can be added back into the sagebrush availability layer using the same methodology as described for adding restoration treatment areas lost to wildfire and agriculture conversion (see Monitoring Sagebrush Restoration in Section I.B.1.b., Monitoring Sagebrush Availability). This dataset will be updated annually from the IHS dataset.

ii. Energy (coal mines)

Currently, there is no comprehensive dataset available that identifies the footprint of active coal mining across all jurisdictions. Therefore, point and polygon datasets will be used each year to identify coal mining locations. Data sources will be identified and evaluated annually and will include at a minimum: BLM coal lease polygons, U.S. Energy Information Administration mine occurrence points, U.S. Office of Surface Mining Reclamation and Enforcement coal mining permit polygons (as available), and U.S. Geological Survey (USGS) Mineral Resources Data System mine occurrence points. These data will inform where active coal mining may be occurring. Additionally, coal power plant data from Platts power plants database (subset to operational power plants) will be included. Aerial imagery will then be used to digitize manually the active coal mining and coal power plants surface disturbance in or near these known occurrence areas. While the date of aerial imagery varies by scale, the most current data available from Esri and/or Google will be used to locate (generally at 1:50,000 and below) and digitize (generally at 1:10,000 and below) active coal mine and power plant direct area of influence. Coal mine location data source and imagery date will be documented for each digitized coal polygon at the time of creation.

Subsurface facility locations (polygon or point location as available) will also be collected if available, included in density calculations, and added to the active surface activity layer as appropriate (if an actual direct area of influence can be located).

iii. Energy (wind energy facilities)

This dataset will be a subset of the Federal Aviation Administration (FAA) Digital Obstacles point file. Points where “Type_” = “WINDMILL” will be included. Direct area of influence of these point features will be measured by converting to a polygon dataset as a direct area of influence of 3 acres (1.2ha) centered on each tower point. See the BLM’s “Wind Energy Development Programmatic Environmental Impact Statement” (BLM 2005). Additionally, Platts power plants database will be used for transformer stations associated with wind energy sites (subset to operational power plants), also with a 3-acre (1.2ha) direct area of influence.

iv. Energy (solar energy facilities)

This dataset will include solar plants as compiled with the Platts power plants database (subset to operational power plants). This database includes an attribute that indicates the operational capacity of each solar power plant. Total capacity at the power plant was based on ratings of the in-service unit(s), in megawatts. Direct area of influence polygons will be centered over each point feature representing 7.3ac (3.0ha) per megawatt of the stated operational capacity, per the report of the National Renewable Energy Laboratory (NREL), “Land-Use Requirements for Solar Power Plants in the United States” (Ong et al. 2013).

v. Energy (geothermal energy facilities)

This dataset will include geothermal wells in existence or under construction as compiled with the IHS wells database and power plants as compiled with the Platts database (subset to operational power plants). Direct area of influence of these point features will be measured by converting to a polygon dataset of 3 acres (1.2ha) centered on each well or power plant point.

vi. Mining (active developments; locatable, leasable, saleable)

This dataset will include active locatable mining locations as compiled with the proprietary InfoMine database. Aerial imagery will then be used to digitize manually the active mining surface disturbance in or near these known occurrence areas. While the date of aerial imagery varies by scale, the most current data available from Esri and/or Google will be used to locate (generally at 1:50,000 and below) and digitize (generally at 1:10,000 and below) active mine direct area of influence. Mine location data source and imagery date will be documented for each digitized polygon at the time of creation. Currently, there are no known compressive databases available for leasable or saleable mining sites beyond coal mines. Other data sources will be evaluated and used as they are identified or as they become available. Point data may be converted to polygons to represent direct area of influence unless actual surface disturbance is available.

vii. Infrastructure (roads)

This dataset will be compiled from the proprietary Esri Street Map Premium for ArcGIS. Dataset features that will be used are: Interstate Highways, Major Roads, and Surface

Streets to capture most paved and “crowned and ditched” roads while not including “two-track” and 4-wheel-drive routes. These minor roads, while not included in the broad- and mid-scale monitoring, may support a volume of traffic that can have deleterious effects on sage-grouse leks. It may be appropriate to consider the frequency and type of use of roads in a NEPA analysis for a proposed project. This fine- and site-scale analysis will require more site-specific data than is identified in this monitoring framework. The direct area of influence for roads will be represented by 240.2ft, 84.0ft, and 40.7ft (73.2m, 25.6m, and 12.4m) total widths centered on the line feature for Interstate Highways, Major Roads, and Surface Streets, respectively (Knick et al. 2011). The most current dataset will be used for each monitoring update. Note: This is a related but different dataset than what was used in BER (Manier et al. 2013). *Individual BLM/Forest Service planning units may use different road layers for fine- and site-scale monitoring.*

viii. Infrastructure (railroads)

This dataset will be a compilation from the Federal Railroad Administration Rail Lines of the USA dataset. Non-abandoned rail lines will be used; abandoned rail lines will not be used. The direct are of influence for railroads will be represented by a 30.8ft (9.4m) total width (Knick et al. 2011) centered on the non-abandoned railroad line feature.

ix. Infrastructure (power lines)

This line dataset will be derived from the proprietary Platts transmission lines database. Linear features in the dataset attributed as “buried” will be removed from the disturbance calculation. Only “In Service” lines will be used; “Proposed” lines will not be used. Direct area of influence will be determined by the kV designation: 1–199 kV (100ft/30.5m), 200–399 kV (150ft/45.7m), 400–699 kV (200ft/61.0m), and 700-or greater kV (250ft/76.2m) based on average right-of-way and structure widths, according to BLM WO-300 (Minerals and Realty Management).

x. Infrastructure (communication towers)

This point dataset will be compiled from the Federal Communications Commission (FCC) communication towers point file; all duplicate points will be removed. It will be converted to a polygon dataset by using a direct area of influence of 2.5 acres (1.0ha) centered on each communication tower point (Knick et al. 2011).

xi. Infrastructure (other vertical structures)

This point dataset will be compiled from the FAA’s Digital Obstacles point file. Points where “Type_” = “WINDMILL” will be removed. Duplicate points from the FCC communication towers point file will be removed. Remaining features will be converted to a polygon dataset using a direct area of influence of 2.5 acres (1.0ha) centered on each vertical structure point (Knick et al. 2011).

xii. Other Developed Rights-of-Way

Currently, no additional data sources for other rights-of-way have been identified; roads, power lines, railroads, pipelines, and other known linear features are represented in the categories described above. The newly purchased IHS data do contain pipeline information; however, this database does not currently distinguish between above-ground and

underground pipelines. If additional features representing human activities are identified, they will be added to monitoring reports using similar assumptions to those used with the threats described above.

b. Habitat Degradation Threat Combination and Calculation

The threats targeted for measuring human activity (Table 2) will be converted to direct area of influence polygons as described for each threat above. These threat polygon layers will be combined and features dissolved to create one overall polygon layer representing footprints of active human activity in the range of sage-grouse. Individual datasets, however, will be preserved to indicate which types of threats may be contributing to overall habitat degradation.

This measure has been divided into three submeasures to describe habitat degradation on the landscape. Percentages will be calculated as follows:

Measure 2a. Footprint by geographic area of interest: Divide area of the active/direct footprint by the total area of the geographic area of interest (% disturbance in geographic area of interest).

Measure 2b. Active/direct footprint by historical sagebrush potential: Divide area of the active footprint that coincides with areas with historical sagebrush potential (BpS calculation from habitat availability) within a given geographic area of interest by the total area with sagebrush potential within the geographic area of interest (% disturbance on potential historical sagebrush in geographic area of interest).

Measure 2c. Active/direct footprint by current sagebrush: Divide area of the active footprint that coincides with areas of existing sagebrush (EVT calculation from habitat availability) within a given geographic area of interest by the total area that is current sagebrush within the geographic area of interest (% disturbance on current sagebrush in geographic area of interest).

3. Energy and Mining Density (Measure 3)

The measure of density of energy and mining will be calculated by combining the locations of energy and mining threats identified in Table 2. This measure will provide an estimate of the intensity of human activity or the intensity of habitat degradation. The number of energy facilities and mining locations will be summed and divided by the area of meaningful geographic areas of interest to calculate density of these activities. Data sources for each threat are found in Table 6. Specific assumptions (inclusion criteria for data, width/area assumptions for point and line features, etc.) and methodology for each threat, and the combined measure, are detailed below. All datasets will be updated annually to monitor broad- and mid-scale year-to-year changes and 5-year (or longer) trends in habitat degradation.

Table 6. Geospatial data sources for habitat degradation (Measure 2).

Degradation Type	Subcategory	Data Source	Direct Area of Influence	Area Source
Energy (oil & gas)	Wells	IHS; BLM (AFMSS)	5.0ac (2.0ha)	BLM WO-300
	Power Plants	Platts (power plants)	5.0ac (2.0ha)	BLM WO-300
Energy (coal)	Mines	BLM; Forest Service; Office of Surface Mining Reclamation and Enforcement; USGS Mineral Resources Data System	Polygon area (digitized)	Esri/Google Imagery
	Power Plants	Platts (power plants)	Polygon area (digitized)	Esri Imagery
Energy (wind)	Wind Turbines	Federal Aviation Administration	3.0ac (1.2ha)	BLM WO-300
	Power Plants	Platts (power plants)	3.0ac (1.2ha)	BLM WO-300
Energy (solar)	Fields/Power Plants	Platts (power plants)	7.3ac (3.0ha)/MW	NREL
Energy (geothermal)	Wells	IHS	3.0ac (1.2ha)	BLM WO-300
	Power Plants	Platts (power plants)	Polygon area (digitized)	Esri Imagery
Mining	Locatable Developments	InfoMine	Polygon area (digitized)	Esri Imagery
Infrastructure (roads)	Surface Streets (Minor Roads)	Esri StreetMap Premium	40.7ft (12.4m)	USGS
	Major Roads	Esri StreetMap Premium	84.0ft (25.6m)	USGS
	Interstate Highways	Esri StreetMap Premium	240.2ft (73.2m)	USGS
Infrastructure (railroads)	Active Lines	Federal Railroad Administration	30.8ft (9.4m)	USGS
Infrastructure (power lines)	1-199kV Lines	Platts (transmission lines)	100ft (30.5m)	BLM WO-300
	200-399 kV Lines	Platts (transmission lines)	150ft (45.7m)	BLM WO-300
	400-699kV Lines	Platts (transmission lines)	200ft (61.0m)	BLM WO-300
	700+kV Lines	Platts (transmission lines)	250ft (76.2m)	BLM WO-300
Infrastructure (communication)	Towers	Federal Communications Commission	2.5ac (1.0ha)	BLM WO-300

a. Energy and Mining Density Datasets and Assumptions

i. Energy (oil and gas wells and development facilities)

(See Section I.B.2., Habitat Degradation Monitoring.)

ii. Energy (coal mines)

(See Section I.B.2., Habitat Degradation Monitoring.)

iii. Energy (wind energy facilities)

(See Section I.B.2., Habitat Degradation Monitoring.)

iv. Energy (solar energy facilities)

(See Section I.B.2., Habitat Degradation Monitoring.)

v. Energy (geothermal energy facilities)

(See Section I.B.2., Habitat Degradation Monitoring.)

vi. Mining (active developments; locatable, leasable, saleable)

(See Section I.B.2., Habitat Degradation Monitoring.)

b. Energy and Mining Density Threat Combination and Calculation

Datasets for energy and mining will be collected in two primary forms: point locations (e.g., wells) and polygon areas (e.g., surface coal mining). The following rule set will be used to calculate density for meaningful geographic areas of interest including standard grids and per polygon:

1. Point locations will be preserved; no additional points will be removed beyond the methodology described above. Energy facilities in close proximity (an oil well close to a wind tower) will be retained.
2. Polygons will not be merged, or features further dissolved. Thus, overlapping facilities will be retained, such that each individual threat will be a separate polygon data input for the density calculation.
3. The analysis unit (polygon or 640-acre section in a grid) will be the basis for counting the number of mining or energy facilities per unit area. Within the analysis unit, all point features will be summed, and any individual polygons will be counted as one (e.g., a coal mine will be counted as one facility within population). Where polygon features overlap multiple units (polygons or pixels), the facility will be counted as one in each unit where the polygon occurs (e.g., a polygon crossing multiple 640-acre sections would be counted as one in each 640-acre section for a density per 640-acre-section calculation).
4. In methodologies with different-sized units (e.g., MZs, populations, etc.) raw facility counts will be converted to densities by dividing the raw facility counts by the total area of the unit. Typically this will be measured as facilities per 640 acres.

5. For uniform grids, raw facility counts will be reported. Typically this number will also be converted to facilities per 640 acres.
6. Reporting may include summaries beyond the simple ones above. Zonal statistics may be used to smooth smaller grids to help display and convey information about areas within meaningful geographic areas of interest that have high levels of energy and/or mining activity.
7. Additional statistics for each defined unit may also include adjusting the area to include only the area with the historical potential for sagebrush (BpS) or areas currently sagebrush (EVT).

Individual datasets and threat combination datasets for habitat degradation will be available through the BLM's EGIS web portal and geospatial gateway. Legacy datasets will be preserved so that trends may be calculated.

C. Population (Demographics) Monitoring

State wildlife management agencies are responsible for monitoring sage-grouse populations within their respective states. WAFWA will coordinate this collection of annual population data by state agencies. These data will be made available to the BLM according to the terms of the forthcoming Greater Sage-Grouse Population Monitoring Memorandum of Understanding (MOU) (2014) between WAFWA and the BLM. The MOU outlines a process, timeline, and responsibilities for regular data sharing of sage-grouse population and/or habitat information for the purposes of implementing sage-grouse LUPs/amendments and subsequent effectiveness monitoring. Population areas were refined from the “Greater Sage-grouse (*Centrocercus urophasianus*) Conservation Objectives: Final Report” (COT 2013) by individual state wildlife agencies to create a consistent naming nomenclature for future data analyses. These population data will be used for analysis at the applicable scale to supplement habitat effectiveness monitoring of management actions and to inform the adaptive management responses.

D. Effectiveness Monitoring

Effectiveness monitoring will provide the data needed to evaluate BLM and Forest Service actions toward reaching the objective of the national planning strategy (BLM IM 2012-044)—to conserve sage-grouse populations and their habitat—and the objectives for the land use planning area. Effectiveness monitoring methods described here will encompass multiple larger scales, from areas as large as the WAFWA MZ to the scale of this LUP. Effectiveness data used for these larger-scale evaluations will include all lands in the area of interest, regardless of surface ownership/management, and will help inform where finer-scale evaluations are needed, such as population areas smaller than an LUP or PACs within an LUP (described in Section II, Fine and Site Scales). Data will also include the trend of disturbance within these areas of interest to inform the need to initiate adaptive management responses as described in the land use plan.

Effectiveness monitoring reported for these larger areas provides the context to conduct effectiveness monitoring at finer scales. This approach also helps focus scarce resources to areas experiencing habitat loss, degradation, or population declines, without excluding the possibility of concurrent, finer-scale evaluations as needed where habitat or population anomalies have been identified through some other means.

To determine the effectiveness of the sage-grouse national planning strategy, the BLM and the Forest Service will evaluate the answers to the following questions and prepare a broad- and mid-scale effectiveness report:

1. Sagebrush Availability and Condition:
 - a. What is the amount of sagebrush availability and the change in the amount and condition of sagebrush?
 - b. What is the existing amount of sagebrush on the landscape and the change in the amount relative to the pre-EuroAmerican historical distribution of sagebrush (BpS)?

- c. What is the trend and condition of the indicators describing sagebrush characteristics important to sage-grouse?
2. Habitat Degradation and Intensity of Activities:
 - a. What is the amount of habitat degradation and the change in that amount?
 - b. What is the intensity of activities and the change in the intensity?
 - c. What is the amount of reclaimed energy-related degradation and the change in the amount?
3. What is the population estimation of sage-grouse and the change in the population estimation?
4. How are the BLM and the Forest Service contributing to changes in the amount of sagebrush?
5. How are the BLM and the Forest Service contributing to disturbance?

The compilation of broad- and mid-scale data (and population trends as available) into an effectiveness monitoring report will occur on a 5-year reporting schedule (see Attachment A), which may be accelerated to respond to critical emerging issues (in consultation with the USFWS and state wildlife agencies). In addition, effectiveness monitoring results will be used to identify emerging issues and research needs and inform the BLM and the Forest Service adaptive management strategy (see the adaptive management section of this EIS).

To determine the effectiveness of the sage-grouse objectives of the land use plan, the BLM and the Forest Service will evaluate the answers to the following questions and prepare a plan effectiveness report:

1. Is this plan meeting the sage-grouse habitat objectives?
2. Are sage-grouse areas within the LUP meeting, or making progress toward meeting, land health standards, including the Special Status Species/wildlife habitat standard?
3. Is the plan meeting the disturbance objective(s) within sage-grouse areas?
4. Are the sage-grouse populations within this plan boundary and within the sage-grouse areas increasing, stable, or declining?

The effectiveness monitoring report for this LUP will occur on a 5-year reporting schedule (see Attachment A) or more often if habitat or population anomalies indicate the need for an evaluation to facilitate adaptive management or respond to critical emerging issues. Data will be made available through the BLM's EGIS web portal and the geospatial gateway.

1. Methods

At the broad and mid scales (PACs and above) the BLM and the Forest Service will summarize the vegetation, disturbance, and (when available) population data. Although the analysis will try to summarize results for PACs within each sage-grouse population, some populations may be too small to report the metrics appropriately and may need to be combined to provide an estimate with an acceptable level of accuracy. Otherwise, they will be flagged for more intensive monitoring by the appropriate landowner or agency. The BLM and the Forest Service will then analyze monitoring data to detect the trend in the amount of sagebrush; the condition of the vegetation in the sage-grouse areas (MacKinnon et al. 2011); the trend in the amount of disturbance; the change in disturbed areas owing to successful restoration; and the amount of new disturbance the BLM and/or the Forest Service has permitted. These data could be supplemented with population data (when available) to inform an understanding of the correlation between habitat and PACs within a population. This overall effectiveness evaluation must consider the lag effect response of populations to habitat changes (Garton et al. 2011).

Calculating Question 1, National Planning Strategy Effectiveness: The amount of sagebrush available in the large area of interest will use the information from Measure 1a (I.B.1., Sagebrush Availability) and calculate the change from the 2012 baseline to the end date of the reporting period. To calculate the change in the amount of sagebrush on the landscape to compare with the historical areas with potential to support sagebrush, the information from Measure 1b (I.B.1., Sagebrush Availability) will be used. To calculate the trend in the condition of sagebrush at the mid scale, three sources of data will be used: the BLM's Grass/Shrub mapping effort (Future Plans in Section I.B.1., Sagebrush Availability); the results from the calculation of the landscape indicators, such as patch size (described below); and the BLM's Landscape Monitoring Framework (LMF) and sage-grouse intensification effort (also described below). The LMF and sage-grouse intensification effort data are collected in a statistical sampling framework that allows calculation of indicator values at multiple scales.

Beyond the importance of sagebrush availability to sage-grouse, the mix of sagebrush patches on the landscape at the broad and mid scale provides the life requisite of space for sage-grouse dispersal needs (see the HAF). The configuration of sagebrush habitat patches and the land cover or land use between the habitat patches at the broad and mid scales also defines suitability. There are three significant habitat indicators that influence habitat use, dispersal, and movement across populations: the size and number of habitat patches, the connectivity of habitat patches (linkage areas), and habitat fragmentation (scope of unsuitable and non-habitats between habitat patches). The most appropriate commercial software to measure patch dynamics, connectivity, and fragmentation at the broad and mid scales will be used, along with the same data layers derived for sagebrush availability.

The BLM initiated the LMF in 2011 in cooperation with the Natural Resources Conservation Service (NRCS). The objective of the LMF effort is to provide unbiased estimates of vegetation and soil condition and trend using a statistically balanced sample design across BLM lands.

Recognizing that sage-grouse populations are more resilient where the sagebrush plant community has certain characteristics unique to a particular life stage of sage-grouse (Knick and Connelly 2011, Stiver et al. in press), a group of sage-grouse habitat and sagebrush plant

community subject matter experts identified those vegetation indicators collected at LMF sampling points that inform sage-grouse habitat needs. The experts represented the Agricultural Research Service, BLM, NRCS, USFWS, WAFWA, state wildlife agencies, and academia. The common indicators identified include: species composition, foliar cover, height of the tallest sagebrush and herbaceous plant, intercanopy gap, percent of invasive species, sagebrush shape, and bare ground. To increase the precision of estimates of sagebrush conditions within the range of sage-grouse, additional plot locations in occupied sage-grouse habitat (Sage-Grouse Intensification) were added in 2013. The common indicators are also collected on sampling locations in the NRCS National Resources Inventory Rangeland Resource Assessment (<http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/technical/nra/nri/?&cid=stelprd10416> 20).

The sage-grouse intensification baseline data will be collected over a 5-year period, and an annual sage-grouse intensification report will be prepared describing the status of the indicators. Beginning in year 6, the annual status report will be accompanied with a trend report, which will be available on an annual basis thereafter, contingent on continuation of the current monitoring budget. This information, in combination with the Grass/Shrub mapping information, the mid- scale habitat suitability indicator measures, and the sagebrush availability information will be used to answer Question 1 of the National Planning Strategy Effectiveness Report.

Calculating Question 2, National Planning Strategy Effectiveness: Evaluations of the amount of habitat degradation and the intensity of the activities in the area of interest will use the information from Measure 2 (Section I.B.2., Habitat Degradation Monitoring) and Measure 3 (Section I.B.3., Energy and Mining Density). The field office will collect data on the amount of reclaimed energy-related degradation on plugged and abandoned and oil/gas well sites. The data are expected to demonstrate that the reclaimed sites have yet to meet the habitat restoration objectives for sage-grouse habitat. This information, in combination with the amount of habitat degradation, will be used to answer Question 2 of the National Planning Strategy Effectiveness Report.

Calculating Question 3, National Planning Strategy Effectiveness: The change in sage-grouse estimated populations will be calculated from data provided by the state wildlife agencies, when available. This population data (Section I.C., Population [Demographics] Monitoring) will be used to answer Question 3 of the National Planning Strategy Effectiveness Report.

Calculating Question 4, National Planning Strategy Effectiveness: The estimated contribution by the BLM or the Forest Service to the change in the amount of sagebrush in the area of interest will use the information from Measure 1a (Section I.B.1., Sagebrush Availability). This measure is derived from the national datasets that remove sagebrush (Table 3). To determine the relative contribution of BLM and Forest Service management, the current Surface Management Agency geospatial data layer will be used to differentiate the amount of change for each management agency for this measure in the geographic areas of interest. This information will be used to answer Question 4 of the National Planning Strategy Effectiveness Report.

Calculating Question 5, National Planning Strategy Effectiveness: The estimated contribution by the BLM or the Forest Service to the change in the amount of disturbance in the area of interest will use the information from Measure 2a (Section I.B.2., Monitoring Habitat Degradation) and Measure 3 (Section I.B.3., Energy and Mining Density). These measures are all derived from the national disturbance datasets that degrade habitat (Table 6). To determine the relative contribution of BLM and Forest Service management, the current Surface Management Agency geospatial data layer will be used to differentiate the amount of change for each management agency for these two measures in the geographic areas of interest. This information will be used to answer Question 5 of the National Planning Strategy Effectiveness Report.

Answers to the five questions for determining the effectiveness of the national planning strategy will identify areas that appear to be meeting the objectives of the strategy and will facilitate identification of population areas for more detailed analysis. Conceptually, if the broad-scale monitoring identifies increasing sagebrush availability and improving vegetation conditions, decreasing disturbance, and a stable or increasing population for the area of interest, there is evidence that the objectives of the national planning strategy to maintain populations and their habitats have been met. Conversely, where information indicates that sagebrush is decreasing and vegetation conditions are degrading, disturbance in sage-grouse areas is increasing, and/or populations are declining relative to the baseline, there is evidence that the objectives of the national planning strategy are not being achieved. Such a determination would likely result in a more detailed analysis and could be the basis for implementing more restrictive adaptive management measures.

With respect to the land use plan area, the BLM and the Forest Service will summarize the vegetation, disturbance, and population data to determine if the LUP is meeting the plan objectives.

Effectiveness information used for these evaluations includes BLM/Forest Service surface management areas and will help inform where finer-scale evaluations are needed, such as seasonal habitats, corridors, or linkage areas. Data will also include the trend of disturbance within the sage-grouse areas, which will inform the need to initiate adaptive management responses as described in the land use plan.

Calculating Question 1, Land Use Plan Effectiveness: The condition of vegetation and the allotments meeting land health standards (as articulated in “BLM Handbook 4180-1, Rangeland Health Standards”) in sage-grouse areas will be used to determine the LUP’s effectiveness in meeting the vegetation objectives for sage-grouse habitat set forth in the plan. The field office/ranger district will be responsible for collecting this data. In order for this data to be consistent and comparable, common indicators, consistent methods, and an unbiased sampling framework will be implemented following the principles in the BLM’s AIM strategy (Taylor et al. 2014; Toevs et al. 2011; MacKinnon et al. 2011), in the BLM’s Technical Reference “Interpreting Indicators of Rangeland Health” (Pellant et al. 2005), and in the HAF (Stiver et al. in press) or other approved WAFWA MZ-consistent guidance to measure and monitor sage-grouse habitats. This information will be used to answer Question 1 of the Land Use Plan Effectiveness Report.

Calculating Question 2, Land Use Plan Effectiveness: Sage-grouse areas within the LUP that are achieving land health stands (or, if trend data are available, that are making progress toward achieving them)—particularly the Special Status Species/wildlife habitat land health standard—will be used to determine the LUP’s effectiveness in achieving the habitat objectives set forth in the plan. Field offices will follow directions in “BLM Handbook 4180-1, Rangeland Health Standards,” to ascertain if sage-grouse areas are achieving or making progress toward achieving land health standards. One of the recommended criteria for evaluating this land health standard is the HAF indicators.

Calculating Question 3, Land Use Plan Effectiveness: The amount of habitat disturbance in sage-grouse areas identified in this LUP will be used to determine the LUP’s effectiveness in meeting the plan’s disturbance objectives. National datasets can be used to calculate the amount of disturbance, but field office data will likely increase the accuracy of this estimate. This information will be used to answer Question 3 of the Land Use Plan Effectiveness Report.

Calculating Question 4, Land Use Plan Effectiveness: The change in estimated sage-grouse populations will be calculated from data provided by the state wildlife agencies, when available, and will be used to determine LUP effectiveness. This population data (Section I.C., Population [Demographics] Monitoring) will be used to answer Question 4 of the Land Use Plan Effectiveness Report.

Results of the effectiveness monitoring process for the LUP will be used to inform the need for finer-scale investigations, initiate adaptive management actions as described in the land use plan, initiate causation determination, and/or determine if changes to management decisions are warranted. The measures used at the broad and mid scales will provide a suite of characteristics for evaluating the effectiveness of the adaptive management strategy.

II. FINE AND SITE SCALES

Fine-scale (third-order) habitat selected by sage-grouse is described as the physical and geographic area within home ranges during breeding, summer, and winter periods. At this level, habitat suitability monitoring should address factors that affect sage-grouse use of, and movements between, seasonal use areas. The habitat monitoring at the fine and site scale (fourth order) should focus on indicators to describe seasonal home ranges for sage-grouse associated with a lek or lek group within a population or subpopulation area. Fine- and site-scale monitoring will inform LUP effectiveness monitoring (see Section I.D., Effectiveness Monitoring) and the hard and soft triggers identified in the LUP's adaptive management section.

Site-scale habitat selected by sage-grouse is described as the more detailed vegetation characteristics of seasonal habitats. Habitat suitability characteristics include canopy cover and height of sagebrush and the associated understory vegetation. They also include vegetation associated with riparian areas, wet meadows, and other mesic habitats adjacent to sagebrush that may support sage-grouse habitat needs during different stages in their annual cycle.

As described in the Conclusion (Section III), details and application of monitoring at the fine and site scales will be described in the implementation-level monitoring plan for the land use plan.

The need for fine- and site-scale-specific habitat monitoring will vary by area, depending on proposed projects, existing conditions, habitat variability, threats, and land health. Examples of fine- and site-scale monitoring include: habitat vegetation monitoring to assess current habitat conditions; monitoring and evaluation of the success of projects targeting sage-grouse habitat enhancement and/or restoration; and habitat disturbance monitoring to provide localized disturbance measures to inform proposed project review and potential mitigation for project impacts. Monitoring plans should incorporate the principles outlined in the BLM's AIM strategy (Toevs et al. 2011) and in "AIM-Monitoring: A Component of the Assessment, Inventory, and Monitoring Strategy" (Taylor et al. 2014). Approved monitoring methods are:

- "BLM Core Terrestrial Indicators and Methods" (MacKinnon et al. 2011);
- The BLM's Technical Reference "Interpreting Indicators of Rangeland Health" (Pellant et al. 2005); and,
- "Sage-Grouse Habitat Assessment Framework: Multiscale Assessment Tool" (Stiver et al. *in press*).

Other state-specific disturbance tracking models include: the BLM's Wyoming Density and Disturbance Calculation Tool (<http://ddct.wygisc.org/>) and the BLM's White River Data Management System in development with the USGS. Population monitoring data (in cooperation with state wildlife agencies) should be included during evaluation of the effectiveness of actions taken at the fine and site scales.

Fine- and site-scale sage-grouse habitat suitability indicators for seasonal habitats are identified in the HAF. The HAF has incorporated the Connelly et al. (2000) sage-grouse guidelines as well as many of the core indicators in the AIM strategy (Toevs et al. 2011). There may be a need to develop

adjustments to height and cover or other site suitability values described in the HAF; any such adjustments should be ecologically defensible. To foster consistency, however, adjustments to site suitability values at the local scale should be avoided unless there is strong, scientific justification for making those adjustments. That justification should be provided.

WAFWA MZ adjustments must be supported by regional plant productivity and habitat data for the floristic province. If adjustments are made to the site-scale indicators, they must be made using data from the appropriate seasonal habitat designation (breeding/nesting, brood-rearing, winter) collected from sage-grouse studies found in the relevant area and peer-reviewed by the appropriate wildlife management agency(ies) and researchers.

When conducting land health assessments, the BLM should follow, at a minimum, “Interpreting Indicators of Rangeland Health” (Pellant et. al. 2005) and the “BLM Core Terrestrial Indicators and Methods” (MacKinnon et al. 2011). For assessments being conducted in sage-grouse designated management areas, the BLM should collect additional data to inform the HAF indicators that have not been collected using the above methods. Implementation of the principles outlined in the AIM strategy will allow the data to be used to generate unbiased estimates of condition across the area of interest; facilitate consistent data collection and rollup analysis among management units; help provide consistent data to inform the classification and interpretation of imagery; and provide condition and trend of the indicators describing sagebrush characteristics important to sage-grouse habitat (see Section I.D., Effectiveness Monitoring).

III. CONCLUSION

This Greater Sage-Grouse Monitoring Framework was developed for all of the FEISs involved in the sage-grouse planning effort. As such, it describes the monitoring activities at the broad and mid scales and provides a guide for the BLM and the Forest Service to collaborate with partners/other agencies to develop the land use plan- specific monitoring plan.

IV. THE GREATER SAGE-GROUSE DISTURBANCE AND MONITORING SUBTEAM MEMBERSHIP

Gordon Toevs (BLM -WO)

Robin Sell (BLM-CO)

Duane Dippon (BLM-WO)

Paul Makela (BLM-ID)

Frank Quamen (BLM-NOC)

Renee Chi (BLM-UT)

David Wood (BLM-NOC)

Sandra Brewer (BLM-NV)

Vicki Herren (BLM-NOC)

Glenn Frederick (BLM-OR)

Matt Bobo (BLM-NOC)

Robert Skorkowsky (Forest Service)

Michael "Sherm" Karl (BLM-NOC)

Dalinda Damm (Forest Service)

Emily Kachergis (BLM-NOC)

Rob Mickelsen (Forest Service)

Doug Havlina (BLM-NIFC)

Tim Love (Forest Service)

Mike Pellant (BLM-GBRI)

Pam Bode (Forest Service)

John Carlson (BLM-MT)

Lief Wiechman (USFWS)

Jenny Morton (BLM -WY)

Lara Juliusson (USFWS)

LITERATURE CITED

- Baruch-Mordo, S., J.S. Evans, J.P. Severson, D.E. Naugle, J.D. Maestas, J.M. Kiesecker, M.J. Falkowski, C.A. Hagen, and K.P. Reese. 2013. Saving sage-grouse from the trees: A proactive solution to reducing a key threat to a candidate species. *Biological Conservation* 167:233–241.
- Connelly, J.W., S.T. Knick, M.A. Schroeder, and S.J. Stiver. 2004. Conservation assessment of Greater Sage-Grouse and sagebrush habitats. Unpublished report. Western Association of Fish and Wildlife Agencies, Cheyenne, WY. Available at [http://sagemap.wr.usgs.gov/docs/Greater Sage-grouse Conservation Assessment 060404.pdf](http://sagemap.wr.usgs.gov/docs/Greater_Sage-grouse_Conservation_Assessment_060404.pdf).
- Connelly, J.W., K.P. Reese, and M.A. Schroeder. 2003. Monitoring of Greater Sage-Grouse habitats and populations. Station Bulletin 80. College of Natural Resources Experiment Station, University of Idaho, Moscow, ID.
- Connelly, J.W., M.A. Schroeder, A.R. Sands, and C.E. Braun. 2000. Guidelines to manage sage grouse populations and their habitats. *Wildlife Society Bulletin* 28:967–985.
- Davies, K.W., C.S. Boyd, J.L. Beck, J.D. Bates, T.J. Svejcar, and M.A. Gregg. 2011. Saving the sagebrush sea: An ecosystem conservation plan for big sagebrush plant communities. *Biological Conservation* 144:2573–2584.
- Fry, J.A., G. Xian, S. Jin, J.A. Dewitz, C.G. Homer, L. Yang, C.A. Barnes, N.D. Herold, and J.D. Wickham. 2011. Completion of the 2006 National Land Cover Database for the conterminous United States. *PE&RS* 77(9):858–864.
- Garton, E.O., J.W. Connelly, J.S. Horne, C.A. Hagen, A. Moser, and M. Schroeder. 2011. Greater Sage-Grouse population dynamics and probability of persistence. *In* *Greater Sage-Grouse: Ecology and conservation of a landscape species and its habitats*, edited by S.T. Knick and J.W. Connelly, 293–382. *Studies in Avian Biology*, vol. 38. University of California Press, Berkeley, CA.
- Grove, A.J., C.L. Wambolt, and M.R. Frisina. 2005. Douglas-fir's effect on mountain big sagebrush wildlife habitats. *Wildlife Society Bulletin* 33:74–80.
- Gruell, G.E., J.K. Brown, and C.L. Bushey. 1986. Prescribed fire opportunities in grasslands invaded by Douglas-fir: State-of-the-art guidelines. General Technical Report INT-198. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT. 19pp.
- Harju, S.M., M.R. Dzialak, R.C. Taylor, L.D. Hayden-Wing, J.B. Winstead. 2010. Thresholds and time lags in effects of energy development on Greater Sage-Grouse populations. *Journal of Wildlife Management* 74(3):437–448.
- Hemstrom, M. A., M. J. Wisdom, M. M. Rowland, B. Wales, W. J. Hann, and R. A. Gravenmier. 2002. Sagebrush-steppe vegetation dynamics and potential for restoration in the Interior Columbia Basin, USA. *Conservation Biology* 16:1243–1255.

Homer, C.G., C.L. Aldridge, D.K. Meyer, M.J. Coan, and Z.H. Bowen. 2009. Multiscale sagebrush rangeland habitat modeling in southwest Wyoming: U.S. Geological Survey Open-File Report 2008–1027. 14pp.

Johnson, D.H. 1980. The comparison of usage and availability measurements for evaluating resource preference. *Ecology* 61:65–71.

Knick, S.T., and J.W. Connelly (editors). 2011. Greater Sage-Grouse: Ecology and conservation of a landscape species and its habitats. *Studies in Avian Biology*, vol. 38. University of California Press, Berkeley, CA.

Knick, S.T., and S.E. Hanser. 2011. Connecting pattern and process in greater sage-grouse populations and sagebrush landscapes. *In* Greater Sage-Grouse: Ecology and conservation of a landscape species and its habitats, edited by S.T. Knick and J.W. Connelly, 383–405. *Studies in Avian Biology*, vol. 38. University of California Press, Berkeley, CA.

Knick, S.T., S.E. Hanser, R.F. Miller, D.A. Pyke, M.J. Wisdom, S.P. Finn, E.T. Rinkes, and C.J. Henny. 2011. Ecological influence and pathways of land use in sagebrush. *In* Greater Sage-Grouse: Ecology and conservation of a landscape species and its habitats, edited by S.T. Knick and J.W. Connelly, 203–251. *Studies in Avian Biology*, vol. 38. University of California Press, Berkeley, CA.

LANDFIRE: LANDFIRE Existing Vegetation Type layer. (2013, June – last update.) U.S. Department of the Interior, U.S. Geological Survey. [Online.] Available at: <http://landfire.cr.usgs.gov/viewer/> [2013, May 8].

Leu, M., and S.E. Hanser. 2011. Influences of the human footprint on sagebrush landscape patterns: implications for sage-grouse conservation. *In* Greater Sage-Grouse: Ecology and conservation of a landscape species and its habitats, edited by S.T. Knick and J.W. Connelly, 253–271. *Studies in Avian Biology*, vol. 38. University of California Press, Berkeley, CA.

MacKinnon, W.C., J.W. Karl, G.R. Toevs, J.J. Taylor, M. Karl, C.S. Spurrier, and J.E. Herrick. 2011. BLM core terrestrial indicators and methods. Tech Note 440. U.S. Department of the Interior, BLM, National Operations Center, Denver, CO.

Manier, D.J., D.J.A Wood, Z.H. Bowen, R.M. Donovan, M.J. Holloran, L.M. Juliusson, K.S. Mayne, S.J. Oyler-McCance, F.R. Quamen, D.J. Saher, and A.J. Titolo. 2013. Summary of science, activities, programs, and policies that influence the rangewide conservation of Greater Sage-Grouse (*Centrocercus urophasianus*): U.S. Geological Survey Open-File Report 2013–1098. 170pp

NatureServe. 2011. International ecological classification standard: Terrestrial ecological classifications. NatureServe Central Databases, Arlington, VA. Data current as of July 31, 2011.

Ong, S., C. Campbell, P. Denholm, R. Margolis, and G. Heath. 2013. Land-use requirements for solar power plants in the United States. National Renewable Energy Laboratory, U.S. Department of Energy Technical Report NREL/TP-6A20-56290. 39pp. Available at <http://www.nrel.gov/docs/fy13osti/56290.pdf>.

Pellant, M., P. Shaver, D.A. Pyke, and J.E. Herrick. 2005. Interpreting indicators of rangeland health, version 4. Technical Reference 1734-6. U.S. Department of the Interior, BLM, National Science and Technology Center, Denver, CO. BLM/WO/ST-00/001+1734/REV05. 122pp.

Perry, J. Personal communication. February 12, 2014.

Pyke, D.A. 2011. Restoring and rehabilitating sagebrush habitats. *In* Greater Sage-Grouse: Ecology and conservation of a landscape species and its habitats, edited by S.T. Knick and J.W. Connelly, 531–548. Studies in Avian Biology, vol. 38. University of California Press, Berkeley, CA.

Schroeder, M.A., C.L. Aldridge, A.D. Apa, J.R. Bohne, C.E. Braun, S.D. Bunnell, J.W. Connelly, P.A. Deibert, S.C. Gardner, M.A. Hilliard, G.D. Kobriger, S.M. McAdam, C.W. McCarthy, J.J. McCarthy,

D.L. Mitchell, E.V. Rickerson, and S.J. Stiver. 2004. Distribution of sage-grouse in North America. *Condor* 106: 363–376.

Stiver, S.J., A.D. Apa, J.R. Bohne, S.D. Bunnell, P.A. Deibert, S.C. Gardner, M.A. Hilliard, C.W. McCarthy, and M.A. Schroeder. 2006. Greater Sage-Grouse comprehensive conservation strategy. Unpublished report. Western Association of Fish and Wildlife Agencies, Cheyenne, WY. Available at <http://www.wafwa.org/documents/pdf/GreaterSage-grouseConservationStrategy2006.pdf>.

Stiver, S.J., E.T. Rinkes, D.E. Naugle, P.D. Makela, D.A. Nance, and J.W. Karl. *In press*. Sage-grouse habitat assessment framework: Multiscale habitat assessment tool. BLM and Western Association of Fish and Wildlife Agencies. Technical Reference. U.S. Department of the Interior, BLM, Denver, CO.

Taylor, J., E. Kachergis, G. Toevs, J. Karl, M. Bobo, M. Karl, S. Miller, and C. Spurrier. 2014. AIM-monitoring: A component of the BLM assessment, inventory, and monitoring strategy. Tech Note 445. U.S. Department of the Interior, BLM, National Operations Center, Denver, CO.

Toevs, G.R., J.J. Taylor, C.S. Spurrier, W.C. MacKinnon, M.R. Bobo. 2011. BLM assessment, inventory, and monitoring strategy: For integrated renewable resources management. U.S. Department of the Interior, BLM, National Operations Center, Denver, CO. U.S. Department of Agriculture. National Agricultural Statistics Service Cropland Data Layer. {YEAR}. Published crop-specific data layer [online]. USDA-NASS, Washington, D.C. Available at [http://nassgeodata.gmu.edu/CropScape/\(accessed {DATE}; verified {DATE}\)](http://nassgeodata.gmu.edu/CropScape/(accessed {DATE}; verified {DATE})).

United States Department of the Interior, BLM. 2001. Handbook H-4180-1, Release 4-107. Rangeland health standards handbook. Available at http://www.blm.gov/style/medialib/blm/wo/Information_Resources_Management/policy/blm_handbook.Par.61484.File.dat/h4180-1.pdf.

U.S. Department of the Interior, BLM. 2005. Wind Energy Development Programmatic EIS. BLM Washington Office, Washington, D.C.

U.S. Department of the Interior, BLM. 2011. BLM national Greater Sage-Grouse land use planning strategy. Instruction Memorandum No. 2012-044. BLM Washington Office, Washington, D.C.

U.S. Department of the Interior, Fish and Wildlife Service. 2010. Endangered and threatened wildlife and plants; 12-month findings for petitions to list the Greater Sage-Grouse (*Centrocercus urophasianus*) as threatened or endangered. Proposed Rule. Federal Register 75: 13910–14014 (March 23, 2010).

U.S. Department of the Interior, Fish and Wildlife Service. 2013. Greater Sage-grouse (*Centrocercus urophasianus*) conservation objectives: Final report. U.S. Fish and Wildlife Service, Denver, CO.

Appendix A – Attachment A. An Overview of Monitoring Commitments.

	Broad and Mid Scales			Population	Effectiveness	Fine and Site Scales
	Implementation	Sagebrush Availability	Habitat Degradation			
<i>How will the data be used?</i>	Track and document implementation of land use plan decisions and inform adaptive management	Track changes in land cover (sagebrush) and inform adaptive management	Track changes in disturbance (threats) to sage-grouse habitat and inform adaptive management	Track trends in sage-grouse populations (and/or leks; as determined by state wildlife agencies) and inform adaptive management	Characterize the relationship among disturbance, implementation actions, and sagebrush metrics and inform adaptive management	Measure seasonal habitat, connectivity at the fine scale, and habitat conditions at the site scale, calculate disturbance, and inform adaptive management
<i>Who is collecting the data?</i>	BLM FO and Forest Service Forest	NOC and NIFC	National datasets (NOC), BLM FOs, and Forest Service Forests as applicable	State wildlife agencies through WAFWA	Comes from other broad- and mid-scale monitoring types, analyzed by the NOC	BLM FO and SO, Forest Service Forests and RO (with partners)
<i>How often are the data collected, reported, and made available to USFWS?</i>	Collected and reported annually; summary report every 5 years	Updated and changes reported annually; summary report every 5 years	Collected and changes reported annually; summary report every 5 years	State data reported annually per WAFWA MOU; summary report every 5 years	Collected and reported every 5 years (coincident with LUP evaluation)	Collection and trend analysis ongoing, reported every 5 years or as needed to inform adaptive management
<i>What is the spatial scale?</i>	Summarized by LUP with flexibility for reporting by other units	Summarized by PACs (size dependent) with flexibility for reporting by other units	Summarized by PACs (size dependent) with flexibility for reporting by other units	Summarized by PACs (size dependent) with flexibility for reporting by other units	Summarized by MZ and LUP with flexibility for reporting by other units (e.g., PAC)	Variable (e.g., projects and seasonal habitats)
<i>What are the potential personnel and budget impacts?</i>	Additional capacity or reprioritization of ongoing monitoring work and budget realignment	At a minimum, current skills and capacity must be maintained; data management costs TBD	At a minimum, current skills and capacity must be maintained; data management and data layer	No additional personnel or budget impacts for the BLM or the Forest Service	Additional capacity or reprioritization of ongoing monitoring work and budget realignment	Additional capacity or reprioritization of ongoing monitoring work and budget realignment

<i>Who has primary and secondary responsibilities for reporting?</i>	1) BLM FO & SO; Forest Service Forest & RO 2) BLM & Forest Service Planning	1) NOC 2) WO	1) NOC 2) BLM SO, Forest Service RO & appropriate programs	1) WAFWA & state wildlife agencies 2) BLM SO, Forest Service RO, NOC	1) Broad and mid scale at the NOC, LUP at BLM SO, Forest Service RO	1) BLM FO & Forest Service Forests 2) BLM SO & Forest Service RO
<i>What new processes/tools are needed</i>	National implementation datasets and analysis tools	Updates to national land cover data	Data standards and rollup methods for these data	Standards in population monitoring (WAFWA)	Reporting methodologies	Data standards data storage; and reporting

FO (field office); NIFC (National Interagency Fire Center); NOC (National Operations Center); RO (regional office); SO (state office); TBD (to be determined) ; WO (Washington Office)

Appendix A – Attachment B. User and Producer Accuracies for Aggregated Ecological Systems within LANDFIRE Map Zones.

LANDFIRE Map Zone Name	User Accuracy	Producer Accuracy	% of Map Zone within Historical Schroeder
Wyoming Basin	76.9%	90.9%	98.5%
Snake River Plain	68.8%	85.2%	98.4%
Missouri River Plateau	57.7%	100.0%	91.3%
Grand Coulee Basin of the Columbia Plateau	80.0%	80.0%	89.3%
Wyoming Highlands	75.3%	85.9%	88.1%
Western Great Basin	69.3%	75.4%	72.9%
Blue Mountain Region of the Columbia Plateau	85.7%	88.7%	72.7%
Eastern Great Basin	62.7%	80.0%	62.8%
Northwestern Great Plains	76.5%	92.9%	46.3%
Northern Rocky Mountains	72.5%	89.2%	42.5%
Utah High Plateaus	81.8%	78.3%	41.5%
Colorado Plateau	65.3%	76.2%	28.8%
Middle Rocky Mountains	78.6%	73.3%	26.4%
Cascade Mountain Range	57.1%	88.9%	17.3%
Sierra Nevada Mountain Range	0.0%	0.0%	12.3%
Northwestern Rocky Mountains	66.7%	60.0%	7.3%
Southern Rocky Mountains	58.6%	56.7%	7.0%
Northern Cascades	75.0%	75.0%	2.6%
Mogollon Rim	66.7%	100.0%	1.7%
Death Valley Basin	0.0%	0.0%	1.2%

There are two anomalous map zones with 0% user and producer accuracies, attributable to no available reference data for the ecological systems of interest.

User accuracy is a map-based accuracy that is computed by looking at the reference data for a class and determining the percentage of correct predictions for these samples. For example, if I select any sagebrush pixel on the classified map, what is the probability that I'll be standing in a sagebrush stand when I visit that pixel location in the field? Commission Error equates to including a pixel in a class when it should have been excluded (i.e., commission error = $1 - \text{user's accuracy}$).

Producer accuracy is a reference-based accuracy that is computed by looking at the predictions produced for a class and determining the percentage of correct predictions. In other words, if I know that a particular area is sagebrush (I've been out on the ground to check), what is the probability that the digital map will correctly identify that pixel as sagebrush? Omission Error equates to excluding a pixel that should have been included in the class (i.e., omission error = $1 - \text{producer's accuracy}$).

Appendix A – Attachment C. Sagebrush Species and Subspecies Included in the Selection Criteria for Building the EVT and BpS Layers.

- *Artemisia arbuscula subspecies longicaulis*
- *Artemisia arbuscula subspecies longiloba*
- *Artemisia bigelovii*
- *Artemisia nova*
- *Artemisia papposa*
- *Artemisia pygmaea*
- *Artemisia rigida*
- *Artemisia spinescens*
- *Artemisia tripartita subspecies rupicola*
- *Artemisia tripartita subspecies tripartita*
- *Tanacetum nuttallii*
- *Artemisia cana subspecies bolanderi*
- *Artemisia cana subspecies cana*
- *Artemisia cana subspecies viscidula*
- *Artemisia tridentata subspecies wyomingensis*
- *Artemisia tridentata subspecies tridentata*
- *Artemisia tridentata subspecies vaseyana*
- *Artemisia tridentata subspecies spiciformis*
- *Artemisia tridentata subspecies xericensis*
- *Artemisia tridentata variety pauciflora*
- *Artemisia frigida*
- *Artemisia pedatifida*

APPENDIX B – MITIGATION STRATEGY

General

The Forest Service will require mitigation that provides a net conservation gain to the greater sage-grouse (GRSG) when undertaking Forest Service management actions, and consistent with valid existing rights and applicable law, in authorizing third party actions that result in GRSG habitat loss and degradation. This will be achieved by avoiding, minimizing, and compensating for impacts by applying beneficial mitigation actions. Mitigation will follow the regulations from the White House Council on Environmental Quality (CEQ) (40 CFR 1508.20) and the steps of avoid, minimize, and compensate, hereafter referred to as the mitigation hierarchy. If impacts from Forest Service management actions and authorized third party actions, which result in habitat loss and degradation, remain after applying avoidance and minimization measures (i.e., residual impacts), then compensatory mitigation will be used to provide a net conservation gain to the GRSG. Mitigation should account for any uncertainty associated with the effectiveness of such mitigation. Any compensatory mitigation will be durable, timely, and in addition to that which would have resulted without the compensatory mitigation

The Forest Service will participate with the BLM to establish a Western Association of Fish and Wildlife Agencies (WAFWA) Management Zone Greater Sage-Grouse Conservation Team (Team) to develop a WAFWA Management Zone Regional Mitigation Strategy (Strategy). The Strategy will inform the National Environmental Policy Act (NEPA) decision making process, including application of the mitigation hierarchy for Forest Service management actions and third party actions that result in habitat loss and degradation. The application of a robust and transparent Strategy will contribute to GRSG habitat conservation by reducing, eliminating, or minimizing threats and compensating for residual impacts to the GRSG and its habitat.

The BLM Regional Mitigation Manual MS-1794 as well as the Forest Service mitigation policy and CEQ regulations will serve as a framework for developing and implementing the Strategy. In developing the Strategy, the Team should consider any state-level GRSG mitigation guidance that is consistent with the following framework. The Strategy should be developed in a transparent manner and must be based on the best science available and standardized metrics. The Strategy should be developed within 1 year of the issuance of the ROD.

Developing a WAFWA Management Zone Regional Mitigation Strategy

The following sections provide additional guidance specific to the development and implementation of the Strategy.

- **Avoidance includes the following:**

- Avoidance areas (e.g., no surface occupancy areas) already included in right-of-way avoidance/exclusion areas, laws, regulations, policies, and/or land use plans (e.g., LMPs, state plans).
- Any potential additional avoidance actions (e.g., additional avoidance best management practices) related to GRSG conservation.

- **Minimization includes the following:**

- Minimization actions (e.g., required design features, best management practices) already included in laws, regulations, policies, LMPs, and special use authorizations.
- Any potential additional minimization actions (e.g., additional minimization best management practices) related to GRSG conservation.

- **Compensation includes the following:**

- Discussion of impact/project valuation, compensatory mitigation options, siting, compensatory project types and costs, monitoring, reporting, and administration. Each of these topics is discussed in detail below.

- Residual Impact and Compensatory Mitigation Project Valuation Guidance

- A common standardized method should be identified for estimating the value of the residual impacts and value of the compensatory mitigation projects, including accounting for any uncertainty associated with the effectiveness of the projects.
- This method should consider the quality of habitat, scarcity of the habitat, and the size of the impact/project.
- For compensatory mitigation projects, consideration of durability, timeliness, and the potential for failure (e.g., uncertainty associated with effectiveness) may require an upward adjustment of the valuation.
- The resultant compensatory mitigation project will, after application of the above guidance, result in proactive conservation measures for GRSG

- ***Compensatory Mitigation Options***

- Options for implementing compensatory mitigation should be identified, such as:
 - Utilizing certified mitigation/conservation bank or credit exchanges.
 - Contributing to an existing mitigation/conservation fund.
 - Authorized-user conducted mitigation projects.

- For any compensatory mitigation project, the investment must be additional (i.e.
- ***Compensatory Mitigation Siting***
 - Sites should be in areas that have the potential to yield a net conservation gain to the GRSG, regardless of land ownership.
 - Sites should be durable.
 - Sites identified by existing plans and strategies (e.g., fire restoration plans, invasive species strategies, healthy land focal areas) should be considered if those sites have the potential to yield a net conservation gain to GRSG and are durable.
- ***Compensatory Mitigation Project Types and Costs***
 - Project types should be identified that help reduce threats to GRSG (e.g., protection, conservation, and restoration projects).
 - Each project type should have a goal and measurable objectives.
 - Each project type should have associated monitoring and maintenance requirements for the duration of the impact.
 - To inform contributions to a mitigation/conservation fund, expected costs for these project types (and their monitoring and maintenance), within the WAFWA Management Zone, should be identified.
- ***Compensatory Mitigation Compliance and Monitoring***
 - Mitigation projects should be inspected to ensure that they are implemented as designed and if not, there should be methods to enforce compliance.
 - Mitigation projects should be monitored to ensure that the goals and objectives are met and that the benefits are effective for the duration of the impact.
- ***Compensatory Mitigation Reporting***
 - Standardized, transparent, scalable, and scientifically-defensible reporting requirements should be identified for mitigation projects.
 - Reports should be compiled, summarized, and reviewed in the WAFWA Management Zone to determine if GRSG conservation has been achieved and/or to support adaptive management recommendations.
- ***Compensatory Mitigation Program Implementation Guidelines***
 - Guidelines for implementing a state-level compensatory mitigation program should include holding and applying compensatory mitigation funds, operating a transparent and credible accounting system, certifying mitigation credits, and managing reporting requirements.

Incorporating the Regional Mitigation Strategy into NEPA Analyses

The Forest Service will include the avoidance, minimization, and compensatory recommendations from the Strategy in one or more of the NEPA analysis' alternatives for Forest Service and BLM proposed management actions and third party actions that result in habitat loss and degradation, and the appropriate mitigation actions will be carried forward into the decision.

Implementing a Compensatory Mitigation Program

The Forest Service must ensure that compensatory mitigation is strategically implemented to provide a net conservation gain to the GRSG, as identified in the Strategy. To align with any existing compensatory mitigation efforts, compensatory mitigation will be managed at a state-level (as opposed to a WAFWA Management Zone, a field office, or a forest), in collaboration with Forest Service partners (e.g., federal, Tribal, and state agencies).

To ensure transparent and effective management of the compensatory mitigation funds, the Forest Service will work with the BLM to determine the best process (e.g., enter into a contract or agreement with a third-party) to help manage the state-level compensatory mitigation funds within 1 year of the issuance of the ROD. The Forest Service will be responsible for making decisions that affect National Forest System lands.

Glossary Terms

Additionality - The conservation benefits of compensatory mitigation are demonstrably new and would not have resulted without the compensatory mitigation project.

Avoidance mitigation - Avoiding the impact altogether by not taking a certain action or parts of an action. (40 CFR 1508.20(a)) (e.g., may also include avoiding the impact by moving the proposed action to a different time or location.)

Compensatory mitigation - Compensating for residual impact by replacing or providing substitute resources or environments. (40 CFR 1508.20)

Compensatory mitigation projects - The restoration, creation, enhancement, and/or preservation of impacted resources (adopted and modified from 33 CFR 332), such as on-the-ground actions to improve and/or protect habitats (e.g., chemical vegetation treatments, land acquisitions, and conservation easements).

Compensatory mitigation sites - The durable areas where compensatory mitigation projects will occur. Durability (protective and ecological): the maintenance of the effectiveness of a mitigation site and project for the duration of the associated impacts, which include resource, administrative/legal, and financial considerations.

Durable (protective and ecological) - The administrative, legal, and financial assurances that secure and protect the conservation status of a compensatory mitigation site and the ecological benefits of a compensatory mitigation project for at least as long as the associated impacts persist.

Minimization mitigation - Minimizing impacts by limiting the degree or magnitude of the action and its implementation. (40 CFR 1508.20 (b))

Net conservation gain - The actual benefit or gain above baseline conditions.

Residual impacts - Impacts that remain after applying avoidance and minimization mitigation; also referred to as unavoidable adverse impacts.

Timeliness - The lack of a time lag between impacts and the achievement of compensatory mitigation goals and objectives.

APPENDIX C – ADAPTIVE MANAGEMENT

Introduction

Adaptive management is a decision process that promotes flexible resource-management decision-making that can be adjusted as outcomes from management actions and other events become better understood. Careful monitoring of these outcomes both advances scientific understanding and helps adjust resource management directions as part of an iterative learning process. Adaptive management also recognizes the importance of natural variability in contributing to ecological resilience and productivity. It is not a “trial and error” process, but rather emphasizes learning while doing. Adaptive management does not represent an end in itself, but rather a means to more effective decisions and enhanced benefits.

The Forest Service will adjust management actions through an adaptive management process defined in Forest Plan standards identified in the Idaho and Southwest Montana, Nevada, and Utah LMP amendments. This appendix describes the management approach to implement these standards. The adaptive management strategy described in this appendix consists of the following elements: 1. Scale at which the Forest Service will monitor and apply adaptive management triggers in Idaho and Southwest Montana, Nevada, and Utah; 2. Soft and hard triggers for habitat and population thresholds; and 3. Responses or actions to be taken if a trigger is met.

Adaptive management provides an additional framework for assessing the effectiveness of conservation measures implemented in the ROD. The conservation measures, along with adaptive management, are incorporated in the LMP amendment to ameliorate threats to GRSG, thereby increasing the likelihood that the conservation measures are effective in reducing threats to GRSG and its habitat.

The adaptive management strategy includes soft and hard triggers and responses. The triggers are not specific to any particular project, but identify habitat and population thresholds outside of natural fluctuations or variations. Triggers are based on the two key metrics that are being monitored; habitat loss and/or population declines. Adaptive management, with specific triggers, provide additional certainty that the regulatory mechanisms included in the LMP amendments are robust and able to respond to a variety of conditions and circumstances quickly and effectively to conserve GRSG habitat. Tripping a soft or hard trigger will initiate a state-federal inter-agency dialogue to evaluate causal factors and recommend adjustments in management activities or additional potential implementation-level activities to reverse the trend. Any adjustment to management activities or new management activities proposed as a result of tripping a soft or hard trigger will be developed with the participation of agency leadership and science experts.

Scale of Application and Monitoring

Idaho and Southwest Montana

A biologically significant unit (BSU) defines the geographic extent and scale in Idaho and Southwest Montana that will be considered when evaluating anthropogenic disturbance and the adaptive management habitat triggers. Disturbance and habitat triggers are calculated differently since anthropogenic disturbance and habitat loss affect GRSG differently. In Idaho and Southwest Montana, the BSU is the spatial extent of breeding and wintering habitat within priority habitat management areas (PHMA) and important habitat management areas (IHMA) within a Conservation Area in Idaho and PHMA in Montana.

Nevada

The scale used to monitor the adaptive management triggers is the BSU developed in collaboration with the Nevada Sagebrush Ecosystem Technical Team, the Nevada Department of Wildlife, California Department of Fish and Wildlife, and US Geological Survey. In Nevada, BSUs represent local GRSG population-use areas in the Nevada and Northeastern California. Once a soft or hard trigger is met, adaptive management responses will be applied at the BSU or a finer scale, as detailed below.

Utah

The overarching adaptive management includes identification of a two-tiered system of triggers (soft and hard) for both BSUs and their associated habitats. The BSU is a geographically/spatial area that contains the relevant habitats which are used by GRSG. In Utah, the BLM and FS have defined BSUs as the total PHMA area associated with a GRSG population area. These triggers are not specific to particular project areas, but rather to identified BSUs in the state. Triggers are based on the two key metrics that are typically monitored; population declines and habitat loss.

Triggers

Soft triggers are an intermediate threshold indicating that management changes are needed at the project/implementation level to address GRSG habitat and population losses. If a soft trigger is met, the Forest Service would apply additional mitigation measures to alleviate the known or probable causes in the decline of GRSG populations or its habitats with consideration of local knowledge and conditions. Soft triggers and responses, if the triggers are met, are described below.

Hard triggers are a threshold indicating that immediate action is necessary to stop a severe deviation from GRSG conservation goals and objectives, as set forth in the Forest Service plans. Hard triggers and responses, if the triggers are met, are described below.

Idaho and Southwest Montana

Population Triggers

Soft Population Triggers

Adaptive Regulatory Criteria for Population Soft Triggers are defined as:

- A 10% decline in the current 3-year average of total maximum number of males counted compared to the 2011 maximum male baseline and a finite rate of change (λ) below 1.0 within PHMA within a Conservation Area over the same 3-year period; or
- A 10% decline in the current 3-year average of total maximum number of males counted compared to the 2011 maximum male baseline and a finite rate of change (λ) below 1.0 within IHMA within a Conservation Area over the same 3-year period.

Hard Population Triggers

Adaptive Regulatory Criteria for Population Hard Triggers are defined as:

- A 20% decline in the current 3-year average of total maximum number of males counted compared to the 2011 maximum male baseline and a finite rate of change (λ) significantly below 1.0 within PHMA within a Conservation Area over the same 3-year period; or
- A 20% decline in the current 3-year average of total maximum number of males counted compared to the 2011 maximum male baseline and a finite rate of change (λ) significantly below 1.0 within IHMA within a Conservation Area over the same 3-year period.
- Significance is defined by the 90% confidence interval around the current 3-year finite rate of change. If the 90% confidence interval is less than, and does not include 1.0, then the finite rate of change is considered significant. The finite rate of change and variance will be calculated following Garton et al. (2011).

Habitat Triggers

For purposes of evaluating the adaptive management triggers, effective habitat in Idaho is tracked using the Key Habitat Map, which is updated annually by BLM in coordination with Idaho Department of Fish and Game, the Forest Service, the USFWS, and local working groups, tracks the areas of generally intact sagebrush providing GRSG habitat during some portion of the year. Effective habitat equates to areas described as Key Habitat on the Key Habitat Map.

Soft Habitat Triggers

Adaptive Regulatory Criteria for Habitat Soft Triggers are defined as:

- A 10% loss of Key Habitat within the BSU of the PHMA of a Conservation Area when compared to the 2011 baseline; or
- A 10% loss of Key Habitat within the BSU of the IHMA of a Conservation Area when compared to the 2011 baseline.

Hard Habitat Triggers

Adaptive Regulatory Criteria for Habitat Hard Triggers are defined as:

- A 20% loss of Key Habitat within the BSU of the PHMA of a Conservation Area when compared to the 2011 baseline, inclusive of all land ownerships or
- A 20% loss of Key Habitat within the BSU of the IHMA of a Conservation Area when compared to the 2011 baseline.

Nevada

Population Triggers

Soft Population Triggers

Soft population triggers at each GRSG population scale (Coates et al. in prep) are as follows:

1. Individual lek (Individual breeding display sites where male and female GRSGs congregate, with males performing courtship displays to gain mating opportunities with females.)
 - a. A soft trigger is met when the population rate of change of a lek:
 - i. Is less than 0.85 - 0.95 for 2 consecutive years and
 - ii. In relation to the lek cluster (A group of leks in the same vicinity, between which GRSG may interchange over time and representing a group of closely related individuals. Agencies may revise the lek clusters listed above, based on new data.), is less than 0.85 - 0.95 for the 2 consecutive years.
 - b. Three consecutive soft triggers will result in a hard trigger response.
 - c. The causal factor(s) evaluation area(s) is the GRSG seasonal habitats and use areas associated with the lek (for example, the Space Use Index, Coates 2014).

- d. The trigger response area is the GRSG seasonal habitats and use areas associated with the lek that are specifically affected by the causal factor(s).
- 2. Lek cluster (project level)
 - a. A soft trigger is met when the population rate of change of a lek cluster:
 - i. Is less than 0.90 for two consecutive years and
 - ii. In relation to the BSU, is less than 0.90 for both of the 2 years.
 - b. Three consecutive soft triggers will result in a hard trigger response.
- 3. BSU (sub-regional scale)
 - a. A soft trigger is met when the population rate of change within the BSU:
 - i. Is less than 0.90 for 2 consecutive years and
 - ii. In relation to the management zone, is less than 0.90 for both of the 2 years.
 - b. Three consecutive soft triggers will result in a hard trigger response.

Hard Population Triggers

Hard population triggers at each GRSG population scale (Coates et al. in prep) are as follows:

- 1. Individual lek;
 - a. A hard trigger is met when the population rate of change of a lek:
 - i. Is less than 0.01 - 0.15 for 1 year and
 - ii. In relation to the lek cluster, is less than 0.01 - 0.15 for 1 year.
 - b. The causal factor(s) evaluation area(s) is the GRSG seasonal habitats and use areas associated with the lek (for example, the Space Use Index, Coates 2014).
 - c. The trigger response area is the GRSG seasonal habitats and use areas associated with the lek that are specifically affected by the causal factor(s).
- 2. Lek cluster (project level)
 - a. A hard trigger is met when the population rate of change of the lek cluster:
 - i. Is less than 0.10 for 1 year and
 - ii. In relation to the BSU, is less than 0.10 for 1 year.
 - b. Three consecutive soft triggers would result in a hard trigger response.
- 3. BSU (sub-regional scale)
 - a. A hard trigger is met when the population rate of change within the BSU:
 - i. Is less than 0.10 for one year and
 - ii. In relation to the management zone, is less than 0.10 for 1 year.
 - b. Three consecutive soft triggers would result in a hard trigger response.
 - c. A hard trigger response for the BSU will result if soft triggers are hit for both GRSG populations and its habitat.

Monitor and adjust the rate of GRSG population decline and the time frame over which populations are evaluated as understanding of GRSG population thresholds emerge. The Forest Service, BLM, Nevada Department of Wildlife, US Geological Survey, and California Department of Fish and Wildlife will pursue a program to collect and incorporate additional demographic data into the GRSG space-use model (Space Use Index, Coates 2014). As the models are updated, soft and hard population triggers may be adjusted to conform to the current understanding of population ranges.

Habitat Triggers

Soft and Hard Habitat Triggers

Soft and hard habitat triggers are as follows:

1. At the lek or lek cluster scale:
 - a. A soft trigger would be met if the habitat disturbance exceeded 5% of any individual GRSG seasonal habitat component used by the local population.
 - b. A hard trigger would be met if the disturbance exceeds 10%.
2. At the BSU scale:
 - a. In areas with 25 to 65% sagebrush cover:
 - i. A soft trigger would be met if there were a decline in sagebrush cover of 2%.
 - ii. A hard trigger would be met if there were a decline of 5% or greater of sagebrush cover or if the disturbance were to reduce the landscape sagebrush cover below 30%.
 - b. In areas with greater than 65% landscape sagebrush cover:
 - i. A soft trigger would be met if there were a decline of 5% in landscape sagebrush cover.
 - ii. A hard trigger would be met if there were a decline of 10% or greater in landscape sagebrush cover or if the disturbance were to reduce the landscape sagebrush cover below 70%.
 - c. In a BSU, a hard trigger response would result if soft triggers are hit for both GRSG populations and its habitat.

Utah

The Utah GRSG adaptive management strategy includes the identification of soft and hard triggers and a management approach for responding to those triggers. GRSG populations across the species' range may fluctuate cyclically. In Utah, the cycle appears to follow a 10-year pattern. The exact reasons for the cycle are not currently known. However, various aspects (i.e., vital rates) of the GRSGs life cycle have been linked by past research to changes in the environment, including habitat.

Population Triggers

Soft Population Triggers

A population soft trigger would be met in PHMA if any one of 1a, 1b, 1c, or 1d are met, AND number 2 is also met:

- 1a. 4 consecutive years of 10% or greater annual decline in average males per lek in each year, based on trend leks; OR
- 1b. 6 consecutive years of declining average males per lek in each year, based on trend leks; OR
- 1c. 40% or greater decline in average males per lek in any single year, based on trend leks; OR
- 1d. 50% or greater decline in average males per lek in a 4 consecutive years, based on trend leks; AND
2. Lambda of less than 1 in 4 consecutive years, based on all leks in the PHMA. Using criteria 1c, the 40% decline in a single year may occur at any point of the 4-year lambda monitoring window (year one, two, three, or four).

For PHMA in the Ibapah and Hamlin Valley population areas, if a GRSG population adaptive management trigger (hard or soft) from the Nevada LMP amendment is met on GRSG habitat in Nevada that is adjacent to the Ibapah or Hamlin Valley PHMA, a soft trigger would be met for the Utah areas, regardless of whether the above criteria have been met.

The management to be applied if the soft trigger criteria are met is identified below under the Management Response section. The intent of the population soft trigger is to identify changes to population trends and adjust management before a hard trigger is met.

Hard Population Triggers

A population hard trigger would be met in PHMA if any one of the following criteria (a-d) is identified through monitoring:

Short-term Decline

- a. Four consecutive years of 20% or greater annual decline in average males per lek in each year, based on trend leks; OR
- b. Average males per lek based on trend leks drops 75% below the 10-year rolling average males per lek in any single year (i.e., a decline under 75% of the 10-year rolling average); OR

Long-term Decline

- a. Lambda of less than 1 in 6 consecutive years, based on all leks within the PHMA; OR
- b. Lambda of less than 1 in 8 years of a 10-year window, based on all leks within the PHMA.

The management to be applied if the hard trigger criteria are met is identified below under the Management Response section. Any change in management would only apply to the PHMA where the trigger is met.

Habitat Triggers

Soft Habitat Triggers

A habitat soft trigger would be met in PHMA if one of the following criteria is identified through monitoring:

- a. 10% loss of total GRSG habitat in PHMA; OR
- b. 10% loss of habitat within nesting areas in PHMA; OR
- c. 5% loss of habitat within Utah Division of Wildlife Resources mapped wintering areas in PHMA; OR
- d. Any one fire burns 5% of total GRSG habitat in PHMA.

Hard Habitat Triggers

- a. 20% loss of total GRSG habitat in PHMA; OR
- b. 20% loss of habitat within nesting areas in PHMA; OR
- c. 20% loss of habitat within Utah Division of Wildlife Resources mapped wintering areas in PHMA.

Responses to Triggers

Idaho and Southwest Montana

Soft Trigger Responses

The Sage-Grouse Implementation Task Force, in coordination with BLM and Forest Service, would use monitoring information to assess when triggers have been met. When information indicates that the soft habitat or population trigger may have been met, the Sage-Grouse Implementation Task Force, in coordination with the BLM and the Forest Service would assess the factor(s) leading to the decline and identify potential management actions. The Sage-Grouse Implementation Task Force may consider and recommend to the Forest Service and the BLM possible changes in management in the PHMA. In IHMA, the Sage-Grouse Implementation Task Force may review the causes for decline and identify potential management changes only to the extent those factors significantly impair the State's ability to meet the overall management objective. It is anticipated that Idaho Department of Fish and Game will collect data annually and will make recommendations to the Implementation Team by August 31st for population triggers and January 15th for habitat triggers.

Only where monitoring information indicates that the cause(s) of the decline is not a primary threat would the Sage-Grouse Implementation Task Force analyze the secondary threats to the species and determine whether further management actions are needed.

When any of the adaptive regulatory criteria for soft triggers have been met would the Sage-grouse Implementation Task Force evaluate causal factors and recommend potential implementation-level activities to the appropriate agency line officer.

Hard Trigger Responses

When any of the adaptive regulatory criteria for hard triggers have been met, all PHMA management direction would be applied to IHMA within that Conservation Area and the Sage-grouse Implementation Task Force would evaluate causal factors and recommend additional potential implementation-level activities to the appropriate agency line officer.

Nevada

Soft Trigger Responses

When a soft trigger is met, the Forest Service will:

1. Identify the causal factor.
2. Adjust management actions to lessen the cause by applying project-level adaptive management contained in the authorization.
 - a. The adjustment in management would be based on the causal factor and would affect only the area being impacted in the lek cluster or appropriate scale.
 - b. The adjustment in management would be applied to future similar authorizations.
3. If the causal factor were not readily discernable, then an interdisciplinary team, including the Forest Service, the BLM, and a State wildlife agency representative, would identify and recommend to the Forest Service line officer the appropriate mitigation or adjusted management actions, in a timely manner.

Hard Trigger Responses

Specific hard trigger responses due to anthropogenic disturbances are identified in tables 1 and 2.

Table 1. Hard Trigger Responses in PHMAs under the Final Plan.

Program	Plan Direction	Adaptive Management Response
Land use authorizations—existing corridors	Open	Manage as a ROW avoidance area.
Land use authorizations—major ROWs	Restrict issuance of new lands special use authorizations for all major ROWs	Management of the affected BSU would change to exclude high voltage transmission lines (≥ 100 kV) and major pipelines (≥ 24 inches).
Land use authorizations—minor ROWs	Restrict issuance of new lands special use authorizations for all minor ROWs	Limit ROW authorizations, leases, and permits to those needed for public safety and valid existing rights.
Wind energy development	Do not authorize new utility-scale commercial wind energy facilities.	No change
Industrial solar	Do not authorize new utility-scale solar energy facilities.	No change

Program	Plan Direction	Adaptive Management Response
Fluid minerals	In SFAs, manage as NSO with no waiver, exception, or modification. Manage as NSO with no waivers or exceptions. Three specific limited exceptions could be granted.	No change Manage as NSO with no waivers, exceptions, or modifications.
Locatable minerals	Manage locatable mineral development to minimize effects on GRSG habitat. A phased development approach should be applied to operations.	No change
Mineral materials	Closed to new mineral disposal.	No change
Non-energy leasable minerals	Provide recommendations to the BLM for the protection of greater sage-grouse and their habitats.	No change
Vegetation management	Identify and prioritize landscape-scale enhancement, restoration, fuels reduction, and mitigation projects based on ecological site potential, state and transition models, and other data that would contribute to decision-making informed by science to increase rangeland resilience before and following wildfire.	BSUs where a hard trigger has been met would be the first priority for regional mitigation habitat restoration and fuels reduction treatments.

Table 2. *Hard Trigger Responses in General Habitat Management Areas under the Proposed Plan.*

Program	Plan Direction	Adaptive Management Response
Land use authorizations—existing corridors	Open to new uses.	Manage as ROW avoidance area.
Land use authorizations—major ROWs outside corridors	Authorizations may be issued if located within existing designated corridors or rights-of-way and the authorization includes stipulations to protect greater sage-grouse and their habitats.	Manage affected BSU as exclusion for high-voltage transmission lines (≥ 100 KV), major pipelines (>24 inches), and wind energy.

Program	Plan Direction	Adaptive Management Response
Land use authorizations—minor ROWs outside corridors	Authorization may be issued if located within existing designated corridors or rights-of-way and the authorization includes stipulations to protect greater sage-grouse and their habitats.	Manage as avoidance area for ROWs leases and permits.
Wind energy development (UT and NV only)	Do not authorize new utility-scale commercial wind energy facilities.	Manage as exclusion for utility-scale commercial wind energy facilities.
Industrial solar (UT and NV only)	Do not authorize new utility-scale solar energy facilities.	No change
Fluid minerals	Apply moderate stipulations (CSU and TL).	Apply an NSO stipulation, with limited exceptions.
Locatable minerals	Manage locatable mineral development to minimize effects on GRSG habitat. A phased development approach should be applied to operations.	No change
Mineral materials	Open to new mineral disposal.	Manage as closed to new mineral disposal.
Non-energy leasable minerals	Provide recommendations to the BLM for the protection of greater sage-grouse and their habitats.	Manage as closed to new non-energy leasable mineral leasing.
Vegetation management	Identify and prioritize landscape-scale enhancement, restoration, fuels reduction, and mitigation projects, based on ecological site potential, state and transition models, and other data that would contribute to decision-making informed by science to increase rangeland resilience before and following wildfire.	BSUs where a hard trigger has been met would be the first priority for regional mitigation habitat restoration and fuels reduction treatments.

Utah

Soft Trigger Responses

Upon an annual review of monitoring data, if it is apparent that soft trigger criteria have been met for an area (see Spatial Scale discussion below) the Forest Service and the BLM will determine if there is a specific cause or causes that are contributing to the decline. In completing this evaluation, the Forest Service and the BLM will coordinate with GRSG biologists from multiple agencies including the USFWS, Natural Resources Conservation Service, and Utah Division of Wildlife Resources. Through this coordination, the BLM and the Forest Service will review available national, state-wide, and local data to determine if there is additional information that could identify the cause(s) of the declines. The Forest Service and the BLM will also coordinate with field office/district and state agency specialists and local GRSG working groups to identify additional information that could assist in identifying the cause/causes.

If it is determined that the decline is related to a natural population variation, no specific management actions would be required. However, if Forest Service and BLM management actions are determined to cause or contribute to the decline, the Forest Service and the BLM designated official would apply measures within their implementation-level discretion to mitigate the decline of populations and/or habitats to the area where the trigger has been met. These measures would apply more conservative or restrictive implementation conservation conditions, terms, or decisions within the agencies' discretion to mitigate the decline of populations and/or habitats. If identified, the management measures should address the specific causal factor(s) that resulted in the decline, with consideration of local knowledge and conditions.

Responses to soft triggers may require the adjustment of future project level/plan implementation activities in the short- or long-term, as consistent with the individual site-specific NEPA analyses. Soft trigger responses be terms, conditions, design features, BMPs, or site specific mitigation measures.

Hard Trigger Responses

Hard triggers represent a threshold indicating that immediate action is necessary to stop a severe deviation from GRSG conservation objectives as set forth in the Forest Service plans. As such, the Proposed LUPA/FEIS includes a hard-wired plan-level response; that is, it provides that, upon meeting a hard trigger, a more restrictive alternative or an appropriate component of a more restrictive alternative analyzed in the EIS will be implemented without further action by the Forest Service in the area where the trigger has been met. Specific hard-wired changes in management are identified in table 3, Specific Management Responses. This table also identifies the decision from the Forest Service Proposed Plan that would be changed.

In addition to the specific changes identified in table 3, the Forest Service will review available and pertinent data, in coordination with GRSG biologists from multiple agencies including UDWR, USFWS, and NRCS, to determine the causal factor(s) and implement a corrective strategy in the area where the trigger has been met. The corrective strategy would include the changes

identified in table 3 and could also include the need to amend or revise the LMP to address the situation and modify management accordingly.

For BSUs that are directly connected to BSUs in adjacent states (i.e., Box Elder, Hamlin Valley, Uintah, and Rich), if a hard trigger is met on one of the connected BSUs outside the Utah sub-region, the applicable WAFWA Management Zone Greater Sage-Grouse Conservation Team will convene to determine the causal factor and propose project-level responses, as appropriate, and discuss further appropriate actions that could be applied. The team will also investigate the status of the hard triggers in other BSUs within the priority areas for conservation (i.e., key habitats identified by state sage-grouse conservation plans or through other sage-grouse conservation efforts) and will recommend the appropriate plan response. Adoption of any further actions at the plan level may require initiating a plan amendment process.

Table 3 *Specific Management Responses.*

Program	Adaptive Management Response ¹	Affected Decision Number		Where considered in the Draft LUPA/EIS
		BLM	Forest Service	
Sage-Grouse Management	If a hard-trigger is met in the Sheeprocks Population Area, adopt the PHMA boundary from Alternative B and apply management as described in the Proposed Plan, except as modified below.	Modify MA-GRSG-1 specific to Sheeprocks	Not applicable	The Alternative B PHMA boundary was analyzed in the DEIS (463,100 acres). There are no National Forest System lands within the Sheeprocks Population Area, therefore the Forest Service does not have a proposed management action for this area.
	<p>PHMA within a BSU where a soft trigger has been met would be the top priority for habitat improvement and restoration projects and for fuels reduction treatments.</p> <p>Areas within and adjacent to PHMA within a BSU where a hard trigger has been met would be the top priority for regional mitigation habitat restoration and fuels reduction treatments.</p>	Adjust: MA-VEG-1 MA-FIRE-1 MA-GRSG-3A to address specific area	GRSG-GRSGH-ST-001 GRSG-FM-GL-003 GRSG-GEN-ST-002	<p>Prioritizing fuels reduction treatments was a component of MA-FIRE-1 under Alternative D in the DEIS.</p> <p>Prioritizing restoration based on environmental variables and in seasonal habitats that are thought to be limiting to GRSG distribution and/or abundance was a component of MA-VEG-1 under</p>

Table 3 Specific Management Responses.

Program	Adaptive Management Response ¹	Affected Decision Number		Where considered in the Draft LUPA/EIS
		BLM	Forest Service	
				Alternatives B, C, and D in the DEIS. Prioritizing mitigation sites, projects, and measures was a component of the Regional Mitigation Strategy in the DEIS (Appendix F, Page F-2, Item 5).
	Collaborate with applicable government entities to implement intensive programs to reduce populations of GRSG predators (e.g., ravens, red fox, badgers, raccoons, skunks, raptors), focusing on area-specific predators to provide GRSG populations the best opportunity to recover while improving habitat conditions.	Adjust MA-GRSG-3D to focus on area-specific predators	Not applicable	Applying activities and practices to reduce opportunities for and decrease the effectiveness of GRSG predators was a component of MA-GRSG-6 under Alternatives D and E in the DEIS. The Forest Service Wyoming proposed plan includes a similar management action.
Vegetation Management	PHMA, within a BSU, would be the top priority for regional mitigation, habitat restoration and fuels reduction treatments.	Adjust: MA-GRSG-3A MA-VEG-1 MA-FIRE-1 to address specific area	GRSG-GRSGH-ST-001 GRSG-FM-GL-003 GRSG-GEN-ST-002	Prioritizing mitigation sites, projects, and measures was a component of the Regional Mitigation Strategy in the DEIS (Appendix F, Page F-2, Item 5). Prioritizing fuels reduction treatments was a component of MA-FIRE-1 under Alternative D in the DEIS. Prioritizing restoration based on environmental variables and in seasonal habitats

Table 3 Specific Management Responses.

Program	Adaptive Management Response ¹	Affected Decision Number		Where considered in the Draft LUPA/EIS
		BLM	Forest Service	
				that are thought to be limiting to GRSG distribution and/or abundance was a component of MA-VEG-1 under Alternatives B, C, and D in the DEIS.
Wild Horse and Burro Management	<p>Initiate emergency gathers to reduce wild horse and burro populations within affected area to low end of AML, subject to funding and holding space availability.</p> <p>If the population is within AML and the area does not meet GRSG habitat objectives, reduce AML for the HMA within the affected area up to 25% to facilitate meeting habitat objectives.</p>	Adjust: MA-WHB-7 MA-WHB-3 MA-WHB-4 to address specific area	Not applicable	<p>Prioritizing gathers in PHMA to prevent catastrophic environmental issues was a component of MA-WHB-1 under Alternatives B, C, and D in the DEIS. Reducing AML by 25% in GRSG occupied habitat to reduce grazing pressure on vegetation was analyzed under Alternative C1 (MA-WHB-1) in the DEIS.</p> <p>The Forest Service does not manage any WHB populations.</p>
Wildland Fire Management	Reassess GRSG habitat needs to determine if priorities for at risk habitats, fuels management areas, preparedness, suppression and restoration have changed.	Adjust MA-FIRE-1 to address specific area	GRSG-GRSGH-ST-001	Assessments to prioritize at risk habitats and identify fuels management, preparedness, suppression and restoration priorities was analyzed as a component of MA-FIRE-1 under Alternative D in the DEIS.

Table 3 Specific Management Responses.

Program	Adaptive Management Response ¹	Affected Decision Number		Where considered in the Draft LUPA/EIS
		BLM	Forest Service	
Livestock Grazing	<p>In areas where a soft trigger was met, prioritize the completion of rangeland health assessments to determine if the area is meeting Utah’s Rangeland Health Standards and is achieving the GRSG habitat objectives (Objective GRSG-2). Focus monitoring and management activities on allotments found not to be achieving Utah’s Rangeland Health Standards and that have the best opportunities for conserving, enhancing or restoring habitat for GRSG.</p> <p>For areas not achieving the GRSG habitat objectives (Objective GRSG-2), apply one or more of the adjustments to livestock grazing from MA-GRA-6.</p>	Adjust: MA-GRA-4 MA-GRA-5 to address specific area	GRSG-LG-GL-001 GRSG-LG-GL-002	Prioritizing completion of land health assessments was analyzed as a component of MA-GRA-4 under Alternatives B and C2. Focusing management activities on allotments found not to be achieving Utah’s Rangeland Health Standards and that have the best opportunity for conserving, enhancing or restoring habitat for GRSG was a component of MA-GRA-4 under Alternative D. Applying adjustments or otherwise modifying to grazing management to help meet GRSG seasonal habitat objectives was a component of MA-GRA-8 under Alternatives B, C2, and D.
Rights of Way - Existing Corridors	Retain the corridors as mapped, but limit the size of new lines within the corridors to same as existing structures, or not larger than 138kV.	Augment MA-LAR-2 MA-LAR-4 MA-LAR-8 with additional criteria	GRSG-LR-SUA-ST-007	Collocating new ROW/SUAs within existing corridors (as long as entire footprint of the proposed project can be completed within the existing disturbance) was a component of MA-LAR-3 analyzed under Alternative B in the DEIS.

Table 3 Specific Management Responses.

Program	Adaptive Management Response ¹	Affected Decision Number		Where considered in the Draft LUPA/EIS
		BLM	Forest Service	
Rights of Way – Outside of Corridors	<p>Management of the affected BSU would change to exclude high voltage transmission lines (greater than or equal to 100kv) and major pipelines (greater than or equal to 24 inch).</p> <p>No change in management would be made to transmission lines under 100kv or pipelines less than 24 inches.</p>	Augment MA-LAR-2 with additional criteria	GRSG-LR-SUA-GL-001	Designating PHMA (within 4 mi. of occupied lek) as exclusion for new above ground linear transmission lines and avoidance for new permanent underground/on-ground lines was a component of MA-LAR-2 analyzed under Alternative D in the DEIS.
Wind Energy Development	No change from Proposed Plan.	Not applicable	Not applicable	PHMA is already excluded from wind development therefore no additional restrictive response is available.
Industrial Solar	No change from Proposed Plan.	Not applicable	Not applicable	During development of the DEIS it was determined no existing or proposed solar development poses a threat to GRSG in the planning area.

Table 3 *Specific Management Responses.*

Program	Adaptive Management Response ¹	Affected Decision Number		Where considered in the Draft LUPA/EIS
		BLM	Forest Service	
Comprehensive Travel and Transportation Management	<p>If travel management planning has not been completed within GRSG habitat, PHMA areas where the hard trigger was met would be the highest priority for future travel management planning efforts.</p> <p>If travel management has been completed within GRSG habitat in the PHMA where the hard trigger was met, re-evaluate designated routes to determine their effects on GRSG. If routes are found to be causing population-level impacts, revise their designation status to reduce the effect.</p>	Adjust: MA-TTM-4 MA-TTM-2 MA-TTM-5 MA-TTM-3 to address specific area	Not applicable	Completing travel management planning in Utah's top priority areas, minimizing impacts to have a neutral or positive effect on GRSG habitat, and adjusting route designations to avoid impacts to GRSG were similar conceptual components of MA-TTM-2, 3, 4, and 5 analyzed under Alternative D in the DEIS.

Table 3 Specific Management Responses.

Program	Adaptive Management Response ¹	Affected Decision Number		Where considered in the Draft LUPA/EIS
		BLM	Forest Service	
Fluid Minerals	No change from Proposed Plan.	Not applicable	Not applicable	In coordination with USFWS, it was determined that additional restrictions beyond existing plan level conservation measures (e.g., stipulations, 3% disturbance cap, RDFs, 1/640 acre density, lek buffers, noise, and seasonal restrictions) would be unlikely to elicit improvement.
Locatable Minerals	No change from Proposed Plan.	Not applicable	Not applicable	In coordination with USFWS, it was determined that additional restrictions would be unlikely to elicit improvement.
Salable Minerals	No change from Proposed Plan.	Not applicable	Not applicable	In coordination with USFWS, it was determined that additional restrictions would be unlikely to elicit improvement.
Nonenergy Leasable Minerals	No change from Proposed Plan.	Not applicable	Not applicable	In coordination with USFWS, it was determined that additional restrictions would be unlikely to elicit improvement.

¹Any change in management would only apply to the PHMA where the trigger is met. Unless otherwise noted as a soft trigger response, all Adaptive Management Responses would be implemented where a hard trigger is met.