

Literature

- *Aaberg, S. A., Crofutt, C., Green, J., Finley, J., Eckerle, W., & Taddie, S. (2007). Archaeological and Geoarchaeological Investigations and Data Recovery at 24ME631, 24ME633 and 24ME747 as Part of the Dry Range Land Exchange, Meagher County, Montana. Aaberg Cultural Resources Consulting. Geoarchaeological Sections Prepared By: Western GeoArch Research. *Document contains confidential information, resides in Heritage Program files (copies not available). Not for release under FOIA.
- Abele, S. C., Saab, V. A., & Garton, E. O. (2004). *Lewis's woodpecker (melanerpes lewis): A technical conservation assessment [online]*. Retrieved from <http://www.fs.fed.us/r2/projects/scp/assessments/lewisswoodpecker.pdf>
- Achambault, D.J. (2007) Efficacy of herbicides under elevated temperature and CO2. In Newton P.C.D., Carran A., Edwards G.R., and Niklans, P.A. (2007) *Agroecosystems in a Changing Climate*, CRC Press, Baston, MA, pp. 262-279.
- Agee, J. K., & Skinner, C. N. (2005). Basic principles of forest fuel reduction treatments. *Forest Ecology and Management*, 211(1-2), 83-96. doi:<http://dx.doi.org/10.1016/j.foreco.2005.01.034>
- Al-Chokhachy, R. (2010). *Preliminary fine sediment analyses for pibo sites in mt.*
- Allendorf, F. W., Leary, R. F., Spruell, P., & K., W. J. (2001). The problems with hybrids: Setting conservation guidelines. *Trends in Ecology and Evolution*, 16(11), 613-622.
- American Public Health Association (APHA). (2013). Improving Health and Wellness through Access to Nature. APHA. Retrieved from <https://www.apha.org/policies-and-advocacy/public-health-policy-statements/policy-database/2014/07/08/09/18/improving-health-and-wellness-through-access-to-nature>
- Anderson, H. E. (1982). *Aids to determining fuel models for estimating fire behavior* (General Technical Report INT-122). Retrieved from Ogden, UT: https://www.fs.fed.us/rm/pubs_int/int_gtr122.pdf
- Archer, E., & Ojala, J. V. (2016). *Stream habitat condition for sites in the helena national forest*. Retrieved from Logan, UT:
- Archer, E. and J. V. Ojala, 2017. Stream Habitat Condition for Sites in the Helena National Forest, Split by Missouri & Columbia River Basins. PacFish / InFish Biological Opinion (PIBO) Monitoring Program, USDA Forest Service, Logan, UT, November 2017
- Arno, S. F., & Hoff, R. J. (1989). *Silvics of whitebark pine (pinus albicaulis)* (General Technical Report INT-253). Retrieved from Ogden, UT:
- Baker, W. L., & Ehle, D. S. (2003). *Uncertainty in fire history and restoration of ponderosa pine forests in the western united states*. Retrieved from Fort Collins, CO:
- Ballantine, D. J., Walling, D. E., Collins, A. L., & Leeks, G. J. L. (2008). The phosphorus content of fluvial suspended sediment in three lowland groundwater-dominated catchments. *Journal of Hydrology*, 357(1-2), 140-151. doi:<http://dx.doi.org/10.1016/j.jhydrol.2008.05.011>
- Banci, V. (1994). *Chapter 5: Wolverine* (General Technical Report RM-254). Retrieved from Fort Collins, CO:
- Barrett, S. W. (1993). *Fire history of tenderfoot creek experimental forest, lewis and clark national forest: Final report*.
- Barrett, Stephen W. 1997. Historical fire regimes on the Beaverhead-Deerlodge National Forest, Montana. Beaverhead Portion. Final Report Contract No. 43-0356-6-0107. June 1997.
- Barrett, S. W., Arno, S. F., & Menakis, J. P. (1997). *Fire episodes in the inland northwest (1540-1940) based on fire history data* (General Technical Report-INT-GTR-370).
- Beall, R.C. 1976. Elk habitat selection in relation to thermal radiation. Pages 97-100. -In Elk-logging roads. Symp. Proc. Univ. of Idaho, Moscow.
- Beck, B. S. (1989). *Historical overview of the helena and deerlodge national forests*. Retrieved from Butte, MT:
- Behnke, R. J. (1992). *Native trout of western north america* (Vol. 6). Bethesda, MD: American Fisheries Society.

- Belsky, A. J., & Gelbard, J. L. (2000). *Livestock grazing and weed invasions in the arid west*. Retrieved from Portland, OR: http://www.publiclandsranching.org/htmlres/PDF/BelskyGelbard_2000_Grazing_Weed_Invasions.pdf
- Belsky, A. J., Matzke, A., & Uselman, S. (1999). Survey of livestock influences on stream and riparian ecosystems in the western united states. *Journal of Soil and Water Conservation*, 54, 419-431.
- Benda, L., & Dunne, T. (1997). Stochastic forcing of sediment supply to channel networks from landsliding and debris flow. *Water Resources Research*, 33(12), 2849-2863. doi:<http://dx.doi.org/10.1029/97WR02388>
- Besser, T. E., Highland, M. A., Baker, K., Cassirer, E. F., Anderson, N. J., Ramsey, J. M., . . . Jenks, J. A. (2012). Causes of pneumonia epizootics among bighorn sheep, western united states, 2008-2010. *Emerging Infectious Diseases*, 18(3), 406-414. doi:<http://dx.doi.org/10.3201/eid1803.111554>
- Biederman, J. A., Somor, A. J., Harpold, A. A., Gutmann, E. D., Breshears, D. D., Troch, P. A., . . . Brooks, P. D. (2015). Recent tree die-off has little effect on streamflow in contrast to expected increases from historical studies. *Water Resources Research*, 51(12), 9775-9789. doi:10.1002/2015wr017401
- Boisvenue, C., & Running, S. W. (2010). Simulations show decreasing carbon stocks and potential for carbon emissions in rocky mountain forests over the next century. *Ecological Applications*, 20(5), 1302-1319. doi:<http://dx.doi.org/10.1890/09-0504.1>
- Bollenbacher, B., Bush, R., Hahn, B., & Lundberg, R. (2008). *Estimates of snag densities for eastside forests in the northern region* (08-07 v2.0). Retrieved from Missoula, MT:
- Boulanger, J., & Stenhouse, G. B. (2014). The impact of roads on the demography of grizzly bears in alberta. *PLoS ONE*, 9(12), 22. doi:<http://dx.doi.org/10.1371/journal.pone.0115535>
- Bowker, J. M., D. Murphy, H. K. Cordell, D. B. K. English, J. C. Bergstrom, C. M. Starbuck, C. J. Betz and G. T. Green. 2006. Wilderness and Primitive Area Recreation Participation and Consumption: An Examination of Demographic and Spatial Factors. *Journal of Agricultural and Applied Economics* 38(2): 317-326.
- Brown, J. K., Reinhardt, E. D., & Kramer, K. A. (2003). *Coarse woody debris: Managing benefits and fire hazard in the recovering forest* (General Technical Report RMRS-GTR-105). Retrieved from Ogden, UT: https://www.fs.fed.us/rm/pubs/rmrs_gtr105.pdf
- Burcham, M., Edge, W. D., & Marcum, C. L. (1999). Elk use of private land refuges. *Wildlife Habitat and Land Management*, 27(3), 833-839.
- Burden, R. F., & Randerson, P. F. (1972). Quantitative studies of the effects of human trampling on vegetation as an aid to the management of semi-natural areas. *Journal of Applied Ecology*, 9(2), 439-457. doi:<http://dx.doi.org/10.2307/2402445>
- Bush, R., & Lundberg, R. (2008). *Wildlife habitat estimate updates for the region one conservation assessment*. Retrieved from Missoula, MT: https://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5130739.pdf
- Canadell, J. G., Pataki, D. E., Gifford, R., Houghton, R. A., Luo, Y., Raupach, M. R., . . . Steffen, W. (2007). Saturation of the terrestrial carbon sink. In J. G. Canadell, D. E. Pataki, & L. F. Pitelka (Eds.), *Terrestrial ecosystems in a changing world* (pp. 59-78). Berlin, Germany: Springer Berlin Heidelberg.
- Casey, D. (2000). *Partners in flight bird conservation plan montana*.
- Center for Climate and Energy Solutions (C2ES). (2017). Business Support for the Paris Agreement. Retrieved from <https://www.c2es.org/international/business-support-paris-agreement>.
- Center for Natural Resources & Environmental Policy (CNREP). (2015). Stakeholder Listening Sessions Summary. University of Montana, Helena, MT.
- Center for Natural Resources & Environmental Policy (CNREP). (2015a). “Need to Change” Community Conversation Workshops Summary Report. University of Montana, Helena, MT.
- Center for Natural Resources & Environmental Policy (CNREP). (2016). “Draft Desired Conditions” Community Conversations Workshops Summary Report. University of Montana, Helena, MT.

- Center for Natural Resources & Environmental Policy (CNREP). (2016a). Resource Management Area Community Workshops. University of Montana, Helena, MT.
- Center for Natural Resources & Environmental Policy (CNREP). (2016b). Summary of Public Comments on Forest Resource Areas. University of Montana, Helena, MT.
- Chadde, Steve W., Kimball, Shannon F., Evenden, Angela, G. (1996). Research Natural Areas of the Northern Region: Status and Needs Assessment. Missoula, Montana. USDA.
- Chen, I.-C., Hill, J. K., Ohlemuller, R., Roy, D. B., & Thomas, C. D. (2011). Rapid range shifts of species associated with high levels of climate warming. *Science*, 333, 1024-1026.
- Christensen, A. G., Lyon, L. J., & Unsworth, J. W. (1993). *Elk management in the northern region: Considerations in forest plan updates or revisions* (INT-303). Retrieved from Ogden, UT: https://www.fs.fed.us/rm/pubs_int/int_gtr303.pdf
- Cilimburg, A. (2006). *Northern region landbird monitoring program 2005 flammulated owl surveys final report* (FS - 13669). Retrieved from University of Montana, Missoula, MT 59812:
- Cissel, J. H., Swanson, F. J., McKee, W. A., & Burditt, A. L. (1994). Using the past to plan the future in the pacific northwest. *Journal of Forestry*, 92(8), 30-46.
- Clary, W. P., & Kinney, J. W. (2002). Steambank and vegetation response to simulated cattle grazing. *Wetlands*, 22(1), 139-148.
- Clary, W. P., & Webster, B. F. (1990). Riparian grazing guidelines for the intermountain region. *Rangelands*, 12(4), 209-212.
- Clayton, J. L. (1990). *Soil disturbance resulting from skidding logs on granitic soils in central idaho* (Research Paper INT-436). Retrieved from Ogden, UT: <https://ia801002.us.archive.org/2/items/soildisturbancer436clay/soildisturbancer436clay.pdf>
- Climburg, A. (2006). *2005 flammulated owl surveys: Final report*.
- Cohen, W. B., Yang, Z., Stehman, S. V., Schroeder, T. A., Bell, D. M., Masek, J. G., . . . Meigs, G. W. (2016). Forest disturbance across the conterminous united states from 1985–2012: The emerging dominance of forest decline. *Forest Ecology and Management*, 360, 242-252.
- Cole, David N. (2005). Symbolic Values: The Overlooked Values That Make Wilderness Unique. *International Journal of Wilderness* 11(2): 23-28.
- Conant, R. T., Paustian, K., García-Oliva, F., Janzen, H. H., Jaramillo, V. J., Johnson, D. E., & Kulshreshtha, S. N. (2007). Agricultural and grazing lands. In A. W. King, L. Dilling, G. P. Zimmerman, D. M. Fairman, R. A. Houghton, G. Marland, A. Z. Rose, & T. J. Wilbanks (Eds.), *Ccsp, 2007. The first state of the carbon cycle report (soccr): The north american carbon budget and implications for the global carbon cycle. A report by the u.S. Climate change science program and the subcommittee on global change research*. Asheville, NC: National Oceanic and Atmospheric Administration, National Climatic Data Center.
- Cook, C., & Dresser, A. (2007). Erosion and channel adjustments following forest road decommissioning, six rivers national forest. In M. Furniss, C. Clifton, & K. Ronnenberg (Eds.), *Advancing the fundamental sciences: Proceedings of the forest service national earth sciences conference, san diego, ca, 18-22 october 2004*. Portland, OR: USDA Forest Service, Pacific Northwest Research Station.
- Cook, J. G. (2002). Nutrition and food. In D. E. Towell & J. W. Thomas (Eds.), *North american elk: Ecology and management* (pp. 259-349). Washington, DC: Smithsonian Institution Scholarly Press.
- Cook, J. G., Irwin, L. L., Bryant, L. D., Riggs, R. A., & Thomas, J. W. (2005). Thermal cover needs of large ungulates: A review of hypothesis tests. In M. J. Wisdom (Ed.), *The starkey project: A synthesis of long-term studies of elk and mule deer* (pp. 185-196): Alliance Communications Group.
- Cook, J. G., Quinlan, L. J., Irwin, L. L., Bryant, L. D., Riggs, R. A., & Thomas, J. W. (1996). Nutrition-growth relations of elk calves during late summer and fall. *Journal of Wildlife Management*, 60(3), 528-541.

- Copeland, J. P., Mckelvey, K. S., Aubry, K. B., Landra, A., Persson, J., Inman, R. M., . . . May, R. (2010). The bioclimatic envelope of the wolverine (*gulo gulo*): Do climatic constraints limit its geographic distribution? *Canadian Journal of Zoology*, 88, 233-246.
doi:<http://dx.doi.org/10.1139/Z09-136>
- Cordell, H. K., J.C. Bergstrom and J.M. Bowker (Eds.). 2005. *The Multiple Values of Wilderness*. State College, PA: Venture Publishing, Inc.
- Costello, C. M., Mace, R. D., & Roberts, L. (2016). *Grizzly bear demographics in the northern continental divide ecosystem, montana: Research results (2004–2014) and suggested techniques for management of mortality*. Retrieved from Helena, MT:
- Craig, M.E., Scott M. Pearson, and Jennifer M. Fraterrigo. 2015. Grass invasion effects on forest soil carbon depend on landscape-level land use patterns. *Ecology* 96:2265–2279.
- Crane, K. K., Mosley, J. C., Brewer, T. K., Torstenson, W. L., & Tess, M. W. (2001). The influence of cattle grazing on elk forage conditions and habitat selection *Proceedings, american society of animal science, western section, june 20–22, 2001, montana state university, bozeman*. Bozeman, MT: Montana State University.
- Dale, V. H., Joyce, L. A., Steve, M., Neilson, R. P., Ayres, M. P., Flannigan, M. D., . . . Wotton, B. M. (2001). Climate change and forest disturbances. *BioScience*, 51(9), 723-734.
- Daniels, A. E., Morrison, J. F., Joyce, L. A., Crookston, N. L., Chen, S.-C., & McNulty, S. G. (2012). *Climate projections faq* (General Technical Report RMRS-GTR-277WWW). Retrieved from Fort Collins, CO:
- Deaver, Sherri, 1995. *Ethnographic Overview of Selected Portions of the Lewis and Clark National Forest and Adjacent Bureau of Land Management Lands. Volume 1: Narrative*. USDA Forest Service, Lewis & Clark National Forest, MT. *confidential report, only available internal hardcopy.
- DellaSala, D. A., Anthony, R. G., Bond, M. L., Fernandez, E. S., Frissell, C. A., Hanson, C. T., & Spivak, R. (2013). Alternative views of a restoration framework for federal forests in the pacific northwest. *Journal of Forestry*, 111(6), 420-429. doi:<http://dx.doi.org/10.5849/jof.13-040>
- Dickard, M., Gonzalez, M., Elmore, W., Leonard, S., Smith, D. C., Smith, S., Wyman, S. (2015). *Riparian area management: Proper functioning condition assessment for lotic areas*. Retrieved from Denver, CO:
- Dissmeyer, G. E. E. (2000). *Drinking water from forests and grasslands: A synthesis of the scientific literature* (General Technical Report SRS-39).
- DiTomaso, J. M., Brooks, M. L., Allen, E. B., Minnich, R., Rice, P. M., & Kyser, G. B. (2006). Control of invasive weeds with prescribed burning. *Weed Technology*, 20(2), 535-548.
doi:<http://dx.doi.org/10.1614/WT-05-086R1.1>
- Eby, L. A., Helmy, O., Holsinger, L. M., & Young, M. K. (2014). Evidence of climate-induced range contractions in bull trout *salvelinus confluentus* in a rocky mountain watershed, u.S.A. *PLoS ONE*, 9(6), e98812. doi:<http://dx.doi.org/10.1371/journal.pone.0098812>
- Edge, D. W., & Marcum, C. L. (1991, 10-12 April). *Topography ameliorates the effects of roads and human disturbance on elk*. Paper presented at the Elk Vulnerability Symposium, Montana State University, Bozeman, MT.
- Fahey, T. J., Woodbury, P. B., Battles, J. J., Goodale, C. L., Hamburg, S., Ollinger, S., & Woodall, C. W. (2009). Forest carbon storage: Ecology, management, and policy. *Frontiers in Ecology and the Environment*. doi:<http://dx.doi.org/10.1890/080169>
- Fiedler, C. E. (2002). Natural process-based management of fire-adapted western forests. In D. M. Baumgartner, L. R. Johnson, & E. J. DePuit (Eds.), *Small diameter timber: Resource management, manufacturing, and markets--proceedings of conference held february 25-27, 2002, in spokane, washington* (pp. 147-151). Pullman, WA: Washington State University Cooperative Extension.

- Finch, D. M. (2012). *Climate change in grasslands, shrublands, and deserts of the interior american west: A review and needs assessment*. Retrieved from Fort Collins, CO: https://www.fs.fed.us/rm/pubs/rmrs_gtr285.pdf
- Franklin, J. F., Mitchell, R. J., & Palik, B. J. (2007). *Natural disturbance and stand development principles for ecological forestry* (General Technical Report NRS-19). Retrieved from Newtown Square, PA: <https://www.nrs.fs.fed.us/pubs/3293>
- Fule, P. Z., Crouse, J. E., Roccaforte, J. P., & Kalies, E. L. (2012). Do thinning and/or burning treatments in western USA ponderosa or jeffrey pine-dominated forests help restore natural fire behavior? *Forest Ecology and Management*, 269, 68-81. doi:<http://dx.doi.org/10.1016/j.foreco.2011.12.025>
- Glover, J. F. and D. P. Stilwell. 2014. Final Report, Reasonably Foreseeable Development Scenario for Oil and Gas Activities in the Lewistown Planning Area, central Montana.
- Golladay, S. W., Martin, K. L., Vose, J. M., Wear, D. N., Covich, A. P., Hobbs, R. J., . . . Shearer, A. W. (2016). Achievable future conditions as a framework for guiding forest conservation and management. *Forest Ecology and Management*, 360, 80-96.
- González-Cabán, Armando; Haynes, Richard W.; McCaffrey, Sarah; Mercer, Evan; Watson, Alan, tech. eds. 2007. Fire social science research–selected highlights. Gen. Tech. Rep. PNW-GTR-736. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 65 p
- Graham, R. T., Harvey, A. E., Jurgensen, M. F., Jain, T. B., Tonn, J. R., & Pagedumroese, D. S. (1994). *Managing coarse woody debris in forests of the rocky mountains*. (0146-3551).
- Grant, G. E., Lewis, S. L., Swanson, F. J., Cissel, J. H., & McDonnell, J. J. (2008). *Effects of forest practices on peak flows and consequent channel response: A state-of-science report for western oregon and washington*. Retrieved from Portland, OR: <https://www.treearch.fs.fed.us/pubs/30179>, https://www.fs.fed.us/pnw/pubs/pnw_gtr760.pdf
- Gratson, M. W., & Whitman, C. L. (2000). Road closures and density and success of elk hunters in idaho. *Wildlife Society Bulletin*, 28(2), 302-310.
- Green, P., Joy, J., Sirucek, D., Hann, W., Zack, A., & Naumann, B. (1992). *Old-growth forest types of the northern region (errata corrected 02/05,12/07,10/08,12/11)* (R-1 SES 4/92). Retrieved from Missoula, MT:
- Gresswell, R. E. (1999). Fire and aquatic ecosystems in forested biomes of north america. *Transactions of the American Fisheries Society*, 128(2), 193-221. doi:[http://dx.doi.org/10.1577/1548-8659\(1999\)128<0193:FAAEIF>2.0.CO;2](http://dx.doi.org/10.1577/1548-8659(1999)128<0193:FAAEIF>2.0.CO;2)
- Grove, A. J., Wambolt, C. L., & Frisina, M. R. (2005). Douglas-fir's effect on mountain big sagebrush wildlife habitats. *Wildlife Society Bulletin*, 33(1), 74-80.
- Gruell, G. E., Brown, J. K., & Bushey, C. L. (1986). *Prescribed fire opportunities in grasslands invaded by douglas-fir: State-of-the-art guidelines* (General Technical Report INT-198). Retrieved from Ogden, UT:
- Gruell, G. E., Schmidt, W. C., Arno, S. F., & Reich, W. J. (1982). *Wildlife* (General Technical Report INT 130). Retrieved from Ogden, UT:
- Gucinski, H., Furniss, M. J., Ziemer, R. R., & Brookes, M. H. (2001). *Forest roads: A synthesis of scientific information* (General Technical Report PNW-509). Retrieved from Portland, OR: https://www.fs.fed.us/pnw/pubs/pnw_gtr509.pdf
- Gude, Patricia, Ray Rasker, and Jeff van den Noort. 2008. "Potential for Future Development on Fire-prone Lands." *Journal of Forestry* 106(4): 198-205
- Hagle, S. K. (2006). *Armillaria root disease: Ecology and management* (Information Report 11.1). Retrieved from Washington, DC:
- Hahn, Beth and Peter Landres, 2016. In Supplement to Minimum Requirements Analysis/Decision Guide (MRA/MRDG): Evaluating Proposals for Ecological Intervention in Wilderness. Aldo Leopold Wilderness Research Institute. June 2016. In: Aquatic Investigations in the North Fork of the Blackfoot River upstream of the North Fork Falls 2005-2017. MFWP July 2017

- Halofsky, Jessica E. and David L. Peterson. 2016. Climate change vulnerabilities and adaptation options for forest vegetation management in the northwestern USA. *Atmosphere* 2016, 7, 46; doi:10.3390/atmos7030046.
- Halofsky, J. E., Peterson, D. L., Dante-Wood, S. K., Hoang, L., Ho, J. J., & Joyce, L. A., editors (Eds.). (in press-a). *Climate change vulnerability and adaptation in the northern rocky mountains* (Vol. RMRS-GTR-xxx). Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station.
- Hann, W. J., Shlisky, A., Havlina, D., Schon, K., Barrett, S. W., DeMeo, T. E., . . . Frame, C. K. (2008). *Interagency fire regime condition class (frcc) guidebook*.
- Hansen, R. M., & Reid, L. D. (1975). Diet overlap of deer, elk, and cattle in southern colorado. *Journal of Range Management*, 28(1), 43-47. doi:<http://dx.doi.org/10.2307/3897577>
- Hansen, Matthew E.; Morris C. Johnson, Barbara J. Bentz, James C. Vandygriff; and A. Steven Munson. 2015. Fuel loads and simulated fire behavior in “old-stage” beetle-infested ponderosa pine of the Colorado plateau. *For. Sci.* 61 (0): 000-000.
- Hanson, Clayton L.; J. Ross Wight; Charles W. Slaughter; Fred B. Pierson; and Ken Spaeth. 1999. Simulation models and management of rangeland ecosystems: past, present, and future. *Rangelands*, Vol. 21, No. 4 (Aug 1999), pp. 32-38.
- Harmon, M. E., & Marks, B. (2002). Effects of silvicultural practices on carbon stores in douglas-fir -- western hemlock forests in the pacific northwest, u.S.A.: Results from a simulation model. *Canadian Journal of Forest Research*, 32, 863-877. doi:<http://dx.doi.org/10.1139/XO1-216>
- Harper, A. (2014). Personal Communication.
- Harpman, David A., Welch, Michael P., Bishop, Richard C. 1994. Non-use economic value: Emerging policy analysis tool. U.S. Bureau of Reclamation. Denver, Co. 26 pp.
- Harrison, S., E. Damschen, and B.M. Going. 2009. Climate Gradients, Climate Change and Special Edaphic Floras. *Northeastern Naturalist* 16(Special Issue 5):121-130.
- Harsch, M. A., & Ris Lambers, J. H. (2015). Species distributions shift downward across western north america. *Global Change Biology*, 21(3), 1376. doi:<http://dx.doi.org/10.1111/gcb.12697>
- Heinemeyer, K. S., J. R. Squires, M. Hebblewhite, J. S. Smith, J. D. Holbrook, J. P. Copeland. 2017. Wolverine – Winter Recreation Research Project: Investigating the interactions between wolverines and winter recreation. Final Report, December 15, 2017. 71pp. Available at: www.roundriver.org/wolverine.
- Henderson, R. E., Sterling, B. A., & Lemke, T. O. (1993). *The lower clark fork elk study: Final report 1985-1990*. Retrieved from Helena, MT:
- Henjum, M. G., Karr, J. R., Bottom, D. L., Perry, D. A., Bednarz, J. C., Wright, S. G., . . . Beckwitt, E. (1994). *Interim protection for late-successional forests, fisheries, and watersheds: National forests east of the cascade crest, oregon and washington* (The Wildlife Society Technical Review 94-2). Retrieved from Bethesda, MD:
- Hessburg, P. F., & Agee, J. K. (2003). An environmental narrative of inland northwest united states forests, 1800–2000. *Forest Ecology and Management*, 178, 23-59. doi:[http://dx.doi.org/10.1016/S0378-1127\(03\)00052-5](http://dx.doi.org/10.1016/S0378-1127(03)00052-5)
- Hessburg, P. F., Agee, J. K., & Franklin, J. F. (2005). Dry forests and wildland fires of the inland northwest USA : Contrasting the landscape ecology of the pre-settlement and modern eras. *Forest Ecology and Management*, 211, 117-139. doi:<http://dx.doi.org/10.1016/j.foreco.2005.02.016>
- Hessburg, P. F., Smith, B. G., & Salter, R. B. (1999). Detecting change in forest spatial patterns from reference conditions. *Ecological Applications*, 9(4), 1232-1252.
- Heyerdahl, E. K., Miller, R. F., & Parsons, R. A. (2006). History of fire and douglas-fir establishment in a savanna and sagebrush–grassland mosaic, southwestern montana, USA. *Forest Ecology and Management*, 230(1–3), 107-118. doi:<http://dx.doi.org/10.1016/j.foreco.2006.04.024>
- Hillis, J. M., Thompson, M. J., Canfield, J. E., Lyon, L. J., Marcum, C. L., Dolan, P. M., & McCleerey, D. W. (1991). Defining elk security: The hillis paradigm. In A. G. Christensen, L. J. Lyon, & T. N. Lonner (Eds.), *Proceedings of a symposium on elk vulnerability* (pp. 38-43). Bozeman, MT: Montana Department of Fish, Wildlife and Parks.

- Hitt, N. P., & Frissell, C. A. (2000). An evaluation of wilderness and aquatic biointegrity in western montana. In S. F. McCool, D. N. Cole, W. T. Borrie, & J. O'Loughlin (Eds.), *Wilderness science in a time of change conference--volume 2: Wilderness within the context of larger systems--missoula, montana, may 23-27, 1999* (pp. 138-142). Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station.
- Hitt, N. P., Frissell, C. A., Muhlfeld, C. C., & Allendorf, F. W. (2003). Spread of hybridization between native westslope cutthroat trout, *oncorhynchus clarki lewisi*, and nonnative rainbow trout, *oncorhynchus mykiss*. *Canadian Journal of Fisheries and Aquatic Sciences*, 60(12), 1440-1451. doi:<http://dx.doi.org/10.1139/f03-125>
- Hobbs, R. J., & Humphries, S. E. (1995). An integrated approach to the ecology and management of plant invasions. *Conservation Biology*, 9(4), 761-770.
- Holbrook, J. D., J. R. Squires, L. E. Olson, N. J. DeCesare, and R. L. Lawrence. 2017. Understanding and predicting habitat for wildlife conservation: the case of Canada lynx at the range periphery. *Ecosphere* 8(9):e01939. 10.1002/ecs2.1939
- Holling, C. S. (1973). Resilience and stability of ecological systems. *Annual Review of Ecology and Systematics*, 4, 1-23.
- Hornocker, M. G., & Hash, H. S. (1981). Ecology of the wolverine in northwestern montana. *Canadian Journal of Zoology*, 59(7), 1286-1301. doi:<http://dx.doi.org/10.1139/z81-181>
- Huntington, C., Nehlsen, W., & Bowers, J. (1996). A survey of healthy native stocks of anadromous salmonids in the pacific northwest and california. *Fisheries*, 21(3), 6-14. doi:[http://dx.doi.org/10.1577/1548-8446\(1996\)021<0006:ASOHNS>2.0.CO;2](http://dx.doi.org/10.1577/1548-8446(1996)021<0006:ASOHNS>2.0.CO;2)
- Hurteau, M. D., Koch, G. W., & Hungate, B. A. (2008). Carbon protection and fire risk reduction: Toward a full accounting of forest carbon offsets. *Frontiers in Ecology and the Environment*, 6, 6. doi:<http://dx.doi.org/10.1890/070187>
- IGBC. (1986). *Interagency grizzly bear guidelines*. Retrieved from https://www.nps.gov/yell/learn/nature/upload/IGB_Guidelines.pdf
- IGBC. (1998). *Interagency grizzly bear committee taskforce report (revised from 1994)*. Retrieved from <http://www.igbconline.org/index.php/historical-documents>, <http://www.igbconline.org/index.php/who-we-are/about-the-igbc>
- Inman, R. M., Bergen, S., & Beckman, J. P. (2013). *Wolverine connectivity in greater yellowstone: A circuitscape analysis at the metapopulation scale*. Retrieved from
- Inman, R. M., Brock, B. L., Inman, K. H., Sartorius, S. S., Aber, B. C., Giddings, B., Chapron, G. (2013). Developing priorities for metapopulation conservation at the landscape scale: Wolverines in the western united states. *Biological Conservation*, 166, 276-286. doi:<http://dx.doi.org/10.1016/j.biocon.2013.07.010>
- Inman, R. M., Packila, M. L., H., I. K., McCue, A. J., White, G. C., Persson, J., Sartorius, S. S. (2012). Spatial ecology of wolverines at the southern periphery of distribution. *Journal of Wildlife Management*, 76(4), 778-7925. doi:<http://dx.doi.org/10.1002/jwmg.289>
- Interagency Lynx Biology Team. (2013). *Canada lynx conservation assessment and strategy*. Retrieved from Missoula, MT:
- Intergovernment Panel on Climate Change (IPCC). (2007). *Climate change: 2007 synthesis report*. Retrieved from Geneva, Switzerland:
- Intergovernment Panel on Climate Change. (2007). Climate change: Impacts, adaptation and vulnerability. In M. L. Parry, O. F. Canziani, & J. P. Palutikof (Eds.), *Contribution of working group ii to the fourth assessment report of the intergovernmental panel on climate change (ipcc)* (pp. 976). Cambridge, U.K.; New York: Cambridge University Press.
- Isaak, D. J., Young, M. K., Nagel, D. E., Horan, D. L., & Groce, M. C. (2015). The cold-water climate shield: Delineating refugia for preserving salmonid fishes through the 21st century. *Global Change Biology*, 21(7), 2540-2553. doi:<http://dx.doi.org/10.1111/gcb.12879>

- Isaak, D., M. Young, D. Nagel, D. Horan, M. Groce, and S. Parkes. 2017. Climate Shield bull trout and cutthroat trout population occurrence scenarios for the western U.S. Rocky Mountain Research Station, U.S. Forest Service Data Archive, Fort Collins, CO. DOI: pending.
- Jacobs, J. (2007). Invasive plant management: Options and actions *Invasive plant management: Cipm online textbook*. Bozeman, MT: Natural Resources Conservation Service,.
- Jenkins, M. J., Hebertson, E., Page, W., & Jorgensen, A. (2008). Bark beetles, fuels, fires and implications for forest management in the intermountain west. *Forest Ecology and Management*, 254, 16-34.
- Johnson, E. A., Miyanishi, K., & Weir, J. M. H. (1995). Old-growth, disturbance, and ecosystem management. *Canadian Journal of Botany*, 73, 918-926.
- Jones, W.M. 2003. Kootenai National Forest peatlands: description and effects of forest management. Report to the Kootenai National Forest, Montana. Montana Natural Heritage Program, Helena. 14 pp. plus appendices.
- Karr, J. R., & Chu, E. W. (1999). *Restoring life in running waters: Better biological monitoring* (rev. ed.). Washington, DC: Island Press.
- Kartesz, J.T. (1999). A synonymized checklist and atlas with biological attributes for the vascular flora of the United States, Canada, and Greenland. In: Synthesis of the North American Flora. Version 1.0 (eds Kartesz, J.T. & Meacham, C.A.). North Carolina Botanical Garden, Chapel Hill, NC
- Kashian, D. M., Romme, W. H., Tinker, D. B., Turner, M. G., & G., R. M. (2006). Carbon storage on landscapes with stand-replacing fires. *BioScience*, 56(7), 598-606.
doi:<http://dx.doi.org/10.1641/0006-3568%282006%2956%5B598%3ACSOLWS%5D2.0.CO%3B2>
- Kaye, Margot W.; Dan Binkley, and Thomas J. Stohlgren. 2005. Effects of conifers and elk browsing on quaking aspen forests in the central Rocky Mountains, USA. *Ecological Applications*, 15(4), 2005, pp. 1284-1295.
- Keane, R. E., Tomback, D. F., aubrey, C. A., Bower, A. D., Campbell, E. M., Cripps, C. L., Smith, C. M. (2012). *A range-wide restoration strategy for whitebark pine (pinus albicaulis)*. Retrieved from Fort Collins, CO: <https://www.treesearch.fs.fed.us/pubs/40884>
- Kegley, S., & Sturdevant, N. J. (2006). *Spruce budworm defoliation and mortality on flesher pass-june 2006* (Trip Report TR-01-10).
- Kendall, K. C., Jeffrey, B. S., Boulanger, J., Macleod, A. C., Paetkau, D., & White, G. C. (2009). Demography and genetic structure of a recovering grizzly bear population. *Journal of Wildlife Management*, 73(1), 3-17. doi:<http://dx.doi.org/10.2193/2008-330>
- Kershner, J. L., Bischoff, C. M., & Horan, D. L. (1997). Population, habitat, and genetic characteristics of colorado river cutthroat trout in wilderness and nonwilderness stream sections in the uinta mountains of utah and wyoming. *North American Journal of Fisheries Management*, 17(4), 1134-1143. doi:[http://dx.doi.org/10.1577/1548-8675\(1997\)017<1134:PHAGCO>2.3.CO;2](http://dx.doi.org/10.1577/1548-8675(1997)017<1134:PHAGCO>2.3.CO;2)
- Kessler, J., Bradley, C., Rhodes, J., & Wood, J. (2001). *Imperiled western trout and the importance of roadless areas: A report by the western native trout campaign*. Retrieved from Tucson, AZ:
- Kitzberger, T., P.M. Brown, E.K. Heyerdahl, T.W. Swetnam, T.T. Veblen. 2007. "Contingent Pacific-Atlantic Ocean influence on multicentury wildfire synchrony over western North America." *PNAS* 104(2): 543- 548.
- Kline, J. D., & Mazzotta, M. J. (2012). *Evaluating tradeoffs among ecosystem services in the management of public lands* (General Technical Report PNW-865). Retrieved from Portland, OR: https://www.fs.fed.us/pnw/pubs/pnw_gtr865.pdf
- Klock, G. O. (1975). Lmpact of five postfire salvage logging systems on soils and vegetation. *Journal of Soil and Water Conservation*, March-April, 78-91.
- Knight, G. C. (1989). *Overview: Ecological and cultural prehistory of the helena and deerlodge national forests montana*.

- Kobziar, L., Moghaddas, J., & Stephens, S. L. (2006). Tree mortality patterns following prescribed fires in a mixed conifer forest. *Canadian Journal of Forest Research*, 36(12), 3222-3238. doi:<http://dx.doi.org/10.1139/x06-183>
- Kolb, T. E., Agee, J. K., Fule, P. Z., McDowell, N. G., Pearson, K., Sala, A., & Waring, R. H. (2007). Perpetuating old ponderosa pine. *Forest Ecology and Management*, 249(3), 141-157. doi:<http://dx.doi.org/10.1016/j.foreco.2007.06.002>
- Kolb, T. E., Holmberg, K. M., Wager, M. R., & Stone, J. E. (1998). Regulation of ponderosa pine foliar physiology and insect resistance mechanisms by basal area treatments. *Tree Physiology*, 18, 375-381.
- Kosterman, M. K. (2014). *Correlates of canada lynx reproductive success in northwestern montana*. (Master's thesis), University of Montana, Missoula, Montana. Retrieved from <http://scholarworks.umt.edu/cgi/viewcontent.cgi?article=5406&context=etd>
- Krankina, O. N., & Harmon, M. (2006). Forest management strategies for carbon storage *Forests, carbon and climate change: A synthesis of science findings* (pp. 79): Oregon Forest Resources Institute.
- Krupp, Fred. (2015). Statement on Paris Agreement from Environmental Defense Fund President Fred Krupp. Environmental Defense Fund. Retrieved from <https://www.edf.org/media/statement-paris-agreement-environmental-defense-fund-president-fred-krupp>.
- Kujala, Q. Montana Fish, Wildlife and Parks, pers. commun 21 August 2017, and J. Gude, Montana Fish, Wildlife and Parks, pers. commun. 21 August 2017).
- Kurz, W. A., Dymond, C. C., Stinson, G., Rampley, G. J., Neilson, E. T., Carroll, A. L., . . . Safranyik, L. (2008). Mountain pine beetle and forest carbon feedback to climate change. *Nature*, 452, 987-990. doi:<http://dx.doi.org/10.1038/nature06777>
- Kurz, W. A., Stinson, G., & Rampley, G. J. (2008). Could increased boreal forest ecosystem productivity offset carbon losses from increased disturbances? *Philosophical Transactions of the Royal Society B-Biological Sciences*, 363(1501), 2261-2269. doi:<http://dx.doi.org/10.1098/rstb.2007.2198>
- Kurz, W. A., Stinson, G., Rampley, G. J., Dymond, C. C., & Neilson, E. T. (2008). Risk of natural disturbances makes future contribution of canada's forests to the global carbon cycle highly uncertain. *Proceedings of the National Academy of Sciences*, 105(5), 1551-1555. doi:<http://dx.doi.org/10.1073/pnas.0708133105>
- Lackey, R. T. (2001). Values, policy, and ecosystem health. *BioScience*, 51(6), 437-443. doi:[http://dx.doi.org/10.1641/0006-3568\(2001\)051\[0437:Vpaeh\]2.0.Co;2](http://dx.doi.org/10.1641/0006-3568(2001)051[0437:Vpaeh]2.0.Co;2)
- Lake, P. S. (2000). Disturbance, patchiness, and diversity in streams. *Journal of the North American Benthological Society*, 19(4), 573-592. doi:<http://dx.doi.org/10.2307/1468118>
- Lamb, C.T., G. Mowat, A. Reid, L. Smit, M. Proctor, B.N. McLellan, A.E. Nielsen, S. Boutin. 2018. Effects of habitat quality and access management on the density of a recovering grizzly bear population. *Journal of Applied Ecology* 2018, 1-12.
- Laughlin, Daniel C., Jonathan D. Bakker, Michael T. Stoddard, Mark L. Daniels, Judith D. Springer, Cara N. Gildar, Aaron M. Green, and W. Wallace Covington. 2004. Toward reference conditions: wildfire effects on flora in an old-growth ponderosa pine forest. *Forest Ecology and Management* 199 (2004) 137-152.
- Lee, D. C., Sedell, J. R., Rieman, B. E., Thurow, R. F., Williams, J. E., Burns, D., . . . Van Eimeren, P. (1997). *Chapter 4: Broadscale assessment of aquatic species and habitats* (General Technical Report PNW-GTR-405). Retrieved from Portland, OR:
- Leege, T. A. (1984). *Evaluating and managing summer elk habitat in northern idaho*. Retrieved from
- Lehmkuhl, J. F., Kennedy, M., Ford, D. E., Singleton, P. H., Gaines, W. L., & Lind, R. L. (2007). Seeing the forest for the fuel: Integrating ecological values and fuels management. *Forest Ecology and Management*, 246(1), 73-80. doi:<http://dx.doi.org/10.1016/j.foreco.2007.03.071>
- Leptich, D. J., & Zager, P. (1991). Road access management effects on elk mortality and population dynamics. In A. G. Christensen, L. J. Lyon, & T. N. Lonner (Eds.), *Proceedings of elk*

- vulnerability: A symposium* (pp. 330). Bozeman, MT: Montana Department of Fish, Wildlife and Parks and Montana Chapter of The Wildlife Society.
- Lewis and Clark County. 2011. "Lewis and Clark County outdoor air quality regulations". Accessed December 9, 2014,
<http://www.lccountymt.gov/fileadmin/user_upload/Health/Environmental/Air_Quality/Documents/Air_Quality-final_draft-for-BER.pdf
- Lindh, B. C., & Muir, P. S. (2004). Understory vegetation in young douglas-fir forests: Does thinning help restore old-growth composition? *Forest Ecology and Management*, 192(2-3), 258-296. doi:<http://dx.doi.org/10.1016/j.foreco.2004.01.018>
- Linkhart, B. D., & McCallum, D. A. (2013). Flammulated owl (*psiloscoops flammeolus*). *The Birds of North America*. Retrieved from <https://birdsna.org/Species-Account/bna/species/flaowl>
- Litschert, S. E., & MacDonald, L. H. (2009). Frequency and characteristics of sediment delivery pathways from forest harvest units to streams. *Forest Ecology and Management*, 259(2), 143-150. doi:<http://dx.doi.org/10.1016/j.foreco.2009.09.038>
- Lyon, J. L., & Canfield, J. E. (1991). *Habitat selections by rocky mountain elk under hunting season stress*. Paper presented at the Elk Vulnerability Symposium, Montana State University, Bozeman, MT.
- Lyon, J. L., & Christensen. (1992). *A partial glossary of elk management terms* (INT-288).
- Lyon, J. L., & Christensen, A. G. (2002). Elk and land management. In D. E. Toweill & J. W. Thomas (Eds.), *North american elk: Ecology and management* (pp. 557-575). Washington, DC: Smithsonian Institution Scholarly Press.
- Lyon, L. J. (1977). *Attrition of lodgepole pine snags on the sleeping child burn, montana* (USDA Forest Service Research Note INT-219). Retrieved from Ogden, UT:
- Lyon, L. J. (1979). Habitat effectiveness for elk as influenced by roads and cover. *Journal of Forestry*, 77(10), 658-660.
- Lyon, L. J., Lonner, T. N., Weigand, J. P., Marcum, C. L., Edge, W. D., Jones, J. D., Hicks, L. L. (1985). *Coordinating elk and timber management: Final report of the montana cooperative elk-logging study 1970-1985*. Retrieved from Bozeman, MT:
- Mace, R. D., & Roberts, L. J. (2012). *Northern continental divide ecosystem grizzly bear monitoring team annual report, 2011*. Retrieved from Kalispell, MT:
- Mace, R. D., Waller, J. S., Manley, T. L., Lyon, L. J., & Zuuring, H. (1996). Relationships among grizzly bears, roads and habitat in the swan mountains, montana. *Journal of Applied Ecology*, 33(6), 1395-1404. doi:<http://dx.doi.org/10.2307/2404779>
- Marlon, J. R., Bartlein, P. J., Gavin, D. G., Long, C. J., Anderson, R. S., Briles, C. E., . . . Walsh, M. K. (2012). Long-term perspective on wildfires in the western USA. *Proceedings of the National Academy of Sciences*, 109(9), E535-543. doi:<http://dx.doi.org/10.1073/pnas.1112839109>
- Marten, Leanne M. (2016, 6 September). Clarification on Lynx Habitat Mapping in R1.
- Martinez, P. J., Bigelow, P. E., Deleray, M. A., Fredenberg, W. A., Hansen, B. S., Horner, N. J., Viola, A. E. (2009). Western lake trout woes. *Fisheries*, 34(9), 424-442. doi:<http://dx.doi.org/10.1577/1548-8446-34.9.424>
- McCaffrey, Sarah M and Christine S. Olsen. (2012). Research perspectives on the public and fire management: a synthesis of current social science on eight essential questions. Gen. Tech. Rep. NRS-104. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northern Research Station. 40 p.
- McCallum, D. A. (1994). *Flammulated owl*. Retrieved from Philadelphia and Washington, DC:
- McClerman, H.G. 1983. Metallic Mineral Deposits of Lewis and Clark County, Montana, Montana Bureau of Mines and Geology Memoir 52.
- McGowan-Stinski (2001)Tu, Mandy; Hurd, Callie; Randall, John M.; and The Nature Conservancy, "Weed Control Methods Handbook: Tools & Techniques for Use in Natural Areas" (2001). All U.S. Government Documents (Utah Regional Depository). Paper 533. <http://digitalcommons.usu.edu/govdocs/533>

- Mckenzie, D., Peterson, D. L., & Littell, J. J. (2009). Global warming and stress complexes in forests of western north america. In A. Bytnerowicz, M. Arbaugh, C. Andersen, & A. Riebau (Eds.), *Wildland fires and air pollution* (Vol. 8, pp. 319-338). Amsterdam, The Netherlands: Elsevier.
- McKinley, D. C., Ryan, M. G., Birdsey, R. A., Giardina, C. P., Harmon, M. E., Heath, L. S., Skog, K. E. (2011). A synthesis of current knowledge on forests and carbon storage in the united states. *Ecological Applications*, 21(6), 1902-1924. doi:<http://dx.doi.org/10.1890/10-0697.1>
- McLellan, B. N. (2015). Some mechanisms underlying variation in vital rates of grizzly bears on a multiple use landscape. *Journal of Wildlife Management*, 79(5), 749-765. doi:<http://dx.doi.org/10.1002/jwmg.896>
- McNab, W. Henry and Peter E. Avers 1994. Ecological Subregions of the United States. WO-WSA-5.
- Means, R. E. (2011). Synthesis of lower treeline limber pine (*pinus flexilis*) woodland knowledge, research needs, and management considerations. In R. E. Keane, D. F. Tomback, M. P. Murray, & C. M. Smith (Eds.), *The future of high-elevation, five-needle white pines in western north america: Proceedings of the high five symposium*. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Melillo, Jerry M., Terese (T.C.) Richmond, and Gary W. Yohe, Eds., 2014: Climate Change Impacts in the United States: The Third National Climate Assessment. U.S. Global Change Research Program, 841 pp. doi:10.7930/J0Z31WJ2.
- Metesh, J, J. Lonn, R. Marvin, P. Hargrave, and J. Madison. 1998. Abandoned-Inactive Mines, Helena National Forest, Volume I – Upper Missouri River Drainage, Montana Bureau of Mines and Geology, Open-File Report/MBMG 352, 189 p.
- Management and Engineering Technologies International (METI) (2010). USDA Forest Service Protocols for Delineation of Economic Impact Analysis Areas
- Metlen, K. L., & Fiedler, C. E. (2006). Restoration treatment effects on the understory of ponderosa pine/douglas-fir forests in western montana, USA. *Forest Ecology and Management*, 222(1–3), 355-369. doi:<http://dx.doi.org/10.1016/j.foreco.2005.10.037>
- Meyerson, L. A., & Mooney, H. A. (2007). Invasive alien species in an era of globalization. *Frontiers in Ecology and the Environment*, 5(4), 199-208.
- Montana Fish, Wildlife, and Parks. 2005, Montana Statewide Elk Management Plan
- Montana Fish, Wildlife, and Parks. 2015 Elk Refuge Areas and Their Impacts
<http://fwp.mt.gov/fishAndWildlife/management/elk/>
- Montana Fish, Wildlife, and Parks. (2016). *Incidental lynx take 2000-2015--montana*.
- Millar, C. I., & Stephenson, N. L. (2015). Temperate forest health in an era of emerging megadisturbance. *Science*, 349, 823-826.
- Millar, C. I., Stephenson, N. L., & Stephens, S. L. (2007). Climate change and forests of the future: Managing in the face of uncertainty. *Ecological Applications*, 17(8), 2145-2151. doi:<http://dx.doi.org/10.1890/06-1715.1>
- Mitchell, R. G., & Preisler, H. K. (1998). Fall rate of lodgepole pine killed by the mountain pine beetle in central oregon. *Western Journal of Applied Forestry*, 13(1), 23-26.
- Montana Department of Environmental Quality, State Lands, Abandoned Mine Reclamation Bureau 1995. Abandoned Hard Rock Mine Priority Sites, Summary Report.
- Montana Department of Environmental Quality. (1998). Montana water quality 1998. Retrieved from http://deq.mt.gov/Portals/112/Water/WQpb/CWAIC/Reports/IRs/1998/1998_305b.pdf
- Montana Department of Environmental Quality. 2010. Montana/Idaho Airshed Group. Operating guide. Montana/Idaho Airshed Group, Smoke Management Program, accessed November 19, 2014, <<http://www.smokemu.org/docs/2010%20Operations%20Guide.pdf>>
- Montana Department of Environmental Quality. (2014). Montana 2014 final water quality integrated report. Retrieved from Helena, MT:
<http://deq.mt.gov/Portals/112/Water/wqpb/cwaic/Reports/IRs/2014/2014FinalIR.pdf>
- Montana Department of Environmental Quality. 2014b. Marysville Geothermal Site website, <http://deq.mt.gov/Energy/EnergizeMT/Geothermal/Sites/marysville>

- Montana Department of Environmental Quality. (2016). Draft 2016 water quality integrated report. Retrieved from <http://deq.mt.gov/Water/WQPB/cwaic/reports>
- Montana Department of Environmental Quality. 2017. State of Montana, Regional Haze 5 Year Progress Report. 2017. Montana Department of Environmental Quality.
- Montana Department of Fish, Wildlife and Parks. (1978). *1978 montana statewide comprehensive outdoor recreation plan (scorp)*. Retrieved from Helena, MT:
- Montana Department of Fish, Wildlife, and Parks. (2004). Montana statewide elk management plan 2004. Retrieved from Helena, MT: <http://fwp.mt.gov/fishAndWildlife/management/elk/managementPlan.html>
- Montana Department of Fish, Wildlife and Parks. (2005). *Elk survey data*.
- Montana Department of Fish, Wildlife and Parks (MFWP) 2007. Memorandum of understanding and conservation agreement for westslope cutthroat trout and Yellowstone Cutthroat trout in Montana. Helena, Montana.
- Montana Department of Fish, Wildlife and Parks. (2013). *U.S. Forest service and montana department of fish wildlife and parks collaborative overview and recommendations for elk habitat management on the custer, gallatin, helena, and lewis and clark national forests*.
- Montana Department of Fish, Wildlife, and Parks. (2014) Northcentral Montana Westslope Cutthroat Trout Restoration Update. Montana Fish Wildlife and Parks. Great Falls, Montana. 16 pages.
- Montana Department of Fish, Wildlife and Parks. 2017. Montana Statewide Elk Management Population Status Charts and Maps. <http://fwp.mt.gov/fishAndWildlife/management/elk/default.html#elkPopulationDistribution>. Accessed August 1, 2017.
- Montana Department of Natural Resources and Conservation. (1999). Best management practices for grazing.
- Montana Department of Natural Resources and Conservation. (2006). Montana guide to streamside management zone law and rules.
- Montana Natural Heritage Program, Montana Fish, Wildlife, and Parks. Montana field guide. from Montana Natural Heritage Program and Montana Fish, Wildlife and Parks <http://fieldguide.mt.gov/default.aspx>
- Montana Natural Heritage Program. (2014). Montana natural heritage program species of concern report. Retrieved from Helena, MT: <http://mtnhp.org/SpeciesOfConcern/>; <http://fieldguide.mt.gov/statusCodes.aspx#soc>
- Montana Natural Heritage Program. field guide – cited for flam owls – citation not provided in specialist report.
- Moody, J. A., & Martin, D. A. (2001a). Initial hydrologic and geomorphic response following a wildfire in the colorado front range. *Earth Surface Processes and Landforms*, 26(10), 1049-1070. doi:<http://dx.doi.org/10.1002/esp.253>
- Moody, J. A., & Martin, D. A. (2001b). Post-fire, rainfall intensity-peak discharge relations for three mountainous watersheds in the western USA. *Hydrological Processes*, 15(15), 2981-2993. doi:<http://dx.doi.org/10.1002/hyp.386>
- Morgan, T. A., & Baldrige, J. (2015). *Understanding costs and other impacts of litigation of forest service projects: A region one case study*. Retrieved from Missoula, MT:
- Morgan, Todd A., Steven W. Hayes and Chelsea P. McIver. 2017. Forest Products: Market and Supply Challenges Continue. IN: 2017 Montana Economic Report, <http://www.bber.umt.edu/pubs/Seminars/2017/EconRpt2017.pdf>
- Mosley, Jeffrey C.; Philip S. Cook; Amber J. Griffis, and Jay O'Laughlin. 1999. Guidelines for Managing Cattle Grazing in Riparian Areas to Protect Water Quality: Review of Research and Best Management Practices Policy. Idaho Forest, Wildlife and Range Policy Analysis Group. Report No. 15, December 1997. Internet Edition December 1999.
- Mowat, G., Poole, K. G., & O'Donoghue, M. (2000). Ecology of lynx in northern canada and alaska. In L. F. Ruggiero, K. B. Aubry, S. W. Buskirk, G. M. Koehler, C. J. Krebs, K. S. McKelvey, & J. R.

- Squires (Eds.), *Ecology and conservation of lynx in the united states* (pp. 265-306). Boulder, CO: University Press of Colorado.
- Muhlfeld, C. C., Kalinowski, S. T., McMahon, T. E., Taper, M. L., Painter, S., Leary, R. F., & Allendorf, F. W. (2009). Hybridization rapidly reduces fitness of a native trout in the wild. *Biology Letters*, 5(3), 328-331. doi:<http://dx.doi.org/10.1098/rsbl.2009.0033>
- Muhlfeld, C. C., Kovach, R. P., Jones, L. A., Al-Chokhachy, R., Boyer, M. C., Leary, R. F., Allendorf, F. W. (2014). Invasive hybridization in a threatened species is accelerated by climate change. *Nature Climate Change*, 4(7), 620-624. doi:<http://dx.doi.org/10.1038/nclimate2252>
- Murphy, D. D., and S. B. Weiss. 1992. Effects of climate change on biological diversity in Western North America: Species losses and mechanisms. Chapter 26 in *Global Warming and biological diversity*, ed. R. L. Peters and T. E. Lovejoy. Castleton, New York: Hamilton Printing.
- Nelson, L., P. Clancey, T. Horton, T. Humphrey, T. Lohrenz, D. Moser, J. Olsen, D. Oswald, E. Roberts, B. Shepard, R. Spoon, M. Vaughn, S. Barndt, J. Brammer, L. Burns, D. Downing, A. Harper, S. Kujala, C. Riley, B. Roberts, C. Sestrich, L. Walch, D. Watschke, P. Hutchinson, S. Franklin and S. LaMarr, T. Koel and M. Ruhl. 2011. Draft Status and Conservation Needs for Westslope Cutthroat Trout in Southwest Montana. Montana Fish, Wildlife & Parks, Beaverhead – Deerlodge, Helena and Gallatin National Forests, Bureau of Land Management, Dillon and Butte Field Offices, Yellowstone National Park
- Nelson, L., Clancy, P., Horton, T., Humphrey, T., Lohrenz, T., Moser, D., Vaughn, M. (2011). *Status and conservation needs for westslope cutthroat trout in southwest montana*.
- Nelson, M. D., Johnson, D. H., Linkhart, B. D., & Miles, P. D. (2009). *Flammulated owl (otus flammeolus) breeding habitat abundance in ponderosa pine forests of the united states*. Paper presented at the Fourth International Partners in Flight Conference: Tundra to Tropics, McAllen, Texas.
- North, M. P., & Hurteau, M. D. (2011). High-severity wildfire effects on carbon stocks and emissions in fuel treated and untreated forest. *Forest Ecology and Management*, 261, 1115-1120. doi:<http://dx.doi.org/10.1016/j.foreco.2010.12.039>
- Noss, R. F., Franklin, J. F., Baker, W., Schoennagel, T., & Moyle, P. B. (2006). *Ecological science relevant to management policies for fire-prone forests of the western united states*. Retrieved from Arlington, VA:
- O'Brien, Renee A., Curtis M. Johnson, Andrea M. Wilson, and Van C. Elsbernd. 2003. Indicators of Rangeland Health and Functionality in the Intermountain West. USDA Forest Service, Rocky Mountain Research Station. General Technical Report RMRS-GTR-104. June 2003.
- Pan, Y. (2011). A large and persistent carbon sink in the world's forests. *Science*, 333, 988-993.
- Pardee, J. T., & Schrader, F. C. (1933). *Metalliferous deposits of the greater helena mining region montana*.
- Parks, C. G., Radosevich, S. E., Endress, B. A., Naylor, B. J., Anzinger, D., Rew, L. J., . . . Dwire, K. A. (2005). Natural and land-use history of the northwest mountain ecoregions (USA) in relation to patterns of plant invasions. *Perspectives in Plant Ecology, Evolution and Systematics*, 7, 137-158.
- Parks Sean A., Miller Carol, Holsinger Lisa M., Baggett L. Scott, Bird Benjamin J. (2016) Wildland fire limits subsequent fire occurrence. *International Journal of Wildland Fire* 25, 182-190. <https://doi.org/10.1071/WF15107>
- Pauchard, A., Kueffer, C., Dietz, H., Daehler, C. C., Alexander, J., Edwards, P. J., Seipel, T. (2009). Ain't no mountain high enough: Plant invasions reaching new elevations. *Frontiers in Ecology and the Environment*, 7(9), 479-486. doi:<http://dx.doi.org/10.1890/080072>
- Peck, C. P., F. T. van Manen, C. M. Costello, M. A. Haroldson, L. A. Landenburger, L. L. Roberts, D. D. Bjornlie, and R. D. Mace. 2017. Potential paths for male-mediated gene flow to and from an isolated grizzly bear population. *Ecosphere* 8(10):e01969. 10.1002/ecs2.1969.
- Pederson, G. T., Graumlich, L. J., Fagre, D. B., Kipfer, T., & Muhlfeld, C. C. (2010). A century of climate and ecosystem change in western montana: What do temperature trends portend? *Climatic Change*, 98(1-2), 133-154. doi:<http://dx.doi.org/10.1007/s10584-009-9642-y>

- Pellant, M., Abbey, B., & Karl, S. (2004). Restoring the great basin desert, u.S.A.: Integrating science, management, and people. *Environmental Monitoring and Assessment*, 99, 169-179.
- Pellant, M., P. Shaver, D.A. Pyke, and J.E. Herrick. 2005. Interpreting indicators of rangeland health, version 4. Technical Reference 1734-6. U.S. Department of the Interior, Bureau of Land Management, National Science and Technology Center, Denver, CO. BLM/WO/ST-00/001+1734/REV05. 122 pp.
- Perry, C. and R. Overly. 1976. Impact of roads on big game distribution in portions of the Blue Mountains. P. 62-68 in Proc. Elk-Logging-Roads Symp., Univ. Idaho.
- Peterson, D. L., Agee, J. K., Aplet, G. H., Dykstra, D. P., Graham, R. T., Lehmkuhl, J. F., . . . Stuart, J. D. (2009). *Effects of timber harvest following wildfire in western north america* (General Technical Report PNW-GTR-776). Retrieved from Portland, OR:
- Pfankuch, D. J. (1975). *Stream reach inventory and channel stability evaluation: A watershed management procedure* (R1-75-002). Retrieved from St. Paul, MN:
- Pickett, S.T.A. and White, P.S. (1985). Patch Dynamics: a synthesis. The ecology of natural disturbance and patch dynamics, pp. 371-384.
- Pierce, R., & Podner, C. (2006). *The big blackfoot river fisheries restoration report for 2004 and 2005*. Retrieved from Missoula:
- Platt, W. S. (1991). Livestock grazing. In W. R. Meehan (Ed.), *Influences of forest and rangeland management on salmonid fishes and their habitats* (pp. 389-423). Bethesda, MD: American Fisheries Society.
- Poff, B., Koestner, K. A., Neary, D. G., & Henderson, V. (2011). Threats to riparian ecosystems in western north america: An analysis of existing literature. *Journal of the American Water Resources Association*, 47(6), 1241-1254. doi:<http://dx.doi.org/10.1111/j.1752-1688.2011.00571.x>
- Polfus, J. (2011). *Literature review and synthesis on the effects of residential development on ungulate winter range in the rocky mountain west*. Retrieved from Helena, MT:
- Pollet, J., & Omi, P. N. (2002). Effect of thinning and prescribed burning on crown fire severity in ponderosa pine forests. *International Journal of Wildland Fire*, 11, 1-10.
- Potyondy, J. P., & Geier, T. W. (2011). *Watershed condition classification technical guide*. Retrieved from https://www.fs.fed.us/biology/resources/pubs/watershed/maps/watershed_classification_guide2011FS978.pdf
- Pregitzer, K. S., & Euskirchen, E. S. (2004). Carbon cycling and storage in world forests: Biome patterns related to forest age. *Global Change Biology*, 10(10), 2052–2077.
- Preisler, H. K., Ager, A. A., & Wisdom, M. J. (2006). Statistical methods for analysing responses of wildlife to human disturbance. *Journal of Applied Ecology*, 43, 164-172. doi:<http://dx.doi.org/10.1111/j.1365-2664.2005.01123.x>
- Proffitt, K. M., Gude, J. A., Hamlin, K. L., & Messer, M. A. (2013). Effects of hunter access and habitat security on elk habitat selection in landscapes with a public and private land matrix. *Journal of Wildlife Management*, 77(3), 514-524. doi:<http://dx.doi.org/10.1002/jwmg.491>
- Proffitt, K. M., Hebblewhite, M., Peters, W., Hupp, N., & Shamhart, J. (2016). Linking landscape-scale differences in forage to ungulate nutritional ecology. *Ecological Applications*, 26(7), 2156-2174. doi:<http://dx.doi.org/10.1002/eap.1370>
- Randall, C., & Bush, R. (2010). *R1 forest insect hazard rating system user guide for use with inventory data stored in fsveg and/or analyzed with the forest vegetation simulator* (Report 10-05).
- Ranglack, D., Garrott, B., Rotella, J., Proffitt, K., Gude, J., & Canfield, J. (2014). *Evaluating elk summer resource selection and applications to summer range habitat management*.
- Ranglack, D.H., K.M. Proffitt, J.E. Canfield, J.A. Gude, J. Rotella, and R.A. Garrott. 2017. Security Areas for Elk During Archery and Rifle Hunting Seasons. 81: 778–791. doi:10.1002/jwmg.21258
- Rasch, Rebecca and Beth Hahn. (2018). A Spatial Demographic Approach to Wilderness Management. *International Journal of Wilderness* (Forthcoming).

- Reeves, G. H., Benda, L. E., Burnett, K. M., Bisson, P. A., & Sedell, J. R. (1995). *A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the pacific northwest*. Paper presented at the American Fisheries Society Symposium.
- Regier, H. A. (1993). The notion of natural and cultural integrity. In S. Woodley, J. Kay, & G. Francis (Eds.), *Ecological integrity and the management of ecosystems* (pp. 3-18). Delray Beach, FL: St. Lucie Press.
- Reinhardt, E., & Holsinger, L. (2010). Effects of fuel treatments on carbon-disturbance relationships in forests of the northern rocky mountains. *Forest Ecology and Management*, 259(8), 1427-1435. doi:<http://dx.doi.org/10.1016/j.foreco.2010.01.015>
- Reinhardt, E. D., Keane, R. E., Calkin, D. E., & Cohen, J. D. (2008). Objectives and considerations for wildland fuel treatment in forested ecosystems of the interior western united states. *Forest and Ecology Management*, 256(12), 1997-2006. doi:<http://dx.doi.org/10.1016/j.foreco.2008.09.016>
- Rhodes, J., McCullough, D. A., & Espinosa, F. A., Jr. (1994). *A course screening process for evaluation of the effects of land management activities on salmon spawning and rearing habitat in esa consultations* (Technical Report 94-4). Retrieved from Portland, OR:
- Rieman, B. E., Isaak, D., Adams, S., Horan, D., Nagel, D., Luce, C., & Myers, D. (2007). Anticipated climate warming effects on bull trout habitats and populations across the interior columbia river basin. *Transactions of the American Fisheries Society*, 136, 1552-1565. doi:<http://dx.doi.org/10.1577/T07-028.1>
- Rimbey, N., & Torell, L. A. (2011). *Grazing costs: What's the current situation?* Retrieved from Moscow, ID: <https://www.google.com/#q=rimbey+torell+2011+grazing+costs>
- Ritchie, M. W., Wing, B. M., & Hamilton, T. A. (2008). Stability of the large tree component in treated and untreated late-seral interior ponderosa pine stands. *Canadian Journal of Forest Research*, 38(5), 919-923. doi:<http://dx.doi.org/10.1139/X07-242>
- Robichaud, P. R., Beyers, J. L., & Neary, D. G. (2000). *Evaluating the effectiveness of postfire rehabilitation treatments*. Retrieved from Fort Collins, CO: https://www.fs.fed.us/psw/publications/robichaud/psw_2000_robichaud000.pdf
- Ruby, Mark, "Evaluation of grizzly bear (*ursus arctos*) movement and habitat use in relationship to human development in the Swan-Clearwater Valleys, Montana" (2014). Graduate Student Theses, Dissertations, & Professional Papers. 4344. https://scholarworks.umt.edu/etd/4344_
- Ruddell, S., Walsh, M. J., & Kanakasabai, M. (2006). *Forest carbon trading and marketing in the united states*.
- Ruediger, B., Claar, J., Gniadek, S., Holt, B., Lewis, L., Mighton, S., . . . Williamson, A. (2000). Lynx geographic areas: Descriptions and risk factors *Canada lynx conservation assessment and strategy (r1-00-53*. Missoula, MT: U.S. Department of Agriculture, Forest Service and U.S. Department of Interior Fish and Wildlife Service, Bureau of Land Management, and National Park Service.
- Russell, R. E., Saab, V. A., Dudley, J. G., & Rotella, J. J. (2006). Snag longevity in relation to wildfire and postfire salvage logging. *Forest Ecology and Management*, 232(1-3), 179-187. doi:<http://dx.doi.org/10.1016/j.foreco.2006.05.068>
- Ryan, M. G., Harmon, M. E., Birdsey, R. A., Giardina, C. P., Heath, L. S., Houghton, R. A., . . . Skog, K. E. (2010). A synthesis of the science on forests and carbon for u.s. Forests. *Issues in Ecology*, 13, 1-16.
- Saab, V., & Dudley, J. G. (1998). *Responses of cavity-nesting birds to stand-replacement fire and salvage logging in ponderosa pine/douglas-fir forests of southwestern idaho* (RMRS-RP-11). Retrieved from Ogden, UT:
- Salwasser, H. (2009). Regional conservation of old-growth forest in a changing world: A global and temporal perspective. In T. A. Spies & S. L. Duncan (Eds.), *Old growth in a new world: A pacific northwest icon reexamined* (pp. 222-232). Washington, DC: Island Press.

- Samson, F. B. (2006). *Habitat estimates for maintaining viable populations of the northern goshawk, black-backed woodpecker, flammulated owl, pileated woodpecker, american marten, and fisher*.
- Schaedel, M. S., Larson, A. J., Affleck, D. L. R., Belote, R. T., Goodburn, J. M., & Page-Dumroese, D. S. (2017). Early forest thinning changes aboveground carbon distribution among pools, but not total amount. *Forest Ecology and Management*, 389, 187-198.
doi:<http://dx.doi.org/10.1016/j.foreco.2016.12.018>
- Scott, G., Mahalovich, M. F., Rinehart, S., & Krueger, J. (2013). *Reforestation-revegetation climate change primer: Incorporating climate change impacts into reforestation and revegetation prescriptions*. Retrieved from Missoula, MT:
http://fsweb.r1.fs.fed.us/forest/silv/RefRevegPrimer06252013_web.pdf
- Servheen, C., Waller, J. S., & Sandstrom, P. (2001). *Identification and management of linkage zones for grizzly bears between the large blocks of public land in the northern rocky mountains*. Retrieved from Missoula, MT:
- Shepard, B. B., May, B. E., & Urie, W. (2005). Status and conservation of westslope cutthroat trout within the western united states. *North American Journal of Fisheries Management*, 25(4), 1426-1440. doi:<http://dx.doi.org/10.1577/m05-004.1>
- Shepperd, W. D. (1990). *Initial growth, development, and clonal dynamics of regenerated aspen in the rocky mountains* (Research Paper RM-312). Retrieved from Fort Collins, CO:
- Shepperd, W. D., Bartos, D. L., & Mata, S. A. (2001). Above- and below-ground effects of aspen clonal regeneration and succession to conifers. *Canadian Journal of Forest Research*, 31(5), 739-745. doi:<http://dx.doi.org/10.1139/x01-001>
- Skovlin, J. M., Zager, p., & Johnson, B. K. (2002). Elk habitat selection and evaluation. In D. E. Toweill & J. W. Thomas (Eds.), *North american elk: Ecology and management* (pp. 531-555). Washington, DC: Smithsonian Institution Scholarly Press.
- Smith, H. Y., & Arno, S. F. (1999). *Eighty-eight years of chance in a managed ponderosa pine forest* (RMRS-GTR-23).
- Spies, T. A., Hemstrom, M. A., Youngblood, A., & Hummel, S. (2006). Conserving old-growth forest diversity in disturbance-prone landscapes. *Conservation Biology*, 20(2), 351-362. doi:<http://dx.doi.org/10.1111/j.1523-1739.2006.00389.x>
- Spracklen, D.V., L.J. Mickley, J.A. Logan, R.C. Hudman, R. Yevich, M.D. Flannigan, A.L. Westerling. 2009. "Impacts of climate change from 2000 to 2050 on wildfire activity and carbonaceous aerosol concentrations in the western United States." *Journal of Geophysical Research* 114: D203
- Spreitzer, P. N. (1985). Transitory range: A new frontier. *Rangelands*, 7(1), 33-34.
- Squires, J. R., Copeland, J. P., Schwartz, M. K., & Ruggiero, L. F. (2007). Sources and patterns of wolverine mortality in western montana. *Journal of Wildlife Management*, 71(7), 2213-2220. doi:<http://dx.doi.org/10.2193/2007-053>
- Squires, J. R., Decesare, N. J., Kolbe, J. A., & Ruggiero, L. F. (2010). Seasonal resource selection of canada lynx in managed forests of the northern rocky mountains. *The Journal of Wildlife Management*, 74(8), 1648-1660. doi:<http://dx.doi.org/10.2193/2009-184>
- Squires, J. R., Olson, L. E., Turner, D. L., DeCesare, N. J., & Kolbe, J. A. (2012). Estimating detection probability for canada lynx *lynx canadensis* using snow-track surveys in the northern rocky mountains, montana, USA. *Wildlife Biology*, 18, 215-224.
- Steeger, C., & Quesnel, H. (2003). *Impacts of partial cutting on old-growth forests in the rocky mountain trench, british columbia*. Retrieved from Cranbrook, BC:
- Steelman, T.A., and S. McCaffrey. 2013. "Best practices in risk and crisis communication: Implications for natural hazards management." *Natural Hazards* 65 (1): 683-705.
- Stephens, S. L. (1998). Evaluation of the effects of silvicultural and fuels treatments on potential fire behaviour in sierra nevada mixed-conifer forests. *Forest Ecology and Management*, 105(1-3), 21-35. doi:[http://dx.doi.org/10.1016/S0378-1127\(97\)00293-4](http://dx.doi.org/10.1016/S0378-1127(97)00293-4)
- Stephens, S. L., & Moghaddas, J. J. (2005). Fuel treatment effects on snags and coarse woody debris in a sierra nevada mixed conifer forest. *Forest Ecology and Management*, 214, 53-64.

- Steventon, J. D., MacKenzie, K. L., & Mahon, T. E. (1998). Response of small mammals and birds to partial cutting and clearcutting in northwest British Columbia. *Forestry Chronicle*, 74(5), 703-713.
- Stewart, K. M., Bowyer, R. T., Dick, B. L., Johnson, B. K., & Kie, J. G. (2005). Density-dependent effects on physical condition and reproduction in north american elk: An experimental test. *Oecologia*, 143(1), 85-93. doi:<http://dx.doi.org/10.1007/s00442-004-1785-y>
- Sugden, B. D., & Woods, S. W. (2007). Sediment production from forest roads in western montana. *Journal of the American Water Resources Association*, 43(1), 193-206. doi:10.1111/j.1752-1688.2007.00016.x
- Swetnam, T. W., Allen, C. D., & Betancourt, J. L. (1999). Applied historical ecology: Using the past to manage for the future. *Ecological Applications*, 9(4), 1189-1206.
- Taylor, K., Brummer, T., Taper, M. L., Wing, A., & Rew, L. J. (2012). Human-mediated long-distance dispersal: An empirical evaluation of seed dispersal by vehicles. *Diversity and Distributions*, 18(9), 942-951. doi:<http://dx.doi.org/10.1111/j.1472-4642.2012.00926.x>
- Thomas, J. W. (1979). *Wildlife habitats in managed forests: The blue mountains of oregon and washington*. Washington, DC: USDA Forest Service.
- Thompson, M. Baty R and L Marcum. (2005). Elk Use of Forage and Cover in response to wildfire and severe snow conditions. Missoula, Montana Thompson and others (2005)
- Tomback, D. F., Arno, S. F., & Keane, R. E. (2001). The compelling case for management intervention. In D. F. Tomback, S. F. Arno, & R. E. Keane (Eds.), *Whitebark pine communities: Ecology and restoration* (pp. 3-25). Washington DC: Island Press.
- Toney, J. Christopher; Peter M Rice; and Frank Forcella (1998). Exotic plant records in the Northwest United States 1950-1996: an ecological assessment. *Northwest Science*, Vol. 72, No. 3, 1998.
- Turner, M. G., Donato, D. C., & Romme, W. H. (2012). Consequences of spatial heterogeneity for ecosystem services in changing forest landscapes: Priorities for future research. *Landscape Ecology*, 28(6), 1081-1097. doi:<http://dx.doi.org/10.1007/s10980-012-9741-4>
- Turner, M. G., Gardner, R. H., & O'Neill, R. V. (2001). *Landscape ecology in theory and practice: Pattern and process*. New York, NY: Springer Science+Business Media, Inc.
- Tysdal, R.G., S. Ludington, and A.E. McCafferty. 1996. Mineral and Energy Resource Assessment of the Helena National Forest, West-Central Montana, U.S. Geological Survey Open File Report 96-683-A.
- U.S. Department of Agriculture, Forest Service. (1981). *The northern regional plan*.
- U.S. Department of Agriculture, Forest Service. 1981 b. Final Report on the Elkhorn Wilderness Study Area.
- United States Department of Agriculture. United States Forest Service-Northern Region. (1981). Montana Cooperative Elk-Logging Study. Missoula, Montana
- U.S. Department of Agriculture, Forest Service, Helena National Forest. (1986). Record of decision, environmental impact statement, and forest plan for the Helena National Forest.
- U.S. Department of Agriculture, Forest Service, Northern Region. (1990). The management of lodgepole pine in region one. Committee report, september 1990. Retrieved from Missoula, MT:
- U.S. Department of Agriculture, Forest Service. 1994. Lewis and Clark Noxious Weed Control FEIS and ROD
- U.S. Department of Agriculture, Forest Service, Intermountain, Northern, and Pacific Northwest Regions. (1995). Decision notice and finding of no significant impact (M4-37). Retrieved from Couer D'Alene, ID:
- U.S. Department of Agriculture, Forest Service. 1995. Noxious Weed Treatment Project Lewis and Clark National Forest. Record of Decision.
- U.S. Department of Agriculture, Forest Service. 1996. Range Vegetation Classification for the Lewis and Clark National Forest.
- U. S. Department of Agriculture, Forest Service. 1998. Record of Decision, Oil and Gas Leasing Helena and Elkhorns portion of the Deerlodge National Forest.

- U.S. Department of Agriculture, Forest Service. 2000. Survivability and deterioration of fire-injured trees in the northern rocky mountains; a review of the literature. USDA Forest Service Northern Region Forest Health Protection Report 2000-13.
- U.S. Department of Agriculture, Forest Service. (2001). Special areas; roadless area conservation. *Federal Register*, 66(9), 3244-3273.
- U.S. Department of Agriculture, Forest Service. 2003b. An assessment of ecosystem components in the Upper Missouri River Basin.
- U.S. Department of Agriculture, Forest Service. (2006). Record of Decision, Noxious Weed Treatment Project Helena National Forest. May 2006.
- U.S. Department of Agriculture, Forest Service. (2006b). *Occupied mapped lynx habitat amendment to the canada lynx conservation agreement*.
- U.S. Department of Agriculture, Forest Service. (2007a). *Northern rockies lynx management direction final environmental impact statement*. Retrieved from Missoula, MT:
- U.S. Department of Agriculture, Forest Service. (2007b). *Northern rockies lynx management direction record of decision*.
- U.S. Department of Agriculture, Forest Service (2007c). Technical Guide to Managing Ground Water Resources. Minerals and Geology Management, FS-881.
- U.S. Department of Agriculture, Forest Service. (2007d). Biological Assessment (Revised) of the Northern Rockies Lynx Amendment on Threatened, Endangered and Proposed Vertebrate and Invertebrate Species (Revision of Biological Assessment dated Nov. 18, 2005). Missoula, Montana. United States Department of Agriculture.
- U.S. Department of Agriculture, Forest Service. 2011a. Helena National Forest May 2011. Hazard Assessment for Developed Recreation Sites.
- U.S. Department of Agriculture, Forest Service. 2011b. Lewis and Clark National Forest May 2011, Hazard Assessment for Developed Recreation Sites.
- U.S. Department of Agriculture, Forest Service. 2011d. Lewis and Clark National Forest Evaluation and Compliance with National Forest Management Act Requirements to Provide for Viability and Diversity of Animal Communities. Northern Region, Lewis and Clark National Forest, unpublished report. 182 pp.
- U.S. Department of Agriculture, Forest Service. 2011e. Helena National Forest May 2011. Hazard Assessment for Developed Recreation Sites.
- U.S. Department of Agriculture, Forest Service. 2011f. Lewis and Clark National Forest May 2011, Hazard Assessment for Developed Recreation Sites.
- U.S. Department of Agriculture, Forest Service. (2012). National forest system land management planning final rule and record of decision. *Federal Register*, 77(68), 21162-21276.
- U.S. Department of Agriculture, Forest Service. (2013a). *Custer, gallatin, helena, and lewis and clark national forests. Framework for project-level effects analysis on elk*.
- U.S. Department of Agriculture, Forest Service. (2013b). *National visitor use monitoring results: Usda forest service national summary report - data collected fy 2008 through fy 2012*. Retrieved from
- U.S. Department of Agriculture, Forest Service. (2013c). *Ncde grizzly bear conservation strategy-draft*.
- U.S. Department of Agriculture, Forest Service. 2015. Baseline Estimates of Carbon Stocks in Forests and Harvested Wood Products for National Forest System Units; Northern Region. 43 pp. Whitepaper. O:\OfficeOfTheChief\ClimateChange\Program\Carbon\CarbonAssessmentsNFS
- U.S. Department of Agriculture, Forest Service, Northern Region. (2015b). Assessment of the helena and lewis & clark national forests. Retrieved from Helena, MT:
- U.S. Department of Agriculture, Forest Service. 2016 - Regional Forester habitat clarification memo (lynx), Sept 6 2016
- U.S. Department of Agriculture, Forest Service. 2016. National Visitor Use Monitoring Survey (NVUM). (Wilderness. USDA Forest Service. Retrieved from

- <http://apps.fs.fed.us/nfs/nrm/nvum/results/A01002-A01003-A01005-A01008-A01018-A01010-A01011-A01012-A01004-A01014-A01015-A01016-A01017.aspx/FY2013>.
- U.S. Department of Agriculture, Forest Service. 2017a. National Visitor Use Monitoring Survey (NVUM). Helena National Forest and Lewis and Clark National Forest 2011-2015. USDA Forest Service. Retrieved from <http://apps.fs.fed.us/nfs/nrm/nvum/results/A01012-A01015.aspx/FY2015>.
- U. S. Department of Agriculture, Forest Service. (2017b). Volume 3- Final Environmental Impact Statement for the Forest Plan Amendments: Incorporating Habitat Management Direction for the Northern Continental Divide Ecosystem Grizzly Bear Population. (Volume 3). Missoula, Montana. United States Department of Agriculture.
- U. S. Department of Agriculture, Forest Service. (2017c). Draft Record of Decision for the Final Environmental Impact Statement and the Forest Plan Amendments to Incorporating Habitat Management Direction for the Northern Continental Divide Ecosystem Grizzly Bear Population. Missoula, Montana. United States Department of Agriculture.
- U.S. Department of Agriculture, Forest Service. (2017d). Biological Assessment for Canada Lynx Designated Critical Habitat for Northern Rockies Lynx Management Decision. Missoula, Montana. United States Department of Agriculture.
- U.S. Department of Agriculture, Forest Service. 2017e [Draft] – Assessment of Disturbance, Management Activities, and Environmental Factors on Carbon Stocks, Northern Region.
- U.S. Department of Agriculture, Forest Service and Montana Department of Fish, Wildlife, and Parks. (2013). *Collaborative overview and recommendations for elk habitat management on the custer, gallatin, helena, and lewis and clark national forests*.
- U.S. Department of Agriculture, Forest Service and U.S. Department of the Interior, Fish and Wildlife Service. (2005). *Canada lynx conservation agreement* (USFS Agreement #00-MU-11015600-013).
- U.S. Department of Agriculture, Natural Resources Conservation Service. 2017, USDA-NRCS Soil Survey of Lew and Clark National Forest. 2017. Unpublished.
- U. S. Department of Agriculture, Office of Inspector General. (2011). Forest Service Administration of Special Use Program. (Audit Report 08601-55-SF). Washington, D.C. United States Forest Service.
- U.S. Department of Agriculture, Soil Conservation Service. 1994. 59 Federal Register 35680, 7/13/94, <https://www.gpo.gov/fdsys/pkg/FR-1994-07-13/html/94-16835.htm>
- U.S. Department of Commerce. Census Bureau. 2017. County Business Patterns, Washington D.C. (federal data repository)
- U. S. Department of Energy, National Renewable Energy Lab. 2005. Assessing the Potential for Renewable Energy on National Forest System Lands. NREL/BK-710-36759.
- U.S. Department of the Interior, Fish and Wildlife Service. (2000). Endangered and threatened wildlife and plants; determination of threatened status for the contiguous u.S. Distinct population segment of the canada lynx and related rule. *Federal Register*, 65(58), 16052-16086.
- U.S. Department of the Interior, Fish and Wildlife Service. 2003. Endangered and Threatened Wildlife and Plants; Notice of Remanded Determination of Status for the Contiguous United States Distinct Population Segment of the Canada Lynx; Clarification of Findings; Final Rule. 50 CFR Part 17. Federal Register. Volume 68, No. 128
- U.S. Department of the Interior, Fish and Wildlife Service. (2005a). Endangered and threatened wildlife and plants; proposed designation of critical habitat for the contiguous united states distinct population segment of the canada lynx. *Federal Register*, 70(216), 68294-68328.
- U.S. Department of the Interior, Fish and Wildlife Service. (2005b). *Recovery outline: Contiguous united states distinct population segment of canada lynx*. Retrieved from Helena, MT:
- U.S. Department of the Interior, Fish and Wildlife Service. 2006. Endangered and Threatened Wildlife and Plants; Designation of Critical Habitat for the Contiguous United States Distinct Population Segment of the Canada Lynx; Final Rule. 50 CFR Part 17. Federal Register. Volume 71, No. 217

- U.S. Department of the Interior, Fish and Wildlife Service. 2009. Endangered and Threatened Wildlife and Plants; Revised Designation of Critical Habitat for the Contiguous United States Distinct Population Segment of the Canada Lynx; Final Rule. 50 CFR Part 17. Federal Register. Volume 74, No. 36.
- U.S. Department of the Interior, Fish and Wildlife Service. (2011). Endangered and threatened wildlife and plants; 12-month finding on a petition to list *pinus albicaulis* as endangered or threatened with critical habitat. *Federal Register*, 76(138), 42631-42654.
- U.S. Department of the Interior, Fish and Wildlife Service. (2013). Endangered and threatened wildlife and plants; threatened status for the distinct population segment of the north american wolverine occurring in the contiguous united states. *Federal Register*, 78(23), 7864-7890.
- U.S. Department of the Interior, Fish and Wildlife Service. 2014. Endangered and Threatened Wildlife and Plants; Revised Designation of Critical Habitat for the Contiguous United States Distinct Population Segment of the Canada Lynx and Revised Distinct Population Segment Boundary; Final Rule. 50 CFR Part 17. Federal Register. Volume 79, No. 177
- U.S. Department of Interior, Fish and Wildlife Service. (2015). Recovery plan for the coterminous united states population of bull trout (*salvelinus confluentus*). Retrieved from Portland, Oregon:
- U.S. Department of the Interior, Fish and Wildlife Service. 2016. 50 CFR Part 17, Federal Register Vol. 81, No. 201, Tuesday, October 18, 2016, Proposed Rules, p. 71670-71671
- U. S. Department of the Interior, Fish and Wildlife Services. (2017). Endangered Species Act Section 7 Consultation Biological Opinion on the Effects of the Northern Rockies Lynx Management Direction on Designated Critical Habitat for Canada Lynx. Helena, Montana. United States
- U. S. Department of the Interior and U. S. Department of Agriculture. 2008. Final Programmatic Environmental Impact Statement and Record of Decision for Geothermal Leasing in the Western United States.
- U.S. Department of the Interior, Geologic Survey. 2000. A Tapestry of Time and Terrain, A Union of Two Maps, Geology and Topography.
- U.S. Department of the Interior, Geologic Survey. 2015. Rocky Mountain regional snowpack chemistry monitoring study area. Accessed February 20, 2015, and November 8 2017, <http://co.water.usgs.gov/projects/RM_snowpack/index.html>
- Unsworth, J. W., & Kuck, L. (1991). Bull elk vulnerability in the clearwater drainage of north-central idaho. In A. G. Christensen, L. J. Lyon, & T. N. Lonner (Eds.), *Proceedings of elk vulnerability: A symposium*. Bozeman, MT: Montana Department of Fish, Wildlife and Parks.
- U.S. Department of Agriculture, Forest Service. (1986a). *Helena national forest plan*. Retrieved from Helena, MT: https://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5352772.pdf
- U.S. Department of Agriculture, Forest Service. (1986b). *Lewis and clark national forest plan*. Retrieved from <https://www.fs.usda.gov/detail/lcnf/landmanagement/?cid=stelprdb5409100>
- U.S. Department of Agriculture, Forest Service. (1995a). *Inland native fish strategy: Decision notice and finding of no significant impact and environmental assessment*. Retrieved from https://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsbdev3_033158.pdf
- U.S. Department of Agriculture, Forest Service. (1995b). *Inland native fish strategy: Environmental assessment*. Retrieved from Coeur d' Alene, ID:
- U.S. Department of Agriculture, Forest Service. (1995c). *Inland native fish strategy: Environmental assessment--decision notice and finding of no significant impact*. Retrieved from https://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsbdev3_033158.pdf
- U.S. Department of Agriculture, Forest Service. (2001). *36 cfr part 294 - special areas, roadless area conservation rule*. Washington, DC: USDA Forest Service Retrieved from https://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5050459.pdf.
- U.S. Department of Agriculture, Forest Service. (2007). Biological Assessment (Revised) of the Northern Rockies Lynx Amendment on Threatened, Endangered and Proposed Vertebrate and Invertebrate Species (Revision of Biological Assessment dated Nov. 18, 2005). Missoula, Montana.

- U.S. Department of Agriculture, Forest Service. (2007a). *Northern rockies lynx management direction record of decision, national forests in montana, and parts of idaho, wyoming, and utah*. Retrieved from Missoula, MT:
- U.S. Department of Agriculture, Forest Service. (2007b). *Northern rockies lynx management direction: Final environmental impact statement (vols. 1 and 2)*. Retrieved from Missoula, MT: https://www.fs.usda.gov/wps/portal/fsinternet!/ut/p/c5/04_SB8K8xLLM9MSSzPy8xBz9CP0os3gjAwhwtDDw9_AI8zPwhQoY6IeDdGCqCPOBqwDLG-AAjgb6fh75uan6BdnZaY6OiooA1tkqIQ!!/dl3/d3/L2dJQSEvUUt3QS9ZQnZ3LzZfMjAwMDAwMDBBODBPSEhWTjJNMDAwMDAwMDA!/?navtype=BROWSEBYSUBJECT&cid=stelprdb5160650&navid=1601200000000000&pnavid=1600000000000000&ss=1101&position=Not%20Yet%20Determined.Html&ttype=detail&pname=Region%201-%20Resource%20Management
- U.S. Department of Agriculture, Forest Service. (2011a). *Sensitive species list: Forest service, region 1, february 2011*. Retrieved from
- U.S. Department of Agriculture, Forest Service. (2011b). *Watershed condition framework: A framework for assessing and tracking changes to watershed condition*.
- U.S. Department of Agriculture, Forest Service. 2011d. *Lewis and Clark National Forest Evaluation and Compliance with National Forest Management Act Requirements to Provide for Viability and Diversity of Animal Communities*. Northern Region, Lewis and Clark National Forest, unpublished report. 182 pp.
- U.S. Department of Agriculture, Forest Service. (2012a). *36 cfr part 219, planning*. Washington, DC: USDA Forest Service.
- U.S. Department of Agriculture, Forest Service. (2012b). *2012 planning rule*. Retrieved from <https://www.fs.usda.gov/detail/planningrule/home/?cid=stelprd3828310>
- U.S. Department of Agriculture, Forest Service. (2012c). *Future of america's forests and rangelands: Forest service 2010 resources planning act assessment*. (WO-87). Washington, DC: USDA Forest Service Retrieved from <https://www.treesearch.fs.fed.us/pubs/41976>.
- U.S. Department of Agriculture, Forest Service. (2012d). *National best management practices for water quality management on national forest system lands, volume 1: National core bmp technical guide*. Retrieved from Washington, DC: https://www.fs.fed.us/sites/default/files/FS_National_Core_BMPs_April2012_sb.pdf
- U.S. Department of Agriculture, Forest Service. (2013). *Decision notice and finding of no significant impact: Blackfoot-north divide winter travel plan, helena national forest*.
- U.S. Department of Agriculture, Forest Service. (2013). *Notes for assessment field trip iii: Terrestrial and aquatic habitats, threatened and endangered species, species of conservation concern, and invasive species, swan lake ranger district*. USDA Forest Service, Flathead National Forest.
- U.S. Department of Agriculture, Forest Service. (2014). *An assessment of fisher (pekania pennanti) habitat in the u.S. Forest service northern region*. Retrieved from Missoula, MT:
- U.S. Department of Agriculture, Forest Service. (2015). *Forest service handbook (fsh) 1909.12, land management planning handbook*. Retrieved from Washington, DC: <https://www.fs.fed.us/im/directives/>
- U.S. Department of Agriculture, Forest Service, U.S. Department of the Interior, Fish and Wildlife Service. (2008). *Memorandum of understanding between the u.S. Department of agriculture, forest service and the u.S. Fish and wildlife service to promote the conservation of migratory birds* (fs agreement# 08-mu-1113-2400-264).
- U.S. Department of the Interior, Fish and Wildlife Service. (1993). *Grizzly bear recovery plan*. Retrieved from Missoula, MT: https://www.fws.gov/mountain-prairie/es/species/mammals/grizzly/Grizzly_bear_recovery_plan.pdf
- U.S. Department of the Interior, Fish and Wildlife Service. (1999). *50 cfr part 17, federal register /vol. 64, no. 210 / monday, november 1, 1999 / proposed rules. Endangered and threatened wildlife and plants; determination of threatened status for bull trout in the coterminous united states, pages 58910-58933*.

- U.S. Department of the Interior, Fish and Wildlife Service. (2007). *Biological opinion on the northern rockies lynx management decision*. Retrieved from Helena, MT:
- U.S. Department of the Interior, Fish and Wildlife Service. (2011). *Grizzly bear (ursus arctos horribilis) 5-year review: Summary and evaluation*. Retrieved from Missoula, MT:
https://ecos.fws.gov/docs/five_year_review/doc3847.pdf
- U.S. Department of the Interior, Fish and Wildlife Service. (2013a). *Endangered and threatened wildlife and plants; draft conservation strategy for the northern continental divide ecosystem grizzly bear*. *Federal register* / vol. 78, no. 86 / friday, may 3, 2013 / notices/ page 26064. U.S. Fish and Wildlife Service Retrieved from <http://www.fws.gov/endangered/species/recovery-plans.html>.
- U.S. Department of the Interior, Fish and Wildlife Service. (2013b). *Northern continental divide ecosystem grizzly bear conservation strategy draft*. Retrieved from
http://www.fws.gov/mountain-prairie/species/mammals/grizzly/NCDE_Draft_CS_Apr2013_Final_Version_corrected_headers.pdf
- U.S. Department of the Interior, Fish and Wildlife Service. (2014). *Final environmental assessment: Revised designation of critical habitat for the contiguous united states distinct population segment of the canada lynx*. Retrieved from Denver, CO: <http://www.fws.gov/mountain-prairie/species/mammals/lynx/>
- U.S. Department of the Interior, Fish and Wildlife Service. (2015a). *Columbia headwaters recovery unit implementation plan for bull trout (salvelinus confluentus)*. Retrieved from Kalispell, MT:
https://www.fws.gov/pacific/bulltrout/pdf/Final_Columbia_Headwaters_RUIP_092915.pdf
- U.S. Department of the Interior, Fish and Wildlife Service. (2015b). *Recovery plan for the coterminous united states population of bull trout (salvelinus confluentus)*. Retrieved from Portland, OR:
- U.S. Department of the Interior. 2016. Endangered and Threatened Wildlife and Plants; Proposed Rule for the North American Wolverine. 50 CFR Part 17. Federal Register. Volume 81, No, 201
- U.S. Department of Interior, Fish and Wildlife Service. (2017). Endangered Species Act Section 7 Consultation Biological Opinion on the Effects of the Northern Rockies Lynx Management Direction on Designated Critical Habitat for Canada Lynx. Helena, Montana. United States Department of Interior.
- U.S. Environmental Protection Agency. 2003. "Particle pollution and your health." EPA-452-F-03-001. Accessed December 3, 2014, <<http://www.epa.gov/airquality/particlepollution/pdfs/pm-color.pdf>>
- U.S. Environmental Protection Agency. 2014a. U 2014. EPA Air Emission Sources. Accessed December 3, 2014, <http://www.epa.gov/cgi-bin/broker?_service=data&_debug=0&_program=dataprog.state_1.sas&pol=PM25_PRI&stfips=30>
- Varhola, A., Coops, N. C., Weiler, M., & Moore, R. D. (2010). Forest canopy effects on snow accumulation and ablation: An integrative review of empirical results. *Journal of Hydrology*, 392(3-4), 219-233. doi:10.1016/j.jhydrol.2010.08.009
- Vose, J. M., Peterson, D. L., & Patel-Weynand, T. E. (2012). *Effects of climatic variability and change on forest ecosystems: A comprehensive science synthesis for the u.S. Forest sector* (General Technical Report PNW-GTR-870). Retrieved from Portland, OR:
<https://www.srs.fs.usda.gov/pubs/42610>
- Wallmo, O. C., Gill, R. B., Carpenter, L. H., & Reichert, D. W. (1973). Accuracy of field estimates of deer food-habits. *Journal of Wildlife Management*, 37(4), 556-562.
doi:<http://dx.doi.org/10.2307/3800322>
- Walthall, C. L., Hatfield, J., Backlund, P., Lengnick, L., Marshall, E., Wash, M., . . . Ziska, L. H. (2012). *Climate change and agriculture in the united states: Effects and adaptation*. Retrieved from Washington, DC:
[http://www.usda.gov/oce/climate_change/effects_2012/CC%20and%20Agriculture%20Report%20\(02-04-2013\)b.pdf](http://www.usda.gov/oce/climate_change/effects_2012/CC%20and%20Agriculture%20Report%20(02-04-2013)b.pdf)

- Ward Thomas, J., Black, H., Jr., Scherzinger, R. J., & Pedersen, R. J. (1979). Deer and elk. In J. W. Thomas (Ed.), *Wildlife habitats in managed forests: The blue mountains of oregon and washington. Usda forest service agriculture handbook no. 533* (pp. 104-127). Washington, D.C.: Government Printing Office.
- Wear, D.N., R. Huggett, R. Li, B. Perryman, S.Liu. 2013. Forecasts of forest conditions in regions of the United States under future scenarios: A technical document supporting the Forest Service 2012 RPA Assessment. Gen. Tech. Rep. SRS-GTR-170. Asheville, NC: USDA Forest Service, Southern Research Station.
- Weed, W. H. 1900. "Geology of the Little Belt Mountains, Montana", U. S. Geological Survey, 20th Ann. Report, Pt. 3
- Wehausen, J. D., Kelley, S. T., & Ramey, R. R., II. (2011). Domestic sheep, bighorn sheep, and respiratory disease: A review of the experimental evidence. *California Fish and Game*, 97(1), 7-24.
- Westerling, A. L., Hidalgo, H. G., Cayan, D. R., & Swetnam, T. W. (2006). Warming and earlier spring increase western u.S. Forest wildfire activity. *Science*, 313(5789), 940-943. doi:<http://dx.doi.org/10.1126/science.1128834>
- Whitlock, C., Marlon, J., Briles, C., Brunelle, A., Long, C., & Bartlein, P. (2008). Long-term relations among fire, fuel, and climate in the northwestern u.S. Based on lake-sediment studies. *International Journal of Wildland Fire*, 17(1), 72-83. doi:<http://dx.doi.org/10.1071/Wf07025>
- Wiedinmyer, C., & Hurteau, M. D. (2010). Prescribed fire as a means of reducing forest carbon emissions in the western united states. *Environmental Science and Technology*, 44, 1926-1932.
- Wilderness act - public law 88-577 (16 u.S. C. 1131-1136), (1964).
- Wilson, S. M., Madel, M. J., Mattson, D. J., Graham, J. M., Burchfield, J. A., & Belsky, J. M. (2005). Natural landscape features, human-related attractants, and conflict hotspots: A spatial analysis of human-grizzly bear conflicts. *Ursus*, 16(1), 117-129. doi:[http://dx.doi.org/10.2192/1537-6176\(2005\)016\[0117:NLFHAA\]2.0.CO;2](http://dx.doi.org/10.2192/1537-6176(2005)016[0117:NLFHAA]2.0.CO;2)
- Wisdom, M.J., editor. 2005. The Starkey Project: a Synthesis of Long Term Studies of Elk and Mule Deer. Alliance Communications Group, Lawrence, KS, USA
- Wisdom, M. J., & Bate, L. J. (2008). Snag density varies with intensity of timber harvest and human access. *Forest Ecology and Management*, 255(7), 2085-2093. doi:<http://dx.doi.org/10.1016/j.foreco.2007.12.027>
- Wisdom, M. J., Johnson, B. K., Vavra, M., Boyd, J. M., Coe, P. K., Kie, J. G., . . . Cimon, N. J. (2005). Cattle and elk responses to intensive timber harvest. In M. J. Wisdom (Ed.), *The starkey project: A synthesis of long-term studies of elk and mule deer* (pp. 197-216). Lawrence, Kansas: Alliance Communications Group.
- Wondzell, S. M. (2001). The influence of forest health and protection treatments on erosion and stream sedimentation in forested watersheds of eastern oregon and washington. *Northwest Science*, 75, 128-140.
- Wood, F. L., Heathwaite, A. L., & Haygarth, P. M. (2005). Evaluating diffuse and point phosphorus contributions to river transfers at different scales in the taw catchment, devon, uk. *Journal of Hydrology*, 304(1-4), 118-138. doi:<http://dx.doi.org/10.1016/j.jhydrol.2004.07.026>
- Woodall, C., Smith, J., & Nichols, M. (2013). *Data sources and estimation/modeling procedures for national forest system carbon stocks and stock change estimates derived from the us national greenhouse gas inventory*. Retrieved from <https://www.fs.fed.us/climatechange/documents/NFSCarbonMethodology.pdf>
- World Bank. (2009). Public attitudes toward climate change: findings from a multi-country poll. World Development Report. Washington, D.C. Retrieved from <http://siteresources.worldbank.org/INTWDR2010/Resources/Background-report.pdf>.
- WSWG. (2012). *Recommendations for domestic sheep and goat management in wild sheep habitat*. Retrieved from https://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5385708.pdf

- Young, Michael K.; Isaak, Daniel J.; McKelvey, Kevin S.; Schwartz, Michael K.; Carim, Kellie J.; Fredenberg, Wade; Wilcox, Taylor M.; Franklin, Thomas W.; Chandler, Gwynne L.; Nagel, David E.; Parkes-Payne, Sharon L.; Horan, Dona L.; Wollrab, Sherry P. 2017. Species occurrence data from the Range-Wide Bull Trout eDNA Project. Fort Collins, CO: Forest Service Research Data Archive. <https://doi.org/10.2737/RDS-2017-0038>.
- Youngblood, A., Metlen, K. L., & Coe, K. (2006). Changes in stand structure and composition after restoration treatments in low elevation dry forests of northeastern Oregon. *Forest Ecology and Management*, 234, 143-163. doi:<http://dx.doi.org/10.1016/j.foreco.2006.06.033>
- Yount, J. D., & Niemi, G. J. (1990). Recovery of lotic communities and ecosystems from disturbance: A narrative review of case studies. *Environmental Management*, 14(5), 547-569. doi:10.1007/Bf02394709
- Zelenski, John M., and Elizabeth K. Nisbet. 2014. Happiness and Feeling Connected: the Distinct Role of Nature Relatedness. *Environment and Behavior* 46(1): 3–23.
- Zhang, Yuan, John M. Wallace, and David S. Battisti. 1997. ENSO-like Interdecadal Variability: 1900-93. *Journal of Climate* vol, 10, pp. 1004-1020.
- Zhang, J. W., Ritchie, M. W., & Oliver, W. W. (2008). Vegetation responses to stand structure and prescribed fire in an interior ponderosa pine ecosystem. *Canadian Journal of Forest Research- Revue Canadienne De Recherche Forestiere*, 38(5), 909-918. doi:<http://dx.doi.org/10.1139/X07-230>
- Ziesak, R. (2015). *Montana forestry best management practices monitoring: 2014 forestry bmp field review report*. Retrieved from Missoula, MT: <http://dnrc.mt.gov/divisions/forestry/docs/assistance/practices/2012bmplongrpt.pdf>
- Ziska, L. H., Faulkner, S., & Lydon, J. (2004). Changes in biomass and root:Shoot ratio of field-grown Canada thistle (*Cirsium arvense*), a noxious, invasive weed, with elevated CO₂: Implications for control with glyphosate. *Weed Science*, 52, 584-588.
- Ziska, L. H., & R., T. J. (2000). Sustained growth and increased tolerance to glyphosate observed in a C₃ perennial weed, quackgrass (*Elytrigia repens*), grown at elevated carbon dioxide. *Australian Journal of Plant Physiology*, 27, 159-166.
- Zouhar, K., Kapler Smith, J., Sutherland, S., & Brooks, M. L. (2008). *Wildland fire in ecosystems: Fire and nonnative invasive plants*. Retrieved from Fort Collins, CO: https://www.fs.fed.us/rm/pubs/rmrs_gtr042_6.pdf