

September 3, 2014

General Comments from Wildlife Habitat Participant Working Session

Map	Flag ID	General Area	Pointing to:	Comment
Appalachian East	ABS1	Big Ivy	Straight Creek	all of the Big Ivy watershed: high diversity of salamanders, forest interior migrant bird species, old growth patches, several ecozones, keep it contiguous, rare species: wood rat
Appalachian East	ABS2	South Toe	Bowlens Creek	Bowlens Creek watershed: high diversity of plant species, salamanders, migratory bird species, rare species, high elevation ecozone
Appalachian East	ABS4	South Toe	Sevenmile Ridge	Sevenmile Ridge: high migratory bird species diversity, interior mix of high elevations and mid elevations, mixed ecotones
Appalachian East	CDH1	Big Ivy	Andy Ridge	deer, turkey, grouse need ESH plus more mast production
Appalachian East	CDH4	South Toe	Locust Ridge	deer, turkey, grouse need ESH plus more mast production
Appalachian East	JK3	Big Ivy	Andy Ridge	Nationally significant area for old growth forest, Carolina northern flying squirrel, cerulean warbler, rare forest communities, Allegheny woodrat, sawwhet owl, winter wren, black capped chickadee etc. etc. etc.
Appalachian East	WP_1	South Toe	Trail 191A	Protect rare spruce/fir ecosystem and northern hardwood w/logical wilderness protection
Appalachian West	BG1	Harmon Den	Whiteoak Flats	Maintain the important wildlife corridor between the Smokies and Bald Mountain (includes I-40 tunnel).
Appalachian West	CAK3	Shelton Laurel	Big Bald	high elevation forest restoration (e.g. red spruce)
Appalachian West	CRC2	French Broad	Mountain Island Branch	deer and grouse need ESH in Doe Branch area
Appalachian West	CWM2	Harmon Den	Cherry Creek	grouse habitat
Appalachian West	JK2	Harmon Den	SR 1182	Max Patch Road: important golden-winged warbler are on private and public land with big invasive species issues (garlic mustard and Japanese spirea)
Appalachian West	JTR1	French Broad	Mountain Island Branch	ESH needed for deer, grouse, and golden-winged warbler
Appalachian West	JTR5	Harmon Den	Hickory Ridge Branch	ESH needed for deer, grouse, and golden-winged warbler

Appalachian West	KG2	Harmon Den	Roaring Fork	Along the Appalachian Trail north of Max Patch is such a rich and diverse region that is facing native species being choked out by spirea and garlic mustard. These are also popular hunting areas. Nonnatives come in and choke out food for wildlife.
Appalachian West	KK2	Shelton Laurel	Hickey Fork	I am concerned about restoration of brook trout habitat, not just streams above.
Appalachian West	MW1	Harmon Den	Longarm Mountain	12-mile area
Appalachian West	MW2	French Broad	Leadmine Ridge	Doe Branch area
Appalachian West	MW3	Harmon Den	Cherry Creek	Harmon Den Area
Appalachian West	MW4	French Broad	Mill Ridge	Mill Ridge Area
Appalachian West	MW5	French Broad	Davis Branch	
Appalachian West	TW1	French Broad	Coonpatch Branch	Needs fire in Puncheon Camp
Appalachian West	TW2	Harmon Den	FSR 3526	Deer habitat needed in Harmon Den
Appalachian West	TW3	French Broad	Big Laurel Creek	Needs fire again in Runion
Appalachian West	TW4	French Broad	Rocky Bluff/Squirrel Mountain	Timber harvest for deer, grouse, and turkey
Appalachian West	TW5	Harmon Den	Max Patch Mountain	Increase size of Max Patch by fire
Grandfather South	AYB1	Biv Ivy/Shope Creek	Locust Ridge/Trail 185	high elevation species and habitats
Grandfather South	BTO3	Biv Ivy/Shope Creek	Shope Creek	Shope Creek: (nonlogged area) rare fungi (16 species) and spotted mandarin, cancer root
Grandfather South	BTO5	Biv Ivy/Shope Creek	Ivy Gap	Ivy Gap: rare fungi (12 species) and high plant diversity
Grandfather South	CAK2	South Toe	Mount Mitchell/Commissary Ridge	high elevation forest restoration (e.g. red spruce)
Grandfather South	CAK4	Nolichucky River	Unaka Mountain	high elevation forest restoration (e.g. red spruce)
Grandfather South	CAK5	Roan Mountain	Bearpen Ridge	high elevation forest restoration (e.g. red spruce)
Grandfather South	CDH2	Nolichucky River	Flattop Mountain	deer, turkey, grouse need ESH plus more mast production
Grandfather South	CDH5	Roan Mountain	Big Yellow Mountain	deer, turkey, grouse need ESH plus more northern red oak restoration
Grandfather South	JBK4	Roan Mountain	Bradley Gap	
Grandfather South	JBM1	Roan Mountain	Bearpen Ridge	northern pygmy salamander, high elevation forest
Grandfather South	JBM2	Roan Mountain	Big Yellow Mountain	migratory birds: golden-winged warblers and others
Grandfather South	JBM2	Roan Mountain	Roan High Knob	salamanders
Grandfather South	JBM3	Roan Mountain	Roan High Bluff	manage spruce-fir forest
Grandfather South	JBM4	Roan Mountain	Grassy Bald	manage grassy balds
Grandfather South	JTR4	South Toe	Colbert Ridge	ESH needed for deer, grouse
Grandfather South	KF	Nolichucky River	Nolichucky River	Appalachian elktoe habitat requires optimum water condition
Grandfather South	MEC1	Roan Mountain	Grassy Ridge	golden-winged warbler
Grandfather South	MEC2	Roan Mountain	Little Hump Mountain	golden-winged warbler

Grandfather South	MEC3	Roan Mountain	Roan High Knob	grassy balds and red spruce/fraser fir restoration
Grandfather South	MEC4	Roan Mountain	Jane Bald	grassy balds and red spruce/fraser fir restoration
Grandfather South	MEC5	Roan Mountain	Round Bald/Engine Gap	grassy balds and red spruce/fraser fir restoration
Grandfather South	R__1	South Toe	Middle Ridge Bald	South Toe River: more 0-10 yr age class incread divrsity
Grandfather South	R__5	Biv Ivy/Shope Creek	Big Fork Knob	develop Esh in high elevation communities
Grandfather South	R2	Nolichucky River	Flattop Mountain	
Grandfather South	R2	South Toe	Colbert Ridge	
Grandfather South	R2	South Toe	Lower Creek/Trail 191	
Grandfather South	SEE1	Biv Ivy/Shope Creek	Locust Ridge/Trail 185	Craggy Mountains: old growth, rest interior, rare habitats
Cheoah	AYB2	Cheoah Central North	Hazenet Knob	cerulean warbler
Cheoah	AYB3	Santeetlah	FSR 81E/Fork Ridge	elk reintroduciton
Cheoah	BG1	Santeetlah	FSR 81E/Fork Ridge	Significant seeps, bouldery creeks. The whole region has an ecological value and needs protective management
Cheoah	DA1	Santeetlah	FSR 81E/Huckleberry Knob	bald work at Santeetlah Creek
Cheoah	DA2	Snowbird	Burgan Creek/Atoah Shooting Range	ESH needed
Cheoah	DCA5	Nantahala River Slopes	FSR 259	ESH needed on Cheoah Mountain range
Cheoah	DW_4	Santeetlah	Santeetlah Creek headwaters	
Cheoah	GLC1	Fontana Lake South Shore	Poplar Cove	ESH for deer, grouse
Cheoah	GLC1	Fontana Lake South Shore	FSR 2541	ESH for deer, grouse
Cheoah	GLC2	Nantahala River Slopes	Coon Branch	More rich land and ESH
Cheoah	GLC3	Nantahala River Slopes	Cheoah Bald	no wilderness
Cheoah	GLC5	Snowbird	FSR 2579	reduce otter and coyote popoulations
Cheoah	HI1	Santeetlah	Huckleberry Knob	elk reintroduction for bald maintenance and high elevation open habitats to benefit golden-winged warbler
Cheoah	HI2	Santeetlah	FSR 81E/Huckleberry Knob	elk reintroduction for bald maintenance and high elevation open habitats to benefit golden-winged warbler
Cheoah	HI3	Santeetlah	Swan Meadows	elk reintroduction for bald maintenance and high elevation open habitats to benefit golden-winged warbler
Cheoah	HI4	Santeetlah	FSR 2815/Bob Bald	elk reintroduction for bald maintenance and high elevation open habitats to benefit golden-winged warbler
Cheoah	HI5	Nantahala River Slopes	FSR 418	old growth management for cerulean warbler
Cheoah	JK5	Fontana Lake South Shore	Walker Gap	Llewellyn Cove: cerulean warbler and rich cove boulderfield

Cheoah	JMC2	Fontana Lake South Shore	Kirkland Gap	
Cheoah	JTJ4	Snowbird	Panther Cove	enhance invasive plant species removal and control on district/succesional area boundaries as well as disturbance areas like roads, paths, and communication/transportation avenues including waterways throughout district
Cheoah	JTJ5	Snowbird	Eller Mill Creek	Extend riparian protection and upgrade riparian/alluvial vegetation for water quality management and quatic/riparian habitat quality througnoir district
Cheoah	JWC1	Santeetlah	Santeetlah Creek headwaters	needs management: ESH
Cheoah	JWC2	Nantahala River Slopes	Cheoah Bald	ESH and burn: grouse
Cheoah	JWC4	Santeetlah	FSR 2815/Bob Bald	GWWA and grouse
Cheoah	JWC5	Santeetlah	FSR 81C	ESH desparately needed
Cheoah	KF	Cheoah Central North	Goldmine Branch	Appalachian elktoe habitat requires optimum water condition; Santeetlah Dam has been barrier but popupations need habitat above and below
Cheoah	SEE3	Cheoah Central North	AT @ Brown Fork Gap	Cheoah Mountains: cerulean warbler
Cheoah	WPH1	Snowbird	Rockbar Branch/Upper Falls	protect large intact ecosystem for bear and trout population health w/wilderness recommendation for Snowbird area
Cheoah	WPH2	Fontana Lake South Shore	Yellowhammer Gap	Steep terrain: logical addition to JK/SL
Nantahala West	JWC3	Cheoah Ranger District	Bellcollar Gap	GWWA and grouse
Appalachian East	ABS3	Grandfather	Bridle Ridge	all of escarpment area slose to actual breakpoint. 1 mile either side very high bird diversity
Appalachian East	JK1	Grandfather	Mackey Mountain	Mackey Mountain: prescribed fire to maintain old growth forest
Grandfather North	___3	Grandfather North	Cold Mountain/Headquarters Mountain	Headquarters Mountain: more burning and more 0-10 year age class
Grandfather North	___4	Grandfather North	Trail 269	Wilson Creek: increase burning and increase 0-10 yr age class
Grandfather North	COM3	Grandfather North	Marks Mountain	
Grandfather North	DGD3	Grandfather North	Globe Mountain Gap	increase burning in Globe area
Grandfather North	DGD4	Grandfather North	Gragg Prong	maintain/enhance ESH on new tract
Grandfather North	KDB4	Grandfather North	Laurel Branch/Green Mountain	Green Mountain: grouse, turkey, deer, bear; managing for these species creates excellent habitat for a number of other species
Grandfather North	KG1	Grandfather North	Trail 240	managing for these species creates excellent habitat for a number of other species

Grandfather North	KK1	Grandfather North	Harper Creek	I am concerned about restoration of brook trout habitat, not just streams above.
Grandfather North	SDT	Grandfather North	Steels Creek	
Grandfather North	SDT	Grandfather North	Rose Mountain	
Grandfather South	CRC3	Grandfather West	Bear Creek	more ESH for low elevation birds: Lake James tracts
Grandfather South	DGD2	Grandfather West	Steels Creek	ruffed grouse habitat: too uniform in age
Grandfather South	GSW3	Grandfather West	Bee Rock Creek	Armstrong: cuts for post-breeding habitat
Grandfather South	KDB1	Grandfather West	Kitsuma Creek/Youngs Ridge	Youngs Ridge: deer, turkey, bear; managing for these species creates excellent habitat for a number of other species
Grandfather South	KDB2	Grandfather West	Dobson Knob/Bald Knob	Dobson Knob: deer, turkey, bear; managing for these species creates excellent habitat for a number of other species
Grandfather South	KDB2	Grandfather West	Little Buck Creek headwaters	Woods Mountain: deer, turkey, bear; managing for these species creates excellent habitat for a number of other species
Grandfather South	KDB5	Grandfather West	Bald Mountain	Bald Mountain: deer, turkey, bear; managing for these species creates excellent habitat for a number of other species
Grandfather South	R_2	Grandfather West	Mackey Mountain	Mackey Mountain: more 0-10 yr age class, more burning
Grandfather South	R2	Grandfather West	Big Fork Ridge/Newberry Creek	
Grandfather South	SDT2	Grandfather West	Bad Fork	
Nantahala East	JDJ103	Cowee	FSR 7064	grouse
Nantahala East	JG515	Old Highlands	Buck Knob	grouse/ESH
Nantahala East	JK4	Cowee	Cope Knob	mafic oak hickory forest: Cowee Mountains, Turkey Knob w/golden crowned-kinglet
Nantahala East	JWC10	Roy Taylor	FSR 4765	Sugar Creek gap grouse and GWWA
Nantahala East	JWC11	Old Highlands	Shortoff Mountain	ESH for grouse needed
Nantahala East	JWC5	Panthertown	Trail 453/Trail 491	bog mgmt and grouse
Nantahala East	JWC6	Roy Taylor	FSR 4644/4645	Old Bald GWWA and grouse
Nantahala East	JWC7	Roy Taylor	FSR 4666	Rough Butt Bald GWWA and grouse
Nantahala East	JWC8	Cowee	Leatherman Knob	Grouse ESH
Nantahala East	JWC9	Panthertown	FSR 4662	turkey habitat
Nantahala East	MDP	Roy Taylor	FSR 4870	Old Bald
Nantahala East	MDP	Roy Taylor	Sugar Creek Gap	Sugar Creek Gap
Nantahala East	MDP2	Old Highlands	Round Mountain	Jack's Branch
Nantahala East	MDP4	Old Highlands	Stewart Cove	Stewart Cove

Nantahala East	MFC1	Panthertown	Horsecamp Branch	Please limit early successional habitat restoration due to: significant unique bog environment, many endangered flora species, bear sanctuary, high diversity salamander habitat, headwaters for several rivers, trout habitat
Nantahala East	REH1	Panthertown	Horsecamp Branch	no prescribed burning in Panthertown Valley: prime hiking area
Nantahala East	TE1	Old Highlands	Picklesimer Rock House Falls	grouse habitat improvement
Nantahala East	WK?	Roy Taylor	Gage Gap	clear and maintain balds
Nantahala West	ERT1	Standing Indian	Southern Nantahala Wilderness	Upper Tallulah River watershed: high diversity of salamanders including dwarf black-bellied salamander
Nantahala West	JA517	Standing Indian	FSR 7215	
Nantahala West	JDJ100	Old Wayah	Rocky Bald	grouse
Nantahala West	JDJ101	Old Wayah	Poplar Cove/Appletree	grouse
Nantahala West	JDJ102	Standing Indian	Blackwell Gap	grouse
Nantahala West	JDJ104	Old Wayah	Snowbird Gap	grouse
Nantahala West	JG513	Old Wayah	Rocky Bald	grouse/ESH
Nantahala West	JG514	Old Wayah	Split Whiteoak Gap	grouse/ESH
Nantahala West	JG516	Cowee	Shepherd Bald	grouse/ESH
Nantahala West	JWC1	Wesser	Wesser Bald	grouse ESH
Nantahala West	JWC2	Old Wayah	Locust Tree Gap	deer & turkey
Nantahala West	JWC3	Old Wayah	Wayah Bald	GWWA
Nantahala West	KF	Cowee	Hwy 28	Appalachian elktoe habitat requires optimum water condition
Nantahala West	MDP5	Old Wayah	FSR 7131G	Moore Cr/Wayah Crest
Nantahala West	RAB2	Cowee	Matlock Creek headwaters	
Nantahala West	RAB2	Cowee	Peaks Bald	
Nantahala West	RAB2	Old Wayah	Wine Spring	
Nantahala West	RAB2	Old Wayah	Copper Ridge	
Nantahala West	RAB2	Old Wayah	Big Choga	
Nantahala West	RAB2	Standing Indian	Kimsey Creek	
Nantahala West	RAB2	Wesser	McHan Cove	
Pisgah 2	RAB2DW	Nantahala Ranger District	Trail 329	deer, turkey, bear
Pisgah 2	RAB12	Nantahala Ranger District	Long Spur Ridge	
Pisgah 2	RAB12	Nantahala Ranger District	Rocky Knobs	
Tusquitee	TE1	Nantahala Ranger District	Flat Knob	grouse habitat improvement
Tusquitee	TE1	Nantahala Ranger District	Panther Knob	grouse habitat improvement
Tusquitee	TE1	Nantahala Ranger District	Blackwell Ridge	grouse habitat improvement
	JG517			grouse/ESH

Pisgah 1	#2	Shining Rock	Nick Creek	
Pisgah 1	AYB4	Davidson River/Courthouse	Chestnut Falls	rare species in Courthouse habitats: seeps, bogs, waterfalls
Pisgah 1	BTO2	North Mills	Laurel Ridge	Mills River: rare fungi (14 species)
Pisgah 1	CAK1	Shining Rock	Beartrap Knob	high elevation forest restoration (e.g. red spruce)
Pisgah 1	CRC1	Shining Rock	Shining Rock	habitat for elk reintroduction
Pisgah 1	CWM3	North Mills	Thompson Ridge	wildlife viewing trails and openings
Pisgah 1	CWM4	Davidson River/Courthouse	Daniel Ridge	brook trout restoration
Pisgah 1	DGD1	Davidson River/Courthouse	Davidson River	possible GWWA habitat, however forest too mature to maintain healthy population
Pisgah 1	GSW4	Davidson River/Courthouse	Courthouse Ridge	Devils Courthouse: mix of golden-winged and other birds needing mix of conditions
Pisgah 1	JL	South Mills	Laurel Mountain	
Pisgah 1	JTJ1	Davidson River/Courthouse	Davidson River	enhance invasive plant species removal and control on district/successional area boundaries as well as disturbance areas like roads, paths, and communication/transportation avenues including waterways throughout district
Pisgah 1	JTJ2	Davidson River/Courthouse	Graveyard Fields	preserve and connect old growth and aged forest patches on Pisgah District
Pisgah 1	JTJ3	Davidson River/Courthouse	Davidson River	Protect and enhance (where appropriate) riparian zone quality for water quality and aquatic as well as riparian/alluvial species diversity
Pisgah 1	JTR3	South Mills	Cat Ridge	ESH needed for deer, grouse
Pisgah 1	KF	Shining Rock	Silver Bluff	Appalachian elktoe habitat requires optimum water condition
Pisgah 1	SEE4	Davidson River/Courthouse	Courthouse Falls	Courthouse Creek: saw-whet owl, water shrew
Pisgah 1	VLM1	Davidson River/Courthouse	Cove Creek	brown trout
Pisgah 1	VLM2	South Mills	FSR 477	grouse
Pisgah 2	_W3	Shining Rock	Black Balsam	
Pisgah 2	BG1	North Mills	Pilot Gap	Major monarch migratory route through Pilot Cove/Slate Rock
Pisgah 2	BG2	North Mills	Beach Knob	Important old growth area along high elevations at Blue Ridge Parkway/Pisgah Ridge: maintain/improve as much as possible
Pisgah 2	BTO1	South Mills	Turkeypen Gap	Turkey Pen: rare fungi (28 species)
Pisgah 2	BTO4	North Mills	Foster Creek	Foster Creek: rare fungi (36 species)
Pisgah 2	CWM1	North Mills	FSR 142	grouse, turkey, deer habitat
Pisgah 2	CWM5	North Mills	FSR 5000	chestnut/hemlock protection and restoration

Pisgah 2	DWRAB2	Davidson River/Courthouse	Fork River Ridge	deer, turkey, bear
Pisgah 2	DWRAB2	South Mills	Squirrel Gap	deer, turkey, bear
Pisgah 2	GSW1	North Mills	Trail 440	everything north of Yellow Gap Road: ruffed grouse
Pisgah 2	JTR2	Upper French Broad	West Fork French Broad River	ESH needed for deer, grouse
Pisgah 2	JWC1	Shining Rock	Lickstone Bald	no longer a bald: needs mgmt for GWWA and grouse
Pisgah 2	JWC2	Davidson River/Courthouse	Cedar Mountain	grouse mgmt needed
Pisgah 2	JWC2	Shining Rock	Sugar Cove	grouse mgmt needed
Pisgah 2	JWC3	North Mills	Big Ridge	deer habitat
Pisgah 2	JWC5	Davidson River/Courthouse	Courthouse Ridge	ESH needed for grouse and deer
Pisgah 2	JWC6	South Mills	South Mills River	deer and turkey mgmt needed
Pisgah 2	JWC7	North Mills	Johnson Knob	ESH needed
Pisgah 2	JWC8	Upper French Broad	Bruce Knob	Grouse habitat
Pisgah 2	JWC9	Shining Rock	Black Balsam	grouse and GWWA
Pisgah 2	KF	North Mills	Stuart Cemetary	Appalachian elktoe habitat requires optimum water condition
Pisgah 2	MW1	North Mills	Coffee Pot Mountain	Fletcher Creek
Pisgah 2	MW2	South Mills	Mullinax Gap	South Mills River
Pisgah 2	MW5	Shining Rock	Big Creek	Lickstone area
Pisgah 2	RAB12	Shining Rock	Sunburst	
Pisgah 2	RAB12	Shining Rock	FSR 97	
Pisgah 2	RAB12	Shining Rock	Nick Creek	
Pisgah 2	RAB2	Davidson River/Courthouse	Rich Cove	
Pisgah 2	RAB2	Davidson River/Courthouse	Cedar Mountain	
Pisgah 2	RAB2	South Mills	Clawhammer Mountain	Pink Beds
Pisgah 2	RAB2DW	Davidson River/Courthouse	Cedar Mountain	deer, turkey, bear
Pisgah 2	RAB2DW	Davidson River/Courthouse	Courthouse Ridge	deer, turkey, bear
Pisgah 2	RAB12	Upper French Broad	Big Pisgah Mountain	
Pisgah 2	RAB12	Upper French Broad	FSR 5021	
Pisgah 2	RB1	Davidson River/Courthouse	Davidson River	
Pisgah 2	RB2	Davidson River/Courthouse	Davidson River	
Pisgah 2	RB2	Davidson River/Courthouse	East Horse Cove	
Pisgah 2	REH2	South Mills	Clawhammer Mountain	Pisgah District is prime recreation area. Protect recreation, esp. serenity, naturalness, beauty
Pisgah 2	ROAP1	Davidson River/Courthouse	Picklesimer Fields	beaver
Pisgah 2	ROAP3	Shining Rock	Black Balsam	butterflies
Pisgah 2	ROAP4	Shining Rock	Yellowstone Prong	trout
Pisgah 2	ROAP5	South Mills	South Mills River	trout
Pisgah 2	TSRAB2	Davidson River/Courthouse	Courthouse Branch	
Pisgah 2	TW4	Shining Rock	Yellowstone Prong	needs fire

Pisgah 2	TW5	Shining Rock	Cold Star Knob	Double Springs Gap needs ESH restoraiton
Pisgah 2	TWESH1	Shining Rock	FSR 97	pine plantation (white pine) ESH
Pisgah 2	TWESH2	Shining Rock	Lickstone Bald	heath bald ESH needs management
Pisgah 2	WS1	North Mills	Slate Rock Ridge	Pilot Cove/Slate Rock: where are the monarchs who used to be plentiful here during their migration?
Tusquitee	AYB5	Tusquitee North	Rose Top	Bald Mountain rare habitat
Tusquitee	BG1	Fires Creek	Wolf Ridge	rare mountain camellias in Fires Creek drainage (Stewartia)
Tusquitee	CL1	Fires Creek	Fires Creek	open roads
Tusquitee	DA4	Hiwassee Lake	Grape Creek/FSR ?	ESH need near Hiwassee Lake: shortleaf pine restoration
Tusquitee	DCA3	Fires Creek	Tusquitee Bald	Tusquitee Mountain range bald work; ESH need expanded
Tusquitee	DCA3	Fires Creek	Sassafras Knob/Weatherman Bald	
Tusquitee	DW1	Fires Creek	Tatham Branch	Fires Creek: ESH for deer, grouse, songbirds, bear
Tusquitee	DW2	Hiwassee Lake	FSR 85A/Halls Knob	Panther Top: ESH for deer, turkey
Tusquitee	DW3	Tusquitee North	FSR 6263	Shuler Creek: ESH for deer, turkey, bear
Tusquitee	GSW2	Fires Creek	Phillips Creek	golden-winged warbler and grouse
Tusquitee	JG1	Fires Creek	Bald Spring Branch	elk reintroduciton for bald maintenance and golden-winged warbler habitat
Tusquitee	JG1	Fires Creek	Fires Creek/Bee Branch	wildlife openings along Fires Creek should be maintained to eliminate invasive species (autumn olive) and provide better conditions for Stewartia ovata
Tusquitee	JWC1	Fires Creek	Fires Creek	ESH for grouse needed
Tusquitee	JWC2	Tusquitee North	Tatham Gap/Turkeypen Branch	deer
Tusquitee	JWC3	Hiwassee Lake	Beaverdam	good turkey habitat
Tusquitee	JWC4	Tusquitee North	Hangover Top	ESH grouse needed
Tusquitee	JWC5	Chunky Gal	The Pinnacle	ESH grouse needed
Tusquitee	SEE2	Chunky Gal	FSR 350	Buck Creek Serpentine Barrens: very rare species
Tusquitee	SEE5	Tusquitee North	Rose Top	Bald Mountains: black bear
Tusquitee	TE1	Chunky Gal	Passmore Branch	grouse habitat improvement
Tusquitee	TE1	Chunky Gal	FSR 6237	grouse habitat improvement