

Appendix 15-A. Plants and animals of the Lincoln National Forest. Refer to Chapter 2 for more information on how the data was generated for this table. Also, see information regarding the R3 Species data base at www.azconservation.org.

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|---------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Ambystoma tigrinum</i> | Tiger Salamander | SOI | G5 | N5 | S5 | | | X | | |
| <i>Aneides hardii</i> | Sacramento Mtn. Salamander | SOC | G3 | N3 | S3 | | T | X | | |
| <i>Bufo cognatus</i> | Great Plains Toad | | G5 | N5 | S5 | | | | | |
| <i>Bufo debilis insidiosus</i> | Western Green Toad | | T5 | N4 | S4 | | | | | |
| <i>Bufo punctatus</i> | Red-Spotted Toad | | G5 | N5 | S5 | | | | | |
| <i>Bufo speciosus</i> | Texas Toad | | G5 | N5 | S3 | | | | | |
| <i>Bufo woodhousii</i> | Woodhouse's Toad | | G5 | N5 | S5 | | | | | |
| <i>Rana berlandieri</i> | Rio Grande Leopard Frog | SOI | G5 | N5 | S3 | | | X | | |
| <i>Rana blairi</i> | Plains Leopard Frog | SOI | G5 | N5 | S4 | | | X | | |
| <i>Scaphiopus couchii</i> | Couch's Spadefoot | | G5 | N5 | S5 | | | | | |
| <i>Spea bombifrons</i> | Plains Spadefoot | | G5 | N5 | S5 | | | | | |
| <i>Spea multiplicata</i> | New Mexico Spadefoot | | G5 | N5 | S5 | | | | | |
| <i>Accipiter cooperii</i> | Cooper's Hawk | | G5 | N5B | S4B S4N | | | | | |
| <i>Accipiter gentilis</i> | Northern Goshawk | SOI | G5 | N4B | S2B S2N | | | X | | |
| <i>Accipiter striatus velox</i> | Sharp-Shinned Hawk | | T5 | N5B | | | | | | |
| <i>Actitis macularia</i> | Spotted Sandpiper | | G5 | N5B | S4B S5N | | | | | |
| <i>Aechmophorus occidentalis</i> | Western Grebe | | G5 | N5B | S4B S5N | | | | | |
| <i>Aegolius acadicus acadicus</i> | Northern Saw-Whet Owl | | TU | NNR | | | | | | |
| <i>Aeronautes saxatalis</i> | White-Throated Swift | | G5 | N5B | S4B S4N | | | | | X |
| <i>Agelaius phoeniceus</i> | Red-Winged Blackbird | | G5 | N5 | S5B S5N | | | | | |
| <i>Aimophila cassinii</i> | Cassin's Sparrow | SOI | G5 | N4N | S5B S5N | | | | X | |
| <i>Aimophila ruficeps</i> | Rufous-Crowned Sparrow | | G5 | N5 | S5B S5N | | | | | |
| <i>Aix sponsa</i> | Wood Duck | | G5 | N5B | S4B S4N | | | | | |
| <i>Ammodramus bairdii</i> | Baird's Sparrow | SOI | G4 | N3B,N2N | S2N | | T | X | X | X |
| <i>Amphispiza belli</i> | Sage Sparrow | SOI | G5 | N5 | S4B S4N | | | X | X | |
| <i>Amphispiza bilineata</i> | Black-Throated Sparrow | | G5 | N5 | S5B S5N | | | | | |
| <i>Anas acuta</i> | Northern Pintail | SOI | G5 | N5B | S4B S5N | | | X | | |

^A NatureServe common and scientific names are used unless highlighted in bold.

^B TE = Listed as Threatened or Endangered under the Endangered Species Act, SOC = potential species-of-concern, SOI = potential species-of-interest

^C T = Threatened, E = Endangered, C = Candidate

^D Listed as priority species in the New Mexico Comprehensive Wildlife Conservation Strategy

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Anas americana</i> | American Wigeon | | G5 | N5B | S4B S5N | | | | | |
| <i>Anas clypeata</i> | Northern Shoveler | | G5 | N5B | S4B S5N | | | | | |
| <i>Anas crecca</i> | Green-Winged Teal | | G5 | N5B | S4B S5N | | | | | |
| <i>Anas cyanoptera</i> | Cinnamon Teal | | G5 | N5B | S4B S5N | | | | | |
| <i>Anas discors</i> | Blue-Winged Teal | | G5 | N5B | S4B S5N | | | | | |
| <i>Anas platyrhynchos</i> | Mallard | | G5 | N5B | S5B S5N | | | | | |
| <i>Anas strepera</i> | Gadwall | | G5 | N5B | S4B S5N | | | | | |
| <i>Anthus rubescens</i> | American Pipit | | G5 | N5B | S4B S5N | | | | | |
| <i>Anthus spragueii</i> | Sprague's Pipit | SOI | G4 | N4B | S2N | | | X | X | X |
| <i>Aphelocoma californica</i> | Western Scrub-Jay | | G5 | N5 | S5B S5N | | | | | |
| <i>Aquila chrysaetos</i> | Golden Eagle | SOI | G5 | N5B | S4B S4N | | | X | | |
| <i>Archilochus alexandri</i> | Black-Chinned Hummingbird | | G5 | N5B | S5B S5N | | | | | |
| <i>Ardea alba egretta</i> | Great Egret | | | TNR | NNR | | | | | |
| <i>Ardea herodias</i> | Great Blue Heron | | G5 | N5B | S4B S5N | | | | | |
| <i>Asio flammeus</i> | Short-Eared Owl | SOI | G5 | N5B | S2N | | | | | X |
| <i>Asio otus</i> | Long-Eared Owl | | G5 | N5B | S4B S4N | | | | | |
| <i>Auriparus flaviceps</i> | Verdin | | G5 | N5 | S4B S4N | | | | | |
| <i>Aythya affinis</i> | Lesser Scaup Duck | | G5 | N5B | S4B S5N | | | | | |
| <i>Aythya americana</i> | Redhead | | G5 | N5B | S4B S5N | | | | | |
| <i>Aythya collaris</i> | Ring-Necked Duck | SOI | G5 | N5B | S1B S5N | | | | | |
| <i>Aythya valisineria</i> | Canvasback Duck | | G5 | N5B | S4B S4N | | | | | |
| <i>Baeolophus ridgwayi</i> | Juniper Titmouse | SOI | G5 | N5 | S5B | | | X | | |
| <i>Bombycilla cedrorum</i> | Cedar Waxwing | | G5 | N5 | S5N | | | | | |
| <i>Botaurus lentiginosus</i> | American Bittern | SOI | G4 | N4B | S3B S4N | | | X | | |
| <i>Branta canadensis</i> | Canada Goose | | G5 | N5B | S4B S5N | | | | | |
| <i>Bubo virginianus</i> | Great-Horned Owl | | G5 | N5 | S5B S5N | | | | | |
| <i>Bubulcus ibis</i> | Cattle Egret | | G5 | N5B | S3B S4N | | | | | |
| <i>Bucephala albeola</i> | Bufflehead | | G5 | N5B | S5N | | | | | |
| <i>Bucephala clangula</i> | Common Goldeneye | | G5 | N5B | S5N | | | | | |
| <i>Buteo albonotatus</i> | Zone-Tailed Hawk | | G4 | N4B | S3B S3N | | | | | |
| <i>Buteo jamaicensis</i> | Red-Tailed Hawk | | G5 | N5B | S5B S5N | | | | | |
| <i>Buteo lagopus</i> | Rough-Legged Hawk | | G5 | N5B | S4N | | | | | |
| <i>Buteo swainsoni</i> | Swainson's Hawk | | G5 | N5B | S4B S4N | | | | | X |
| <i>Butorides virescens</i> | Green Heron | | G5 | N5B | S4B S4N | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|----------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Calamospiza melanocorys</i> | Lark Bunting | SOI | G5 | N5B | S4B S5N | | | | X | |
| <i>Calcarius mccownii</i> | Mccown's Longspur | | G4 | N4B | S4N | | | | | X |
| <i>Calcarius ornatus</i> | Chestnut-Collared Longspur | | G5 | N5B | S5N | | | | | |
| <i>Calidris minutilla</i> | Least Sandpiper | | G5 | N5B | S4N | | | | | |
| <i>Callipepla gambelii</i> | Gambel's Quail | | G5 | N5 | S5B S5N | | | | | |
| <i>Callipepla squamata</i> | Scaled Quail | SOI | G5 | N5 | S5B S5N | | | X | | X |
| <i>Calypte anna</i> | Anna's Hummingbird | | G5 | N5 | S3N | | | | | |
| <i>Campylorhynchus brunneicapillus</i> | Cactus Wren | | G5 | N5 | S5B S5N | | | | | |
| <i>Caprimulgus vociferus</i> | Whip-Poor-Will | | G5 | N5B,NNRN | S4B S4N | | | | | |
| <i>Cardellina rubrifrons</i> | Red-Faced Warbler | SOI | G5 | N4B | S4B S4N | | | X | X | X |
| <i>Cardinalis sinuatus</i> | Pyrrhuloxia | | G5 | N5 | S5B S5N | | | | | |
| <i>Carduelis pinus</i> | Pine Siskin | | G5 | N5 | S5B S5N | | | | | |
| <i>Carduelis psaltria</i> | Lesser Goldfinch | | G5 | N5 | S5B S5N | | | | | |
| <i>Carduelis tristis</i> | American Goldfinch | | G5 | N5 | S4B S5N | | | | | |
| <i>Carpodacus cassinii</i> | Cassin's Finch | | G5 | N5 | S4B S5N | | | | | |
| <i>Carpodacus mexicanus</i> | House Finch | | G5 | N5 | S5B S5N | | | | | |
| <i>Cathartes aura</i> | Turkey Vulture | | G5 | N5B | S5B S5N | | | | | |
| <i>Catharus guttatus</i> | Hermit Thrush | | G5 | N5 | S5B S5N | | | | | |
| <i>Catharus ustulatus</i> | Swainson's Thrush | | G5 | N5B | S3B S4N | | | | | |
| <i>Catherpes mexicanus</i> | Canyon Wren | | G5 | N5 | S5B S5N | | | | | |
| <i>Certhia americana</i> | Brown Creeper | | G5 | N5 | S5B S5N | | | | | |
| <i>Ceryle alcyon</i> | Belted Kingfisher | | G5 | N5B | S4B S4N | | | | | |
| <i>Charadrius vociferus</i> | Killdeer | | G5 | N5B | S5B S5N | | | | | |
| <i>Chen caerulescens</i> | Snow Goose | | G5 | N5B | S5N | | | | | |
| <i>Chen rossii</i> | Ross's Goose | | G4 | N4N | S4N | | | | | |
| <i>Chondestes grammacus</i> | Lark Sparrow | | G5 | N5B | S5B S4N | | | | | |
| <i>Chordeiles acutipennis</i> | Lesser Nighthawk | | G5 | N5B | S5B S5N | | | | | |
| <i>Chordeiles minor</i> | Common Nighthawk | | G5 | N5B | S5B S5N | | | | | |
| <i>Cinclus mexicanus</i> | American Dipper | | G5 | N5 | S4B S4N | | | | | |
| <i>Circus cyaneus</i> | Northern Harrier | SOI | G5 | N5B | S2B S5N | | | X | X | |
| <i>Cistothorus palustris</i> | Marsh Wren | SOI | G5 | N5B | S1B S5N | | | | | |
| <i>Coccythraustes vesperinus</i> | Evening Grosbeak | | G5 | N5 | S4B S4N | | | | | |
| <i>Coccyzus americanus</i> | Western Yellow-Billed Cuckoo | SOC | T2 | N3B | S4B S4N | C | | X | X | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>occidentalis</i> | | | | | | | | | | |
| <i>Colaptes auratus</i> | Northern Flicker | | G5 | N5B | S5B S5N | | | | | |
| <i>Columba livia</i> | Rock Dove | | G5 | NNA | SNA | | | | | |
| <i>Columbina inca</i> | Inca Dove | | G5 | N5 | S4B S4N | | | | | |
| <i>Columbina passerina</i> | Common Ground-Dove | SOI | G5 | N5 | S1B S1N | | E | X | | |
| <i>Contopus cooperi</i> | Olive-Sided Flycatcher | SOI | G4 | N4B | S4B S4N | | | X | | X |
| <i>Contopus sordidulus</i> | Western Wood-Pewee | | G5 | N5B | S5B S5N | | | | | |
| <i>Corvus brachyrhynchos</i> | American Crow | | G5 | N5B | S5B S5N | | | | | |
| <i>Corvus corax</i> | Common Raven | | G5 | N5 | S5B S5N | | | | | |
| <i>Corvus cryptoleucus</i> | Chihuahuan Raven | | G5 | N5B | S5B S5N | | | | | |
| <i>Cyanocitta stelleri</i> | Steller's Jay | | G5 | N5 | S5B S5N | | | | | |
| <i>Cyrtonyx montezumae</i> | Montezuma Quail | SOI | G4 | N4 | S3B S3N | | | X | | X |
| <i>Dendroica coronata</i> | Yellow-Rumped Warbler | | G5 | N5B | S5B S5N | | | | | |
| <i>Dendroica graciae</i> | Grace's Warbler | SOI | G5 | N5B | S5B S5N | | | X | X | X |
| <i>Dendroica magnolia</i> | Magnolia Warbler | SOI | G5 | N5B | S2N | | | | | |
| <i>Dendroica nigrescens</i> | Black-Throated Gray Warbler | SOI | G5 | N5B | S4B S4N | | | X | X | |
| <i>Dendroica petechia</i> | Yellow Warbler | SOI | G5 | N5B | S4B S5N | | | X | | |
| <i>Dendroica townsendi</i> | Townsend's Warbler | | G5 | N5B | S4N | | | | | |
| <i>Dumetella carolinensis</i> | Gray Catbird | | G5 | N5B | S4B S4N | | | | | |
| <i>Egretta caerulea</i> | Little Blue Heron | SOI | G5 | N5B | S2B S4N | | | | | |
| <i>Egretta thula</i> | Snowy Egret | | G5 | N5B | S4B S4N | | | | | |
| <i>Empidonax hammondi</i> | Hammond's Flycatcher | | G5 | N5B | S4B S4N | | | | | |
| <i>Empidonax oberholseri</i> | Dusky Flycatcher | | G5 | N5B | S4B S4N | | | | | |
| <i>Empidonax occidentalis</i> | Cordilleran Flycatcher | | G5 | N5B | S5B S5N | | | | | |
| <i>Empidonax wrightii</i> | Gray Flycatcher | | G5 | N5B | S4B S4N | | | | | |
| <i>Eremophila alpestris</i> | Horned Lark | | G5 | N5B | S5B S5N | | | | | |
| <i>Eugenes fulgens</i> | Magnificent Hummingbird | | G5 | N4B | S4B S4N | | | | | |
| <i>Euphagus cyanocephalus</i> | Brewer's Blackbird | | G5 | N5B | S5B S5N | | | | | |
| <i>Falco columbarius</i> | Merlin | | G5 | N4B | S4N | | | | | |
| <i>Falco mexicanus</i> | Prairie Falcon | | G5 | N5B | S4B S4N | | | | | |
| <i>Falco peregrinus anatum</i> | American Peregrine Falcon | SOC | T3 | N3B | S2B S3N | | T | X | X | |
| <i>Falco sparverius</i> | American Kestrel | | G5 | N5B | S5B S5N | | | | | |
| <i>Fulica americana</i> | American Coot | | G5 | N5B | S5B S5N | | | | | |
| <i>Gallinago delicata</i> | Wilson's Snipe | SOI | G5 | N5B | S2B S5N | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|-----------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Gallinula chloropus</i> | Common Moorhen | | G5 | N5B | S4B S4N | | | | | |
| <i>Gavia immer</i> | Common Loon | | G5 | N4B,N5N | S4N | | | | | |
| <i>Geococcyx californianus</i> | Greater Roadrunner | | G5 | N5 | S5B S5N | | | | | |
| <i>Geothlypis trichas</i> | Common Yellowthroat | | G5 | N5 | S4B S4N | | | | | |
| <i>Glaucidium gnoma californicum</i> | Northern Pygmy Owl | | T4 | N4N5 | | | | | | |
| <i>Grus canadensis</i> | Sandhill Crane | SOI | G5 | N5B | S4N | | | X | | |
| <i>Gymnorhinus cyanocephalus</i> | Pinyon Jay | SOI | G5 | N5 | S3B S3N | | | X | | X |
| <i>Haliaeetus leucocephalus</i> | Bald Eagle | TE | G4 | N5B | S1B S3N | T | T | X | | |
| <i>Himantopus mexicanus</i> | Black-Necked Stilt | | G5 | N5B | S4B S4N | | | | | |
| <i>Hirundo rustica</i> | Barn Swallow | | G5 | N5B | S5B S5N | | | | | |
| <i>Icteria virens</i> | Yellow-Breasted Chat | | G5 | N5B | S4B S4N | | | | | |
| <i>Icterus bullockii</i> | Bullock's Oriole | | G5 | N5B | S5B | | | | | |
| <i>Icterus parisorum</i> | Scott's Oriole | | G5 | N5B | S5B S5N | | | | | |
| <i>Ictinia mississippiensis</i> | Mississippi Kite | SOI | G5 | N5B | S2B S3N | | | | | |
| <i>Junco hyemalis</i> | Dark-Eyed Junco | | G5 | N5 | S5B S5N | | | | | |
| <i>Lampornis clemenciae</i> | Blue-Throated Hummingbird | SOI | G5 | N3B | S2B S2N | | | | | |
| <i>Lanius ludovicianus</i> | Loggerhead Shrike | SOI | G4 | N4 | S4B S4N | | | X | X | |
| <i>Limnodromus scolopaceus</i> | Long-Billed Dowitcher | | G5 | N5B | S5N | | | | | |
| <i>Lophodytes cucullatus</i> | Hooded Merganser | SOI | G5 | N5B | S1B S4N | | | | | |
| <i>Loxia curvirostra</i> | Red Crossbill | | G5 | N5 | S4B S4N | | | | | |
| <i>Megascops kennicottii</i> | Western Screech Owl | | G5 | N5 | S4B S4N | | | | | |
| <i>Melanerpes formicivorus</i> | Acorn Woodpecker | | G5 | N5 | S4B S4N | | | | | |
| <i>Meleagris gallopavo</i> | Wild Turkey | SOI | G5 | N5 | S5B S5N | | T | | | |
| <i>Melospiza georgiana</i> | Swamp Sparrow | | G5 | N5B | S4N | | | | | |
| <i>Melospiza lincolnii</i> | Lincoln's Sparrow | | G5 | N5B | S4B S5N | | | | | |
| <i>Melospiza melodia</i> | Song Sparrow | | G5 | N5 | S4B S5N | | | | | |
| <i>Mergus merganser</i> | Common Merganser Duck | | G5 | N5B | S3B S5N | | | | | |
| <i>Micrathene whitneyi</i> | Elf Owl | SOI | G5 | N5B | S4B S4N | | | X | X | X |
| <i>Mimus polyglottos</i> | Northern Mockingbird | | G5 | N5 | S5B S5N | | | | | |
| <i>Mniotilta varia</i> | Black-And-White Warbler | | G5 | N5B,N4N5N | S4N | | | | | |
| <i>Molothrus aeneus</i> | Bronzed Cowbird | | G5 | N4N5N,N5B | S4B S4N | | | | | |
| <i>Molothrus ater</i> | Brown-Headed Cowbird | | G5 | N5 | S5B S5N | | | | | |
| <i>Myadestes townsendi</i> | Townsend's Solitaire | | G5 | N5 | S5B S5N | | | | | |
| <i>Myiarchus cinerascens</i> | Ash-Throated Flycatcher | | G5 | N5B | S5B S5N | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Myioborus miniatus</i> | Slate-Throated Redstart | | | | | | | | | |
| <i>Myioborus pictus</i> | Painted Redstart | SOI | G5 | N4B | S4B S4N | | | X | | |
| <i>Nucifraga columbiana</i> | Clark's Nutcracker | | G5 | N5 | S4B S4N | | | | | |
| <i>Nycticorax nycticorax</i> | Black-Crowned Night Heron | | G5 | N5B | S4B S4N | | | | | |
| <i>Oporornis tolmiei</i> | Macgillivray's Warbler | | G5 | N5B | S5B S5N | | | | | |
| <i>Oreoscoptes montanus</i> | Sage Thrasher | SOI | G5 | N5B | S4B S5N | | | X | | |
| <i>Otus flammeolus</i> | Flammulated Owl | SOI | G4 | N4B | S4B S4N | | | | X | X |
| <i>Oxyura jamaicensis</i> | Ruddy Duck | | G5 | N5B | S4B S5N | | | | | |
| <i>Pandion haliaetus</i> | Osprey | SOI | G5 | N5B | S1B S4N | | | X | | |
| <i>Parabuteo unicinctus</i> | Harris's Hawk | | G5 | N5 | S3B S3N | | | | | |
| <i>Passer domesticus</i> | House Sparrow | | G5 | NNA | SNA | | | | | |
| <i>Passerculus sandwichensis</i> | Savannah Sparrow | | G5 | N5B | S3B S5N | | | | | |
| <i>Passerella iliaca</i> | Fox Sparrow | | G5 | N5B | S4N | | | | | |
| <i>Passerina amoena</i> | Lazuli Bunting | | G5 | N5B | S5B S5N | | | | | |
| <i>Passerina caerulea</i> | Blue Grosbeak | | G5 | N5B | S5B S5N | | | | | |
| <i>Passerina cyanea</i> | Indigo Bunting | | G5 | N5B | S5B S5N | | | | | |
| <i>Passerina versicolor</i> | Varied Bunting | SOI | G5 | N4B | S1B S1N | | T | X | | X |
| <i>Patagioenas fasciata</i> | Band-Tailed Pigeon | SOI | G4 | N4B | S4B S4N | | | X | | X |
| <i>Petrochelidon fulva</i> | Cave Swallow | | G5 | N4B | S3B S3N | | | | | |
| <i>Petrochelidon pyrrhonota</i> | Cliff Swallow | | G5 | N5B | S5B S5N | | | | | |
| <i>Phainopepla nitens</i> | Phainopepla | | G5 | N5 | S4B S4N | | | | | |
| <i>Phalaenoptilus nuttallii</i> | Common Poorwill | | G5 | N5B | S5B S5N | | | | | |
| <i>Pheucticus ludovicianus</i> | Rose-Breasted Grosbeak | | G5 | N5B | S4N | | | | | |
| <i>Pheucticus melanocephalus</i> | Black-Headed Grosbeak | | G5 | N5B | S5B S5N | | | | | |
| <i>Picoides dorsalis</i> | American Three-Toed Woodpecker | | G5 | N5 | S3B S3N | | | | | |
| <i>Picoides pubescens</i> | Downy Woodpecker | | G5 | N5 | S5B S5N | | | | | |
| <i>Picoides scalaris</i> | Ladder-Backed Woodpecker | | G5 | N5 | S5B S5N | | | | | |
| <i>Picoides villosus</i> | Hairy Woodpecker | | G5 | N5 | S5B S5N | | | | | |
| <i>Pinicola enucleator</i> | Pine Grosbeak | SOI | G5 | N5 | S2B S3N | | | | | |
| <i>Pipilo chlorurus</i> | Green-Tailed Towhee | | G5 | N5B | S4B S4N | | | | | |
| <i>Pipilo erythrophthalmus</i> | Eastern Towhee | | G5 | N5 | | | | | | |
| <i>Pipilo fuscus</i> | Canyon Towhee | | G5 | N5 | S5B S5N | | | | | |
| <i>Pipilo maculatus</i> | Spotted Towhee | | G5 | N5 | S5B S5N | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Piranga flava</i> | Hepatic Tanager | | G5 | N5B | S5B S5N | | | | | |
| <i>Piranga ludoviciana</i> | Western Tanager | | G5 | N5B | S5B S5N | | | | | |
| <i>Piranga rubra</i> | Summer Tanager | | G5 | N5B | S5B S5N | | | | | |
| <i>Plegadis chihi</i> | White-Faced Ibis | SOI | G5 | N4B | S1B S4N | | | X | | |
| <i>Podiceps nigricollis</i> | Eared Grebe | SOI | G5 | N5B | S4B S5N | | | X | | |
| <i>Podilymbus podiceps</i> | Pied-Billed Grebe | | G5 | N5B | S5B S5N | | | | | |
| <i>Poecile gambeli</i> | Mountain Chickadee | | G5 | N5 | S5B S5N | | | | | |
| <i>Polioptila caerulea</i> | Blue-Gray Gnatcatcher | | G5 | N5B | S4B S4N | | | | | |
| <i>Poliptila melanura</i> | Black-Tailed Gnatcatcher | | G5 | N5 | S3B S3N | | | | | |
| <i>Pooecetes gramineus</i> | Vesper Sparrow | | G5 | N5B | S5B S4N | | | | | |
| <i>Porzana carolina</i> | Sora | | G5 | N5B | S4B S4N | | | | | |
| <i>Progne subis</i> | Purple Martin | | G5 | N5B | S4B S4N | | | | | |
| <i>Psaltiriparus minimus</i> | Bushtit | | G5 | N5 | S5B S5N | | | | | |
| <i>Pyrocephalus rubinus</i> | Vermilion Flycatcher | | G5 | N5B | S4B S4N | | | | | |
| <i>Quiscalus mexicanus</i> | Great-Tailed Grackle | | G5 | N5 | S5B S5N | | | | | |
| <i>Quiscalus quiscula</i> | Common Grackle | | G5 | N5 | S5B S5N | | | | | |
| <i>Rallus limicola</i> | Virginia Rail | | G5 | N5B | S4B S4N | | | | | |
| <i>Recurvirostra americana</i> | American Avocet | | G5 | N5B | S4B S4N | | | | | |
| <i>Regulus calendula</i> | Ruby-Crowned Kinglet | | G5 | N5B | S5B S5N | | | | | |
| <i>Regulus satrapa</i> | Golden-Crowned Kinglet | | G5 | N5 | S4B S4N | | | | | |
| <i>Riparia riparia</i> | Bank Swallow | SOI | G5 | N5B | S4B S5N | | | X | | |
| <i>Salpinctes obsoletus</i> | Rock Wren | | G5 | N5 | S5B S5N | | | | | |
| <i>Sayornis nigricans</i> | Black Phoebe | | G5 | N5 | S5B S5N | | | | | |
| <i>Sayornis phoebe</i> | Eastern Phoebe | | G5 | N5B | S3B S4N | | | | | |
| <i>Sayornis saya</i> | Say's Phoebe | | G5 | N4N | S5B S4N | | | | | |
| <i>Seiurus noveboracensis</i> | Northern Waterthrush | | G5 | N5B | S4N | | | | | |
| <i>Selasphorus platycercus</i> | Broad-Tailed Hummingbird | | G5 | N5B | S4B S4N | | | | | |
| <i>Selasphorus rufus</i> | Rufous Hummingbird | | G5 | N5B | S5N | | | | | X |
| <i>Setophaga ruticilla</i> | American Redstart | | G5 | N5B | S4N | | | | | |
| <i>Sialia currucoides</i> | Mountain Bluebird | | G5 | N5 | S5B S5N | | | | | |
| <i>Sialia mexicana</i> | Western Bluebird | | G5 | N5 | S5B S5N | | | | | |
| <i>Sialia sialis</i> | Eastern Bluebird | SOI | G5 | N5B | S1B S5N | | | | | |
| <i>Sitta canadensis</i> | Red-Breasted Nuthatch | | G5 | N5 | S4B S4N | | | | | |
| <i>Sitta carolinensis</i> | White-Breasted Nuthatch | | G5 | N5 | S5B S5N | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Sitta pygmaea</i> | Pygmy Nuthatch | | G5 | N5 | S5B S5N | | | | | |
| <i>Sphyrapicus nuchalis</i> | Red-Naped Sapsucker | | G5 | N5B | S5B S5N | | | | | |
| <i>Sphyrapicus thyroideus</i> | Williamson's Sapsucker | SOI | G5 | N5B | S5B S5N | | | X | | |
| <i>Sphyrapicus varius</i> | Yellow-Bellied Sapsucker | | G5 | N5B | S4N | | | | | |
| <i>Spizella atrogularis</i> | Black-Chinned Sparrow | SOI | G5 | N5 | S4B S4N | | | | X | X |
| <i>Spizella pallida</i> | Clay-Colored Sparrow | | G5 | N4N5B | S4N | | | | | |
| <i>Spizella passerina</i> | Chipping Sparrow | | G5 | N5B | S5B S5N | | | | | |
| <i>Stelgidopteryx serripennis</i> | Northern Rough-Winged Swallow | | G5 | N5B | S4B S5N | | | | | |
| <i>Stellula calliope</i> | Calliope Hummingbird | | G5 | N5B | S4N | | | | | X |
| <i>Strix occidentalis lucida</i> | Mexican Spotted Owl | TE | T3 | N3 | S2B S2N | T | | X | | |
| <i>Sturnella magna</i> | Eastern Meadowlark | | G5 | N5 | S5B S5N | | | | | |
| <i>Sturnella neglecta</i> | Western Meadowlark | | G5 | N5 | S5B S5N | | | | | |
| <i>Sturnus vulgaris</i> | European Starling | | G5 | NNA | SNA | | | | | |
| <i>Tachycineta bicolor</i> | Tree Swallow | | G5 | N5B | S4B S4N | | | | | |
| <i>Tachycineta thalassina</i> | Violet-Green Swallow | | G5 | N5B | S5B S5N | | | | | |
| <i>Thryomanes bewickii</i> | Bewick's Wren | | G5 | N5B | S5B S5N | | | | | |
| <i>Toxostoma crissale</i> | Crissal Thrasher | SOI | G5 | N5 | S5B S5N | | | | X | |
| <i>Toxostoma curvirostre</i> | Curve-Billed Thrasher | | G5 | N5 | S5B S5N | | | | | |
| <i>Tringa flavipes</i> | Lesser Yellowlegs | | G5 | N5B | S5N | | | | | |
| <i>Tringa melanoleuca</i> | Greater Yellowlegs | | G5 | N5B | S5N | | | | | |
| <i>Troglodytes aedon</i> | House Wren | | G5 | N5B | S5B S5N | | | | | |
| <i>Turdus migratorius</i> | American Robin | | G5 | N5 | S5B S5N | | | | | |
| <i>Tyrannus verticalis</i> | Western Kingbird | | G5 | N5B | S5B S5N | | | | | |
| <i>Tyrannus vociferans</i> | Cassin's Kingbird | | G5 | N5B | S5B S5N | | | | | |
| <i>Tyto alba</i> | Barn Owl | | G5 | N5 | S4B S4N | | | | | |
| <i>Vermivora celata</i> | Orange-Crowned Warbler | | G5 | N5B | S4B S5N | | | | | |
| <i>Vermivora luciae</i> | Lucy's Warbler | SOI | G5 | N5B | S4B S4N | | | X | | |
| <i>Vermivora peregrina</i> | Tennessee Warbler | | G5 | N5B | S3N | | | | | |
| <i>Vermivora ruficapilla</i> | Nashville Warbler | | G5 | N5B | S4N | | | | | |
| <i>Vermivora virginiae</i> | Virginia's Warbler | | G5 | N5B | S4B S4N | | | | | X |
| <i>Vireo bellii arizonae</i> | Arizona Bell's Vireo | SOI | T4 | N4B | S2B S2N | | | | X | |
| <i>Vireo gilvus</i> | Warbling Vireo | | G5 | N5B | S5B S5N | | | | | |
| <i>Vireo olivaceus</i> | Red-Eyed Vireo | | G5 | N5B | S3N | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Vireo plumbeus</i> | Plumbeus Vireo | | G5 | N5B | S5B S5N | | | | | |
| <i>Vireo vicinior</i> | Gray Vireo | SOI | G4 | N4B | S4B S3N | | T | X | X | X |
| <i>Wilsonia pusilla</i> | Wilson's Warbler | | G5 | N5B | S4B S5N | | | | | |
| <i>Xanthocephalus xanthocephalus</i> | Yellow-Headed Blackbird | | G5 | N5B | S4B S5N | | | | | |
| <i>Zenaida asiatica</i> | White-Winged Dove | | G5 | N5 | S4B S4N | | | | | |
| <i>Zenaida macroura</i> | Mourning Dove | SOI | G5 | N5 | S5B S5N | | | X | | |
| <i>Zonotrichia albicollis</i> | White-Throated Sparrow | | G5 | N5B | S4N | | | | | |
| <i>Zonotrichia leucophrys</i> | White-Crowned Sparrow | | G5 | N5B | S5B S5N | | | | | |
| <i>Popenaias popeii</i> | Texas Hornshell | SOC | G1 | N1 | S1 | C | E | X | | |
| <i>Stygobromus arizonensis</i> | Fairy Shrimp | SOI | | N2N3 | | | | X | | |
| <i>Etheostoma lepidum</i> | Greenthroat Darter | SOC | G3 | N3 | S2 | | T | X | | |
| <i>Gila pandora</i> | Rio Grande Chub | SOC | G3 | N3 | S3 | | | X | | |
| <i>Ictalurus lupus</i> | Headwater Catfish | SOC | G3 | N2 | S1 | | | X | | |
| <i>Oncorhynchus clarkii virginalis</i> | Rio Grande Cutthroat Trout | SOC | T3 | N2 | S2 | | | X | | |
| <i>Rhinichthys cataractae</i> | Longnose Dace | | G5 | N5 | SNA | | | | | |
| <i>Aeshna dugesi</i> | Arroyo Darner | SOI | G4 | N2N3 | SNR | | | X | | |
| <i>Agathymus neumogeni</i> | Orange Giant Skipper | | G4 | N4N5 | SNR | | | | | |
| <i>Amblycheila picolominii</i> | Plateau Giant Tiger Beetle | SOC | G3 | N3 | SNR | | | | | |
| | Guadalupe Mountains Tiger Beetle | | | | | | | | | |
| <i>Cicindela politula petrophila</i> | | SOC | T3 | N3 | SNR | | | X | | |
| <i>Euphydryas chalcedona cloudcroftii</i> | Chalcedon Checkerspot | SOC | T1 | N1 | SNR | | | X | | |
| <i>Megathymus ursus violae</i> | Viola Yucca Borer | SOC | T3 | N3 | SNR | | | | | |
| <i>Satyrium polingi</i> | Poling's Hairstreak | SOC | G2 | N1 | SNR | | | X | | |
| <i>Ammospermophilus interpres</i> | Texas Antelope Squirrel | | G4 | N4N5 | S3 | | | | | |
| <i>Antilocapra americana</i> | Pronghorn | | G5 | N5 | S5 | | | | | |
| <i>Antrozous pallidus</i> | Pallid Bat | | G5 | N5 | S5 | | | | | |
| <i>Bassariscus astutus</i> | Ringtail | | G5 | N5 | S4 | | | | | |
| <i>Canis latrans</i> | Coyote | | G5 | N5 | S5 | | | | | |
| <i>Castor canadensis</i> | American Beaver | SOI | G5 | N5 | S3 | | | X | | |
| <i>Cervus canadensis nelsoni</i> | Rocky Mountain Elk | | T5 | N5 | | | | | | |
| | Chihuahuan Desert Pocket Mouse | | | | | | | | | |
| <i>Chaetodipus eremicus</i> | Mouse | | G5 | N5 | S4 | | | | | |
| <i>Chaetodipus intermedius intermedius</i> | Rock Pocket Mouse | | T5 | N5 | | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|---|---------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Chaetodipus penicillatus</i> | Desert Pocket Mouse | | G5 | N5 | S4 | | | | | |
| <i>Conepatus leuconotus</i> | White-backed Hog-Nosed Skunk | SOI | G4 | N3 | S2S3 | | | | | |
| <i>Corynorhinus townsendii</i> | Townsend's Big-Eared Bat | | G4 | N4 | S3 | | | | | |
| <i>Corynorhinus townsendii pallescens</i> | Pale Lump-nosed Bat | | T4 | N4 | S3 | | | | | |
| <i>Cratogeomys castanopus</i> | Yellow-Faced Pocket Gopher | SOI | G5 | N5 | S2 | | | | | |
| <i>Cynomys ludovicianus</i> | Black-Tailed Prairie Dog | SOC | G3 | N3N4 | S2? | | | X | | |
| <i>Dipodomys merriami</i> | Merriam's Kangaroo Rat | | G5 | N5 | S5 | | | | | |
| <i>Dipodomys ordii</i> | Ord's Kangaroo Rat | | G5 | N5 | S5 | | | | | |
| <i>Dipodomys spectabilis baileyi</i> | New Mexico Banner-Tailed Kangaroo Rat | | T4 | N4 | S4 | | | | | |
| <i>Eptesicus fuscus</i> | Big Brown Bat | | G5 | N5 | S5 | | | | | |
| <i>Erethizon dorsatum</i> | North American Porcupine | | G5 | N5 | S5 | | | | | |
| <i>Euderma maculatum</i> | Spotted Bat | SOI | G4 | N3N4 | S3 | | T | X | | |
| <i>Lasionycteris noctivagans</i> | Silver-Haired Bat | | G5 | N5 | S5 | | | | | |
| <i>Lasiurus borealis</i> | Eastern Red Bat | | G5 | N5 | | | | | | |
| <i>Lasiurus cinereus</i> | Hoary Bat | | G5 | N5 | S3N | | | | | |
| <i>Lepus californicus</i> | Black-Tailed Jack Rabbit | | G5 | N5 | S5 | | | | | |
| <i>Lynx rufus</i> | Bobcat | | G5 | N5 | S4 | | | | | |
| <i>Mephitis macroura</i> | Hooded Skunk | SOI | G5 | N4 | S2 | | | | | |
| <i>Mephitis mephitis</i> | Striped Skunk | | G5 | N5 | S5 | | | | | |
| <i>Microtus longicaudus</i> | Long-Tailed Vole | | G5 | N5 | S4 | | | | | |
| <i>Microtus mogollonensis</i> | Mogollon Vole | | G4 | N5 | | | | | | |
| <i>Mus musculus</i> | House Mouse | | G5 | NNA | SNA | | | | | |
| <i>Mustela frenata</i> | Long-Tailed Weasel | | G5 | N5 | S4 | | | | | |
| <i>Myocastor coypus</i> | Nutria | | G5 | NNA | SNR | | | | | |
| <i>Myotis auricularis</i> | Southwestern Myotis | | G5 | N4 | S4 | | | | | |
| <i>Myotis californicus</i> | California Myotis Bat | | G5 | N5 | S5 | | | | | |
| <i>Myotis ciliolabrum</i> | Western Small-Footed Myotis Bat | | G5 | N5 | S5 | | | | | |
| <i>Myotis ciliolabrum melanorhinus</i> | Western Small Footed Myotis | | | | | | | | | |
| <i>Myotis occultus</i> | Occult Little Brn. Myotis Bat | SOC | G3 | N3N4 | S3 | | | | | |
| <i>Myotis thysanodes</i> | Fringed Myotis Bat | | G4 | N4N5 | S5 | | | | | |
| <i>Myotis thysanodes thysanodes</i> | Fringe-tailed Myotis | | | | | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|---------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Myotis velifer</i> | Cave Myotis Bat | | G5 | N4 | S4 | | | | | |
| <i>Myotis volans interior</i> | Long-legged Myotis | | | | | | | | | |
| <i>Myotis yumanensis</i> | Yuma Myotis Bat | | G5 | N5 | S5 | | | | | |
| <i>Myotis yumanensis yumanensis</i> | | | | | | | | | | |
| <i>Neotamias minimus arizonensis</i> | White Mountains Least Chipmunk | | | | | | | | | |
| <i>Neotamias minimus atristriatus</i> | Penasco Least Chipmunk | | | | | | | | | |
| <i>Neotoma albigula</i> | Woodrat | | G5 | N5 | S5 | | | | | |
| <i>Neotoma mexicana</i> | Mexican Wood Rat | | G5 | N5 | S5 | | | | | |
| <i>Neotoma micropus</i> | Southern Plains Wood Rat | | G5 | N5 | S5 | | | | | |
| <i>Notiosorex crawfordi</i> | Crawford's Desert Shrew | | G5 | N5 | S4 | | | | | |
| <i>Nyctinomops macrotis</i> | Big Free-Tailed Bat | SOI | G5 | N3N4 | S2 | | | | | |
| <i>Odocoileus hemionus</i> | Mule Deer | SOI | G5 | N5 | S5 | | | X | | |
| <i>Odocoileus virginianus</i> | White-Tailed Deer | | G5 | N5 | S4 | | | | | |
| <i>Ondatra zibethicus</i> | Muskrat | | G5 | N5 | S4 | | | | | |
| <i>Onychomys arenicola</i> | Mearn's Grasshopper Mouse | | G4 | N4N5 | S3 | | | | | |
| <i>Onychomys leucogaster</i> | Northern Grasshopper Mouse | | G5 | N5 | S5 | | | | | |
| <i>Onychomys torridus</i> | Southern Grasshopper Mouse | | G5 | N5 | S4 | | | | | |
| <i>Perognathus flavus</i> | Silky Pocket Mouse | | G5 | N5 | S5 | | | | | |
| <i>Peromyscus boylii</i> | Brush Mouse | | G5 | N5 | S5 | | | | | |
| <i>Peromyscus eremicus</i> | Cactus Mouse | | G5 | N5 | S5 | | | | | |
| <i>Peromyscus leucopus</i> | White-Footed Mouse | | G5 | N5 | S5 | | | | | |
| <i>Peromyscus maniculatus</i> | Deer Mouse | | G5 | N5 | S5 | | | | | |
| <i>Peromyscus nasutus</i> | Northern Rock Mouse | | G5 | N5 | S4 | | | | | |
| <i>Peromyscus pectoralis</i> | White-Ankled Mouse | SOI | G5 | N5 | S1 | | | | | |
| <i>Peromyscus truei</i> | Pinyon Mouse | | G5 | N5 | S5 | | | | | |
| <i>Pipistrellus hesperus</i> | Western Pipistrelle | | G5 | N5 | S5 | | | | | |
| <i>Procyon lotor</i> | Northern Raccoon | | G5 | N5 | S4 | | | | | |
| <i>Puma concolor</i> | Puma | SOI | G5 | N5 | S3? | | | X | | |
| <i>Reithrodontomys megalotis</i> | Western Harvest Mouse | | G5 | N5 | S5 | | | | | |
| <i>Reithrodontomys montanus</i> | Plains Harvest Mouse | | G5 | N5 | S4 | | | | | |
| <i>Sigmodon hispidus</i> | Hispid Cotton Rat | | G5 | N5 | S5 | | | | | |
| <i>Sorex monticolus</i> | Montane Shrew | | G5 | N5 | S4 | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Sorex nanus</i> | Dwarf Shrew | SOI | G4 | N4 | S2 | | | | | |
| <i>Spermophilus spilosoma</i> | Spotted Ground Squirrel | | G5 | N5 | S5 | | | | | |
| <i>Spermophilus tridecemlineatus</i> | Thirteen-Lined Ground Squirrel | | G5 | N5 | S4 | | | | | |
| <i>Spermophilus tridecemlineatus monticola</i> | White-Mountain Ground Squirrel | SOC | T3 | N3 | | | | | | |
| <i>Spermophilus variegatus</i> | Rock Squirrel | | G5 | N5 | S5 | | | | | |
| <i>Spilogale gracilis</i> | Western Spotted Skunk | | G5 | N5 | S4 | | | | | |
| <i>Sylvilagus audubonii</i> | Desert Cottontail | | G5 | N5 | S5 | | | | | |
| <i>Sylvilagus floridanus</i> | Eastern Cottontail | | G5 | N5 | S4 | | | | | |
| <i>Sylvilagus nuttallii pinetis</i> | Nuttall's Cottontail Rabbit | | T5 | N5 | | | | | | |
| <i>Tadarida brasiliensis</i> | Brazilian Free-Tailed Bat | SOI | G5 | N5 | S2 | | | | | |
| <i>Tadarida brasiliensis mexicana</i> | Mexican Free-tailed Bat | | | | | | | | | |
| <i>Tamias minimus</i> | Least Chipmunk | | G5 | N5 | S4 | | | | | |
| <i>Tamias minimus atristriatus</i> | Penasco Chipmunk | SOC | T1 | N1 | S1 | | E | X | | |
| <i>Tamiasciurus hudsonicus</i> | Red Squirrel | | G5 | N5 | S5 | | | | | |
| <i>Taxidea taxus</i> | American Badger | | G5 | N5 | S4 | | | | | |
| <i>Thomomys bottae</i> | Botta's Pocket Gopher | | G5 | N5 | S5 | | | | | |
| <i>Thomomys bottae guadalupensis</i> | Guadalupe Pocket Gopher | SOC | T2 | N2 | S1 | | | | | |
| <i>Urocyon cinereoargenteus</i> | Gray Fox | | G5 | N5 | S5 | | | | | |
| <i>Ursus americanus</i> | Black Bear | SOI | G5 | N5 | S4 | | | X | | |
| <i>Vulpes macrotis</i> | Kit Fox | | G4 | N4 | S4 | | | | | |
| <i>Vulpes velox</i> | Swift Fox | SOC | G3 | N3 | S2 | | | X | | |
| <i>Zapus hudsonius luteus</i> | New Mexican Jumping Mouse | SOC | T2 | N2 | S2 | | T | X | | |
| <i>Agastache pringlei var. verticillata</i> | | SOC | T2 | N2 | S2 | | | | | |
| <i>Allium gooddingii</i> | Goodding's Onion | SOI | G4 | N4 | S1 | | E | | | |
| <i>Anulocaulis leiosolenus var. howardii</i> | Howard's Gyp Ringstem | SOC | T2 | NNR | SNR | | | | | |
| <i>Aquilegia chrysantha var. chaplinei</i> | Chapline's Columbine | SOC | T2 | N2 | S2 | | | | | |
| <i>Argemone pleiakantha ssp. pinnatisecta</i> | Sacramento Prickly Poppy | TE | T2 | N2 | S2 | E | E | | | |
| <i>Astragalus altus</i> | Winged Milkvetch | SOC | G2 | N2 | S2 | | | | | |
| <i>Astragalus kerrii</i> | Kerr's Milkvetch | SOC | G2 | N2 | S2 | | | | | |
| <i>Astragalus neomexicanus</i> | New Mexico Milkvetch | SOC | G3 | N3 | S3 | | | | | |
| <i>Besseyia oblongifolia</i> | Egg-Leaf Coral-Drops | SOC | G2 | N2 | S2 | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Brickellia floribunda</i> | Chihuahuan Desert Brickell-Bush | SOC | G3 | NNR | SNR | | | | | |
| <i>Brickellia rusbyi</i> | Stinking Brickell-Bush | SOC | G3 | NNR | SNR | | | | | |
| <i>Brickellia simplex</i> | Sonoran Brickell Brush | SOC | G3 | N3 | S3? | | | | | |
| <i>Chaetopappa hersheyi</i> | Guadalupe Cliff Daisy | SOC | G3 | N3 | S3 | | | | | |
| <i>Cirsium parryi</i> | Parry Thistle | | G4 | N4? | SNR | | | | | |
| <i>Cirsium vinaceum</i> | Sacramento Mountain Thistle | TE | G2 | N2 | S2 | T | E | | | |
| <i>Cirsium wrightii</i> | Wright's Marsh Thistle | SOC | G2 | N2 | S2 | | | | | |
| <i>Crataegus wootoniana</i> | Wooton's Hawthorn | SOC | G2 | N2 | S2 | | | | | |
| <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> | Kuenzler's Hedgehog Cactus | TE | T1 | N1 | S1 | E | E | | | |
| <i>Ericameria nauseosa</i> var. <i>texensis</i> | Guadalupe Rabbitbrush | SOC | T2 | N2 | S2 | | | | | |
| <i>Erigeron rybius</i> | Sacramento Mountain fleabane | SOC | G3 | N3 | S3 | | | | | |
| <i>Eriogonum jamesii</i> var. <i>wootonii</i> | No Common Name | SOC | T2 | N2 | S2 | | | | | |
| <i>Escobaria guadalupensis</i> | Guadalupe Mountain Pincushion Cactus | SOC | G1 | N1 | SNR | | | | | |
| <i>Escobaria villardii</i> | Villard's Pincushion Cactus | SOC | G2 | N2 | S2 | | E | | | |
| <i>Gutierrezia wrightii</i> | Wright's snakeweed | | G4 | N3 | S3? | | | | | |
| <i>Hedeoma apiculata</i> | Mckittrick Pennyroyal | SOC | G3 | N3 | S3 | | | | | |
| <i>Hedeoma pulcherrima</i> | White Mountain false pennyroyal | SOC | G2 | N2 | S2 | | | | | |
| <i>Hedeoma todsenii</i> | Todsen's Pennyroyal | TE | G2 | N2 | S2 | E | E | | | |
| <i>Helianthella parryi</i> | Dwarf Rockrose | | G4 | NNR | SNR | | | | | |
| <i>Heuchera wootonii</i> | White Mountain allumroot | SOC | G3 | N3 | S3 | | | | | |
| <i>Hexalectris nitida</i> | Glass Mountain Coralroot | SOC | G3 | N3 | S1 | | E | | | |
| <i>Hymenopappus biennis</i> | Biennial Woolly-white | SOC | G3 | N3 | SNR | | | | | |
| <i>Hymenopappus mexicanus</i> | Mexican Woolly-white | SOC | G3 | NNR | SNR | | | | | |
| <i>Hymenoxys rusbyi</i> | Ruby's Bitterweed | SOC | G3 | NNR | SNR | | | | | |
| <i>Ionactis elegans</i> | Sierra Blanca Cliff Daisy | SOC | G2 | N2 | S2 | | | | | |
| <i>Lesquerella aurea</i> | Golden Bladderpod | SOC | G3 | N3 | S2 | | | | | |
| <i>Ligusticum porteri</i> | Porter's Lovage | SOC | G3 | N3N4 | SNR | | | | | |
| <i>Lupinus sierrae-blancae</i> | White Mountain Lupine | | G4 | N4 | S3 | | | | | |
| <i>Mentzelia humilis</i> var. <i>guadalupensis</i> | Gypsum Blazing-Star | SOC | T2 | NNR | SNR | | | | | |
| <i>Nama xylopodum</i> | Yellowseed fiddleleaf | | G4 | N4 | S4? | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|---|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Penstemon alamosensis</i> | Alamo Beardtongue | SOC | G3 | N3 | S3 | | | | | |
| <i>Penstemon cardinalis</i> ssp. <i>regalis</i> | Royal Red Penstemon | SOC | T2 | N2 | S2 | | | | | |
| <i>Penstemon neomexicanus</i> | New Mexico beardtongue | | G4 | N4 | S4 | | | | | |
| <i>Perityle quinqueflora</i> | Five-Flowered Rock Daisy | | G4 | N4 | S3 | | | | | |
| <i>Perityle staurophylla</i> var. <i>staurophylla</i> | New Mexico Rock Daisy | SOC | T3 | NNR | SNR | | | | | |
| <i>Polygonatum cobrense</i> | Mckittrick Solomon's-seal | | G4 | NNR | SNR | | | | | |
| <i>Rhodiola integrifolia</i> ssp. <i>procera</i> | New Mexican Stonecrop | | TNR | NNR | SNR | | | | | |
| <i>Ribes mescalegium</i> | Mescalero Currant | | G4 | N4 | S4? | | | | | |
| <i>Rumex orthoneurus</i> | Bloomer's Dock | SOC | G3 | N3 | S2? | | | | | |
| <i>Salvia summa</i> | Great Sage | SOC | G3 | N3 | S3? | | | | | |
| <i>Senecio sacramentanus</i> | Sacramento groundsel | SOC | G3 | N3 | S3 | | | | | |
| <i>Sibara grisea</i> | Marble Canyon Rockcress | SOC | G3 | N3 | S3? | | | | | |
| <i>Sophora gypsophila</i> var. <i>guadalupensis</i> | Guadalupe Mescal Bean | SOC | T1 | N1 | S1 | | | | | |
| <i>Streptanthus sparsiflorus</i> | Sparsely Flowered Jewelflower | SOC | G2 | N2 | S2 | | | | | |
| <i>Valeriana texana</i> | Guadalupe Valerian | SOC | G3 | N3 | S3 | | | | | |
| <i>Arizona elegans</i> | Glossy Snake | | G5 | N5 | S5 | | | | | |
| <i>Aspidoscelis exsanguis</i> | Chihuahuan Spotted Whiptail | | G5 | N5 | S5 | | | | | |
| <i>Aspidoscelis inornata</i> | Little Striped Whiptail | | G5 | N5 | S5 | | | | | |
| <i>Aspidoscelis tessellata</i> | Common Checkered Whiptail | | G5 | N5 | S5 | | | | | |
| <i>Aspidoscelis tigris</i> | Western Whiptail | | G5 | N5 | S3 | | | | | |
| <i>Bogertophis subocularis</i> | Trans-Pecos Snake | | G5 | N4N5 | S3 | | | | | |
| <i>Coleonyx brevis</i> | Texas Banded Gecko | SOI | G5 | N5 | S4 | | | X | | |
| <i>Coluber constrictor</i> | Racer | | G5 | N5 | S3 | | | | | |
| <i>Cophosaurus texanus</i> | Greater Earless Lizard | | G5 | N5 | S5 | | | | | |
| | Western Diamondback | | | | | | | | | |
| <i>Crotalus atrox</i> | Rattlesnake | SOI | G5 | N5 | S5 | | | X | | |
| <i>Crotalus lepidus klauberi</i> | Banded Rock Rattlesnake | SOI | T5 | N4 | S2 | | | X | | |
| <i>Crotalus lepidus lepidus</i> | Mottled Rock Rattlesnake | SOI | T4 | N4N5 | S2 | | T | X | | |
| <i>Crotalus molossus</i> | Blacktail Rattlesnake | | G5 | N5 | S5 | | | | | |
| <i>Crotalus viridis</i> | Western Rattlesnake | | G5 | N5 | S5 | | | | | |
| <i>Crotaphytus collaris</i> | Collared Lizard | SOI | G5 | N5 | S5 | | | X | | |
| <i>Diadophis punctatus</i> | Ringneck Snake | | G5 | N5 | S4 | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|---|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Elaphe guttata</i> | Corn Snake | | G5 | N5 | S5 | | | | | |
| <i>Eumeces multivirgatus epipleurotus</i> | Variable Skink | | T5 | N4N5 | | | | | | |
| <i>Eumeces obsoletus</i> | Great Plains Skink | | G5 | N5 | S5 | | | | | |
| <i>Gambelia wislizenii</i> | Longnose Leopard Lizard | | G5 | N5 | S5 | | | | | |
| <i>Gyalopion canum</i> | Western Hooknose Snake | | G5 | N5 | S4 | | | | | |
| <i>Heterodon nasicus</i> | Western Hognose Snake | | G5 | N5 | S5 | | | | | |
| <i>Holbrookia maculata</i> | Lesser Earless Lizard | | G5 | N5 | S5 | | | | | |
| <i>Hypsiglena torquata</i> | Night Snake | | G5 | N5 | S5 | | | | | |
| <i>Lampropeltis getula splendida</i> | Desert Kingsnake | | T5 | N5 | S5 | | | | | |
| <i>Leptotyphlops dulcis</i> | Texas Threadsnake | | G5 | N5 | S4 | | | | | |
| <i>Liochlorophis vernalis</i> | Smooth Green Snake | | G5 | N5 | S4 | | | | | |
| <i>Masticophis flagellum</i> | Coachwhip | | G5 | N5 | S5 | | | | | |
| <i>Masticophis taeniatus</i> | Striped Whipsnake | | G5 | N5 | S5 | | | | | |
| <i>Nerodia erythrogaster</i> | Plain Belly Water Snake | SOI | G5 | N5 | S1S2 | | E | | | |
| <i>Phrynosoma cornutum</i> | Texas Horned Lizard | | G4 | N4N5 | S5 | | | | | |
| <i>Phrynosoma hernandesi</i> | Short-Horned Lizard | | G5 | N5 | S5 | | | | | |
| <i>Phrynosoma modestum</i> | Roundtail Horned Lizard | | G5 | N5 | S5 | | | | | |
| <i>Pituophis catenifer</i> | Gopher Snake | | G5 | N5 | S5 | | | | | |
| <i>Rhinocheilus lecontei</i> | Longnose Snake | | G5 | N5 | S5 | | | | | |
| <i>Salvadora grahamiae</i> | Mountain Patchnose Snake | | G5 | N5 | S5 | | | | | |
| <i>Sceloporus magister</i> | Desert Spiny Lizard | | G5 | N5 | S5 | | | | | |
| <i>Sceloporus poinsettii</i> | Crevice Spiny Lizard | | G5 | N5 | S5 | | | | | |
| <i>Sceloporus undulatus</i> | Fence/ Prairie/ Plateau Lizard | | G5 | N5 | S5 | | | | | |
| <i>Sistrurus catenatus edwardsii</i> | Desert Massasauga | SOC | T3 | N3N4 | | | | X | | |
| <i>Sonora semiannulata</i> | Ground Snake | | G5 | N5 | S5 | | | | | |
| <i>Tantilla hobartsmithi</i> | Southwestern Black-Headed Snake | | G5 | N5 | S4 | | | | | |
| <i>Tantilla nigriceps</i> | Plains Black-Headed Snake | | G5 | N5 | S5 | | | | | |
| <i>Terrapene ornata</i> | Western Box Turtle | SOI | G5 | N5 | S4 | | | X | | |
| <i>Thamnophis cyrtopsis</i> | Western Blackneck Garter Snake | | G5 | N5 | S5 | | | | | |
| <i>Thamnophis elegans</i> | Western Terrestrial Garter Snake | | G5 | N5 | S5 | | | | | |
| <i>Thamnophis marcianus</i> | Checkered Garter Snake | | G5 | N5 | S4 | | | | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Thamnophis proximus</i> | Western Ribbon Snake | SOI | G5 | N5 | S3 | | T | | | |
| <i>Thamnophis proximus diabolicus</i> | Arid Land Ribbon Snake | SOI | T4 | N3N4 | | | | X | | |
| <i>Thamnophis sirtalis</i> | Common Garter Snake | | G5 | N5 | S4 | | | | | |
| <i>Tropidoclonion lineatum</i> | Lined Snake | | G5 | N5 | S4 | | | | | |
| <i>Urosaurus ornatus</i> | Tree Lizard | | G5 | N5 | S5 | | | | | |
| <i>Uta stansburiana</i> | Side-Blotched Lizard | | G5 | N5 | S5 | | | | | |
| <i>Ashmunella carlsbadensis</i> | Guadalupe Woodlandsnail | SOC | G1 | N1 | SNR | | | | | |
| <i>Ashmunella pseudodonta</i> | Capitan Woodlandsnail | SOC | G1 | N1 | SNR | | | | | |
| <i>Ashmunella rhyssa altissima</i> | | SOC | T1 | N1 | S1 | | | | | |
| <i>Carychium exiguum</i> | Obese Thom | SOI | G5 | N5 | SNR | | | X | | |
| <i>Cionella lubrica</i> | Glossy Pillar | | G5 | N5 | | | | | | |
| <i>Columella columella</i> | Mellow Column | | G5 | N5 | SNR | | | | | |
| <i>Columella columella alticola</i> | | SOC | T1 | N1 | SNR | | | | | |
| <i>Deroceras laeve</i> | Meadow Slug | | G5 | N5 | SNR | | | | | |
| <i>Discus whitneyi</i> | Forest Disc | | G5 | N5 | SNR | | | | | |
| <i>Euconulus fulvus</i> | Brown Hive | | G5 | N5 | SNR | | | | | |
| <i>Gastrocopta armifera ruidosensis</i> | | SOC | T3 | N3 | S3 | | | | | |
| <i>Gastrocopta ashmuni</i> | Sluice Snaggletooth | SOC | G3 | N4N5 | S5 | | | | | |
| <i>Gastrocopta contracta</i> | Bottleneck Snaggletooth | SOI | G5 | N5 | S2 | | | | | |
| <i>Gastrocopta cristata</i> | Crested Snaggletooth | | G5 | N5 | S5 | | | | | |
| <i>Gastrocopta pellucida</i> | Slim Snaggletooth | | G5 | N5 | S5 | | | | | |
| <i>Gastrocopta pilsbryana</i> | Montane Snaggletooth | | G4 | N4N5 | S5 | | | | | |
| <i>Gastrocopta procera</i> | Wing Snaggletooth | | G5 | N5 | S5 | | | | | |
| <i>Gastrocopta quadridens</i> | Cross Snaggletooth | SOC | G2 | N2N3 | S4 | | | | | |
| <i>Glyphyalinia indentata</i> | Carved Glyph | | G5 | N5 | SNR | | | | | |
| <i>Hawaiiia minuscula</i> | Minute Gem | | G5 | N5 | SNR | | | | | |
| <i>Helicodiscus eigenmanni</i> | Mexican Coil | | G5 | N5 | SNR | | | | | |
| <i>Helicodiscus singleyanus</i> | Smooth Coil | | G5 | N5 | SNR | | | | | |
| <i>Helix aspersa</i> | Brown Gardensnail | | G5 | NNA | | | | | | |
| <i>Holospira montivaga</i> | Vagabond Holospira | SOC | G2 | N2 | S2 | | | | | |
| <i>Humboldtiana ultima</i> | Northern Threeband | SOC | G2 | N2 | S2 | | | X | | |
| <i>Metastoma roemeri</i> | Distorted Metastoma | SOI | G4 | N4 | S2 | | | X | | |
| <i>Microphysula ingersolli</i> | Spruce Snail | SOI | G4 | N4N5 | SNR | | | X | | |

| NatureServe Scientific Name ^A | NatureServe Common Name ^A | Potential Species List ^B | G-rank | N-rank | NM S-rank | ESA Status ^C | NM State Status ^C | NM CWCS ^D | Birds of Conserv. Concern | Partners in Flight Watch List |
|--|--------------------------------------|-------------------------------------|--------|--------|-----------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------------|
| <i>Oreohelix neomexicana</i> | | SOC | G2 | N3 | S4 | | | | | |
| <i>Oxyloma retusum</i> | Blunt Ambersnail | SOI | G5 | N5 | S1 | | | | | |
| <i>Paralaoma caputspinulae</i> | Pinhead Spot | | G5 | N5 | SNR | | | | | |
| <i>Punctum minutissimum</i> | Small Spot | | G5 | N5 | SNR | | | | | |
| <i>Pupilla blandi</i> | Rocky Mountain Column | | G4 | N4 | S5 | | | | | |
| <i>Pupilla muscorum</i> | Widespread Column | | G5 | N5 | S5 | | | | | |
| <i>Pupilla sonora</i> | Threetooth Column | SOI | G4 | N4N5 | S4 | | | X | | |
| <i>Rabdotus dealbatus neomexicanus</i> | | SOC | T2 | N2 | SNR | | | | | |
| <i>Radiodiscus millecostatus</i> | Ribbed Pinwheel | SOC | G3 | N3 | SNR | | | | | |
| <i>Rumina decollata</i> | Decollate Snail | | G5 | NNA | | | | | | |
| <i>Striatura meridionalis</i> | Median Striate | | G5 | N5 | S5 | | | | | |
| <i>Thysanophora hornii</i> | Southwestern Fringed Snail | SOC | G3 | N3N4 | SNR | | | | | |
| <i>Vallonia cyclophorella</i> | Silky Vallonia | | G5 | N5 | SNR | | | | | |
| <i>Vallonia gracilicosta</i> | Multirib Vallonia | SOI | G5 | N5 | S1 | | | | | |
| <i>Vallonia perspectiva</i> | Thin-lip Vallonia | | G4 | N4N5 | SNR | | | | | |
| <i>Vertigo elatior</i> | Tapered Vertigo | | G5 | N5 | SNR | | | | | |
| <i>Vertigo gouldii</i> | Variable Vertigo | | G5 | N5 | S4 | | | | | |
| <i>Vertigo modesta ingersolli</i> | | SOC | T2 | N1N3 | SNR | | | | | |
| <i>Vitrina pellucida</i> | Western Glass-snail | SOI | G5 | N5 | SNR | | | X | | |
| <i>Zonitoides arboreus</i> | Quick Gloss | | G5 | N5 | SNR | | | | | |

Appendix 15-B. Conservation targets (N=69), by target type, that occur on one or more of seven conservation areas that overlap the Lincoln National Forest in New Mexico.

| Target Type / Scientific Name | Common Name | Habitat Type | # of Conservation Areas | Conservation Areas ^E |
|--|---|------------------|-------------------------|---------------------------------|
| Amphibian | | | | |
| <i>Aneides hardii</i> | Sacramento Mtn. Salamander | Terrestrial | 3 | 1,5,6 |
| Bird | | | | |
| <i>Accipiter gentilis</i> | Northern Goshawk | Terrestrial | 1 | 5 |
| <i>Empidonax traillii extimus</i> | Southwest Willow Flycatcher | Aquatic/Riparian | 1 | 4 |
| <i>Strix occidentalis lucida</i> | Mexican Spotted Owl | Terrestrial | 3 | 2,5,6 |
| Fish | | | | |
| <i>Etheostoma lepidum</i> | Greenthroat Darter | Aquatic/Riparian | 1 | 5 |
| <i>Gila pandora</i> | Rio Grande Chub | Aquatic/Riparian | 1 | 3 |
| <i>Ictalurus lupus</i> | Headwater Catfish | Aquatic/Riparian | 1 | 7 |
| <i>Oncorhynchus clarki virginialis</i> | Rio Grande Cutthroat Trout Intraspecific. | Aquatic/Riparian | 1 | 6 |
| Mammal | | | | |
| <i>Myotis lucifugus occultus</i> | | Terrestrial | 1 | 5 |
| <i>Sorex neomexicanus</i> | New Mexico Shrew | Terrestrial | 1 | 5 |
| <i>Tamias minimus atristriatus</i> | Penasco Chipmunk | Terrestrial | 1 | 5 |
| <i>Zapus hudsonius luteus</i> | New Mexican Jumping Mouse | Aquatic/Riparian | 1 | 5 |
| Mollusk | | | | |
| <i>Ashmunella carlsbadensis</i> | Guadalupe Woodlandsnail | Terrestrial | 1 | 2 |
| <i>Ashmunella pseudodonta</i> | Capitan Woodlandsnail | Terrestrial | 1 | 1 |
| <i>Ashmunella rhyssa altissima</i> | | Terrestrial | 1 | 6 |
| <i>Holospira montivaga</i> | Vagabond Holospira | Terrestrial | 1 | 2 |
| <i>Humboldtiana ultima</i> | Northern Threeband | Terrestrial | 1 | 2 |
| <i>Oreohelix nogalensis</i> | | Terrestrial | 1 | 6 |
| Reptile | | | | |
| <i>Lampropeltis alterna</i> | | Terrestrial | 1 | 2 |
| Plant-Vascular | | | | |

^E 1=Capitan Mountains, 2=Guadalupe Mountains Escarpment, 3=Rio Hondo, 4=Rio Penasco, 5=Sacramento Mountains, 6=Sierra Blanca, 7=Sitting Bull Falls

| Target Type / Scientific Name | Common Name | Habitat Type | # of Conservation Areas | Conservation Areas ^E |
|--|--|------------------|-------------------------|---------------------------------|
| <i>Allium gooddingii</i> | Goodding's Onion | Aquatic/Riparian | 1 | 6 |
| <i>Aquilegia chrysantha</i> var. <i>chaplinei</i> | | Terrestrial | 1 | 2 |
| <i>Argemone pleiakantha</i> ssp. <i>pinnatisecta</i> | Sacramento Prickly Poppy | Terrestrial | 1 | 5 |
| <i>Astragalus altus</i> | Winged Milkvetch | Terrestrial | 1 | 5 |
| <i>Astragalus kerrii</i> | Kerr's Milkvetch | Terrestrial | 1 | 1 |
| <i>Astragalus neomexicanus</i> | New Mexico Milkvetch | Terrestrial | 3 | 4,5,6 |
| <i>Besseya oblongifolia</i> | Egg-Leaf Coral-Drops | Terrestrial | 1 | 6 |
| <i>Brickellia modesta</i> | | Terrestrial | 1 | 4 |
| <i>Chaetopappa hersheyi</i> | Guadalupe Cliff Daisy | Terrestrial | 1 | 2 |
| <i>Cirsium vinaceum</i> | Sacramento Mountain Thistle | Aquatic/Riparian | 1 | 5 |
| <i>Cirsium wrightii</i> | Wright's Marsh Thistle | Aquatic/Riparian | 1 | 5 |
| <i>Crataegus wootoniana</i> | Wooton's Hawthorn | Terrestrial | 2 | 5,6 |
| <i>Delphinium novomexicanum</i> | White Mountain Larkspur | Aquatic/Riparian | 1 | 5 |
| <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> | Kuenzler's Hedgehog Cactus | Terrestrial | 3 | 1,4,5 |
| <i>Erigeron rybius</i> | Sacramento Mountain fleabane | Terrestrial | 1 | 5 |
| <i>Eriogonum jamesii</i> var. <i>wootonii</i> | No Common Name | Terrestrial | 1 | 6 |
| <i>Escobaria guadalupensis</i> | Guadalupe Mountain Pincushion Cactus | Terrestrial | 1 | 2 |
| <i>Escobaria sneedii</i> var. <i>leei</i> | | Terrestrial | 1 | 2 |
| <i>Escobaria villardii</i> | | Terrestrial | 1 | 5 |
| <i>Hedeoma apiculata</i> | Mckittrick Pennyroyal | Terrestrial | 1 | 2 |
| <i>Hedeoma pulcherrima</i> | White Mountain false penny-royal | Terrestrial | 2 | 1,5 |
| <i>Hedeoma todsenii</i> | Todsens Pennyroyal | Terrestrial | 1 | 5 |
| <i>Heuchera wootonii</i> | White Mountain allumroot | Terrestrial | 1 | 5 |
| <i>Hymenopappus biennis</i> | | Terrestrial | 1 | 2 |
| <i>Ionactis elegans</i> | Sierra Blanca Cliff Daisy | Terrestrial | 1 | 6 |
| <i>Lesquerella aurea</i> | Golden Bladderpod | Terrestrial | 1 | 5 |
| <i>Lesquerella valida</i> | | Terrestrial | 2 | 1,2 |
| <i>Lupinus sierrae-blancae</i> | White Mountain Lupine | Terrestrial | 2 | 5,6 |
| <i>Penstemon alamosensis</i> | Alamo Beardtongue | Terrestrial | 1 | 5 |
| Community | | | | |
| | Blue Spruce Forest Community (specific) | Terrestrial | 1 | 5 |
| | Douglas Fir Forest Community (specific) | Terrestrial | 2 | 1,5 |
| | Engelmann Spruce / Rocky Mountain Maple Forest | Terrestrial | 1 | 1 |
| | Ponderosa Pine Forest Community (specific) | Terrestrial | 1 | 5 |
| | White Fir / Arizona Walnut Forest | Terrestrial | 1 | 6 |
| | White Fir Forest Community (specific) | Terrestrial | 3 | 1,5,6 |

| Target Type / Scientific Name | Common Name | Habitat Type | # of Conservation Areas | Conservation Areas ^E |
|---|-------------|--------------|-------------------------|---------------------------------|
| Ecological System | | | | |
| Montane Mixed Forest | | Terrestrial | 1 | 5 |
| Feature | | | | |
| Unique Pinyon pine-Texas madrone in regards to the composition of plant species and their elematic niche. | | Terrestrial | 1 | 2 |
| Unique plant assoc. of P. pine- Dunn Oak of limited extent. | | Terrestrial | 1 | 2 |

Appendix 15-C. Conservation targets associated with seven conservation areas that overlap the Lincoln National Forest in New Mexico.

| Conservation Area/ Target Type | Scientific Name | Common Name | Habitat Type | Global Rank | ESA Status |
|---------------------------------------|---|--------------------------------------|------------------|-------------|------------|
| Capitan Mountains | | | | | |
| Amphibian | <i>Aneides hardii</i> | Sacramento Mtn. Salamander | Aquatic/Riparian | G3 | SC |
| Mollusk | <i>Ashmunella pseudodonta</i> | Capitan Woodlandsnail | Terrestrial | GU | |
| Plant-Vascular | <i>Lesquerella valida</i> | | Terrestrial | G3 | |
| Plant-Vascular | <i>Echinocereus fendleri</i> var. <i>Kuenzleri</i> | Kuenzler's Hedgehog Cactus | Terrestrial | G1 | |
| Plant-Vascular | <i>Hedeoma pulcherrima</i> | White Mountain false penny-royal | Terrestrial | G2 | |
| Plant-Vascular | <i>Astragalus kerrii</i> | Kerr's Milkvetch | Terrestrial | G2 | |
| Plant-Vascular | <i>Valeriana texana</i> | Guadalupe Valerian | Terrestrial | G3 | |
| Community | White Fir Forest Community (specific) | | Terrestrial | GU | |
| Community | Douglas Fir Forest Community (specific) | | Terrestrial | GU | |
| Guadalupe Mountains Escarpment | | | | | |
| Bird | <i>Strix occidentalis lucida</i> | Mexican Spotted Owl | Terrestrial | G3 | LT |
| Mollusk | <i>Ashmunella carlsbadensis</i> | Guadalupe Woodlandsnail | Terrestrial | GU | |
| Mollusk | <i>Humboldtiana ultima</i> | Northern Threeband | Terrestrial | G2 | |
| Mollusk | <i>Holospira montivaga</i> | Vagabond Holospira | Terrestrial | G2 | |
| Reptile | <i>Lampropeltis alterna</i> | | Terrestrial | G5 | |
| Plant-Vascular | <i>Sibara grisea</i> | Marble Canyon Rockcress | Terrestrial | G3 | |
| Plant-Vascular | <i>Streptanthus sparsiflorus</i> | Sparsely Flowered Jewelflower | Terrestrial | G2 | SC |
| Plant-Vascular | <i>Hedeoma apiculata</i> | Mckittrick Pennyroyal | Terrestrial | G3 | |
| Plant-Vascular | <i>Sophora gypsophila</i> var. <i>Guadalupeensis</i> | Guadalupe Mescal Bean | Terrestrial | G1 | |
| Plant-Vascular | <i>Valeriana texana</i> | Guadalupe Valerian | Terrestrial | G3 | |
| Plant-Vascular | <i>Hymenopappus biennis</i> | | Terrestrial | G2 | |
| Plant-Vascular | <i>Escobaria sneedii</i> var. <i>Leei</i> | | Terrestrial | G2 | |
| Plant-Vascular | <i>Chaetopappa hersheyi</i> | Guadalupe Cliff Daisy | Terrestrial | G3 | SC |
| Plant-Vascular | <i>Escobaria guadalupensis</i> | Guadalupe Mountain Pincushion Cactus | Terrestrial | G1 | |
| Plant-Vascular | <i>Lesquerella valida</i> | | Terrestrial | G3 | |
| Plant-Vascular | <i>Polygala rimulicola</i> var. <i>Rimulicola</i> | | Terrestrial | G3 | |
| Plant-Vascular | <i>Aquilegia chrysantha</i> var. <i>Chaplinei</i> | | Terrestrial | G2 | |
| Plant-Vascular | <i>Penstemon cardinalis</i> | | Terrestrial | G3 | |
| Plant-Vascular | <i>Penstemon cardinalis</i> ssp. <i>Regalis</i> | Royal Red Penstemon | Terrestrial | G2 | |
| Feature | Unique Pinyon pine-Texas madrone in regards to the composition of plant species and their elematic niche. | | Terrestrial | G3 | |
| Feature | Unique plant assoc. of P. pine- Dunn Oak of limited extent. | | Terrestrial | G3 | |
| Rio Hondo | | | | | |

| Conservation Area/ Target Type | Scientific Name | Common Name | Habitat Type | Global Rank | ESA Status |
|-----------------------------------|---|----------------------------------|------------------|-------------|------------|
| Fish | <i>Gila pandora</i> | Rio Grande Chub | Aquatic/Riparian | G3 | |
| Rio Penasco | | | | | |
| Bird | <i>Empidonax traillii extimus</i> | Southwest Willow Flycatcher | Aquatic/Riparian | G2 | LE |
| Plant-Vascular | <i>Echinocereus fendleri var. kuenzleri</i> | Kuenzler's Hedgehog Cactus | Terrestrial | G1 | |
| Plant-Vascular | <i>Brickellia modesta</i> | | Terrestrial | GU | |
| Plant-Vascular | <i>Astragalus neomexicanus</i> | New Mexico Milkvetch | Terrestrial | G3 | |
| Sacramento Mountains | | | | | |
| Amphibian | <i>Aneides hardii</i> | Sacramento Mtn. Salamander | Aquatic/Riparian | G3 | SC |
| Bird | <i>Strix occidentalis lucida</i> | Mexican Spotted Owl | Terrestrial | G3 | LT |
| Bird | <i>Accipiter gentilis</i> | Northern Goshawk | Terrestrial | G5 | |
| Fish | <i>Etheostoma lepidum</i> | Greenthroat Darter | Aquatic/Riparian | G3 | |
| Mammal | <i>Myotis lucifugus occultus</i> | | Terrestrial | G3 | |
| Mammal | <i>Zapus hudsonius luteus</i> | New Mexican Jumping Mouse | Aquatic/Riparian | G2 | SC |
| Mammal | <i>Tamias minimus atristriatus</i> | Penasco Chipmunk | Terrestrial | G1 | |
| Mammal | <i>Sorex neomexicanus</i> | New Mexico Shrew | Terrestrial | G2 | |
| Plant-Vascular | <i>Delphinium novomexicanum</i> | White Mountain Larkspur | Aquatic/Riparian | G3 | |
| Plant-Vascular | <i>Astragalus altus</i> | Winged Milkvetch | Terrestrial | G2 | |
| Plant-Vascular | <i>Argemone pleiacantha ssp. pinnatisecta</i> | Sacramento Prickly Poppy | Terrestrial | G2 | LE |
| Plant-Vascular | <i>Astragalus neomexicanus</i> | New Mexico Milkvetch | Terrestrial | G3 | |
| Plant-Vascular | <i>Lesquerella aurea</i> | Golden Bladderpod | Terrestrial | G3 | |
| Plant-Vascular | <i>Sibara grisea</i> | Marble Canyon Rockcress | Terrestrial | G3 | |
| Plant-Vascular | <i>Senecio sacramentanus</i> | Sacramento groundsel | Terrestrial | G3 | |
| Plant-Vascular | <i>Ribes mescalerium</i> | Mescalero Currant | Terrestrial | G4 | |
| Plant-Vascular | <i>Philadelphus argyrocalyx</i> | | Terrestrial | G4 | |
| Plant-Vascular | <i>Penstemon neomexicanus</i> | New Mexico beardtongue | Terrestrial | G4 | |
| Plant-Vascular | <i>Penstemon cardinalis</i> | | Terrestrial | G3 | |
| Plant-Vascular | <i>Penstemon alamosensis</i> | Alamo Beardtongue | Terrestrial | G3 | SC |
| Plant-Vascular | <i>Lupinus sierrae-blancae</i> | White Mountain Lupine | Terrestrial | G3 | |
| Plant-Vascular | <i>Heuchera wootonii</i> | White Mountain allumroot | Terrestrial | G3 | |
| Plant-Vascular | <i>Hedeoma todsenii</i> | Todsens Pennyroyal | Terrestrial | G2 | |
| Plant-Vascular | <i>Hedeoma pulcherrima</i> | White Mountain false penny-royal | Terrestrial | G2 | |
| Plant-Vascular | <i>Escobaria villardii</i> | | Terrestrial | G2 | |
| Plant-Vascular | <i>Cirsium wrightii</i> | Wright's Marsh Thistle | Aquatic/Riparian | G1 | |
| Plant-Vascular | <i>Crataegus wootoniana</i> | Wooton's Hawthorn | Terrestrial | G3 | |
| Plant-Vascular | <i>Echinocereus fendleri var. kuenzleri</i> | Kuenzler's Hedgehog Cactus | Terrestrial | G1 | |
| Plant-Vascular | <i>Erigeron rybius</i> | Sacramento Mountain fleabane | Terrestrial | G3 | |

| Conservation Area/ Target Type | Scientific Name | Common Name | Habitat Type | Global Rank | ESA Status |
|-----------------------------------|---|---|------------------|-------------|------------|
| Plant-Vascular Community | <i>Cirsium vinaceum</i> | Sacramento Mountain Thistle | Terrestrial | G2 | LT |
| Community | White Fir Forest Community (specific) | | Terrestrial | GU | |
| Community | Douglas Fir Forest Community (3 specific occurrences) | | Terrestrial | GU | |
| Community | Blue Spruce Forest Community (2 specific occurrences) | | Terrestrial | GU | |
| Community | Ponderosa Pine Forest Community (specific) | | Terrestrial | GU | |
| Community | White Fir Forest Community (3 specific occurrences) | | Terrestrial | GU | |
| Community | Engelmann Spruce / Rocky Mountain Maple Forest | | Terrestrial | G2 | |
| Ecological System | Montane Mixed Forest | | Terrestrial | GU | |
| Sierra Blanca | | | | | |
| Amphibian | <i>Aneides hardii</i> | Sacramento Mtn. Salamander | Aquatic/Riparian | G3 | SC |
| Bird | <i>Strix occidentalis lucida</i> | Mexican Spotted Owl | Terrestrial | G3 | LT |
| Fish | <i>Oncorhynchus clarki virginalis</i> | Rio Grande Cutthroat Trout Intraspecific. | Aquatic/Riparian | G3 | |
| Mollusk | <i>Oreohelix nogalensis</i> | | Terrestrial | GU | |
| Mollusk | <i>Ashmunella rhyssa altissima</i> | | Terrestrial | G1 | |
| Plant-Vascular | <i>Besseyia oblongifolia</i> | Egg-Leaf Coral-Drops | Terrestrial | G2 | |
| Plant-Vascular | <i>Ribes mescalerium</i> | Mescalero Currant | Terrestrial | G4 | |
| Plant-Vascular | <i>Potentilla sierrae-blancae</i> | | Terrestrial | G2 | |
| Plant-Vascular | <i>Philadelphus argyrocalyx</i> | | Terrestrial | G4 | |
| Plant-Vascular | <i>Lupinus sierrae-blancae</i> | White Mountain Lupine | Terrestrial | G3 | |
| Plant-Vascular | <i>Ionactis elegans</i> | Sierra Blanca Cliff Daisy | Terrestrial | G2 | SC |
| Plant-Vascular | <i>Eriogonum jamesii</i> var. <i>wootonii</i> | No Common Name | Terrestrial | G2 | |
| Plant-Vascular | <i>Crataegus wootoniana</i> | Wooton's Hawthorn | Terrestrial | G3 | |
| Plant-Vascular | <i>Astragalus neomexicanus</i> | New Mexico Milkvetch | Terrestrial | G3 | |
| Plant-Vascular | <i>Allium gooddingii</i> | Goodding's Onion | Aquatic/Riparian | G4 | |
| Community | White Fir / Arizona Walnut Forest | | Terrestrial | G2 | |
| Community | White Fir Forest Community (5 specific occurrences) | | Terrestrial | GU | |
| Sitting Bull Falls | | | | | |
| Fish | <i>Ictalurus lupus</i> | Headwater Catfish | Aquatic/Riparian | G3 | |