



Management Area 16. Howell Creek Location Map

Management Area 16 Howell Creek

MANAGEMENT AREA DESCRIPTION

Management Prescriptions - Management Area 16 has the following management prescriptions (see map on preceding page for distribution of prescriptions).

Management Prescription Category (MPC)	Percent of Mgt. Area
2.2 – Research Natural Areas	Trace
4.1c – Maintain Unroaded Character with Allowance for Restoration Activities	59
4.2 – Roaded Recreation Emphasis	37
6.1 – Restoration and Maintenance Emphasis within Shrubland & Grassland Landscapes	4

General Location and Description - Management Area 16 is comprised of Forest Service administered lands within the Howell Creek and Marsh Creek drainages on the north side of the Albion Division of the Minidoka Ranger District (see Figure III-18). The entire area is in Cassia County, and the nearest large communities are Burley and Heyburn, about 15-20 miles to the northwest. Albion, a ranching community of less than 500 people, is only about 3 miles to the north. The management area is an estimated 13,500 acres, including three small private land inholdings, which make up about 2 percent of the area. The area is bordered by Sawtooth National Forest to the south and west, and by a mix of private and BLM administered land to the north and east. The primary uses in this area are developed recreation, livestock grazing, and special uses (ski area, summer homes, electronic communication sites).

Access - The main access to the area is the paved Howell Canyon Road, Forest Road 549, and the paved spur road into Lake Cleveland. These roads were paved in 1997, increasing both recreation use and road-related safety concerns in the area. Other roads in the area are mostly native-surfaced and four-wheel drive. The density of classified roads for the management area is an estimated 1.2 miles per square mile, and there are relatively few trails in this area. Total road density for area subwatersheds ranges between 0.3 and 2.2 miles per square mile.

Special Features - The Howell Creek to Mount Harrison corridor is a popular recreation area, featuring the Pomerelle Ski Area, campgrounds, picnic areas, Lake Cleveland, and the Thompson Flat Summer Home area. Part of the Mount Harrison Research Natural Area (381 total acres) preserves rare plant species and represents relatively undisturbed subalpine vegetation. A portion of the Mount Harrison Roadless Area comprises an estimated 61 percent of the management area.

Air Quality - This management area lies within Montana/Idaho Airshed ID-25 and in Cassia County. Particulate matter is the primary pollutant of concern related to Forest management. The closest ambient air monitor is located in Twin Falls. It is used to obtain current background levels, trends, and seasonal patterns of particulate matter. The closest Class I area is Craters of the Moon National Monument. Visibility monitoring has been expanded for the area.

Between 1995 and 1999, emissions trends in Cassia County improved for PM 10, while PM 2.5 emissions remained constant. The most common source of particulate matter within the county was fugitive dust from unpaved roads and agricultural activities such as tilling. In addition to Forest management activities, crop residue and ditch burning may contribute to particulate matter emissions. The amount of agricultural-related burning was among the highest in the state, over 22,500 acres. There were no point sources located within Cassia County.

Soil, Water, Riparian, and Aquatic Resources – Elevations range from 5,800 feet at the Forest boundary to 9,265 on Mount Harrison. Management Area 16 is predominantly in the Humboldt River High Plateau subsection, and the dominant landforms are fluvial mountains, plateaus and escarpments, and depositional lands. Slope gradients range from 40 to 70 percent on the fluvial mountains, to 0 to 30 percent on the plateaus and depositional lands, to near vertical on the escarpments. Surface geology is a mix of granitic and sedimentary materials. Soils generally have moderate surface erosion potential, and moderate productivity. Precipitation ranges from 40 inches at higher elevations to 10 inches near the Forest boundary. Much of the precipitation falls as snow during the winter and spring months. Snow depths often exceed 20 feet. Subwatershed vulnerability ratings for the area are all low (see table below). Geomorphic Integrity ratings for the subwatersheds vary moderate (functioning at risk) to low (not functioning appropriately), with the majority being moderate (see table below). Some areas have impacts from roads, livestock grazing, and recreation. These localized impacts include accelerated erosion, upland compaction, and stream bank and channel modification.

The management area is comprised of portions of the Burley and Marsh Creek Watersheds that drain northward into the Snake River Basin. The main streams in the area are Howell Creek, Marsh Creek, and Land Creek. Lake Cleveland sits in an alpine cirque basin on the northeast side of Mount Harrison. This natural lake has been augmented by a low dam to help provide for off-Forest irrigation. Water Quality Integrity ratings for the subwatersheds are all moderate (functioning at risk) (see table below). Some areas have localized impacts from accelerated sediment from roads, livestock grazing, and dispersed and developed recreation. There are currently no water bodies listed as impaired under Section 303(d) of the Clean Water Act; however, the entire management area is within a TMDL-assigned subbasin.

Subwatershed Vulnerability			Geomorphic Integrity			Water Quality Integrity			No. 303(d) Subs	No. Subs With TMDLs	No. Public Water System Subs
High	Mod.	Low	High	Mod.	Low	High	Mod.	Low			
0	0	4	0	3	1	0	4	0	0	4	0

No currently listed Threatened or Endangered fish species occur in Management Area 16. Small populations of rainbow trout and Yellowstone cutthroat trout may exist in area streams. Brook trout have been introduced to Howell Creek and are now the predominant species in the creek. Lake Cleveland is stocked with rainbow trout. Aquatic habitat is functioning at risk in some areas due to localized sedimentation impacts from roads, livestock grazing, and dispersed and developed recreation. The entire management area has been identified as important to maintaining or restoring strong populations of Yellowstone cutthroat trout. This management area is therefore a high-priority area for restoration.

Vegetation - Vegetation is naturally patchy in much of the area, with islands of coniferous forest surrounded by sagebrush/grass communities. Lower and mid-elevations feature sagebrush/grassland communities on south and east aspects. North aspects support Douglas-fir forests with some aspen. Lodgepole pine occurs in frost pockets and cold air drainages. Subalpine fir and aspen dominate at mid to high elevations. Limber pine and Engelmann spruce are found at the highest elevations interspersed with rock ledges, talus slopes, and alpine meadows.

An estimated 51 percent of the management area is non-forested, or covered by grasslands, shrublands, meadows, rock, or water. Much of this area is comprised of the Mountain Big Sagebrush, Basin Big Sage, and Low Sage vegetation groups. The dominant forested vegetation groups are Aspen (8 percent), Persistent Lodgepole Pine (30 percent), and Cool Dry Douglas-Fir (5 percent).

The Low Sage group is at properly functioning condition. The Mountain Big Sagebrush and Basin Big Sage groups are functioning at risk due to fire exclusion and livestock grazing impacts, which have altered structure and species composition. Fire exclusion and livestock grazing have allowed canopy cover to increase, which has reduced the understory herbaceous cover. Non-native grasses have been extensively seeded on lands adjacent to the Forest, with some seeding on Forest as well.

The Persistent Lodgepole Pine group is functioning at risk because fire exclusion has resulted in older, more decadent stands with more shade-tolerant subalpine fir and less seral species, particularly aspen and lodgepole pine. The Aspen and Cool Dry Douglas-Fir groups are functioning at risk because aspen stands are dying out or being replaced by conifers. Most of the Douglas-fir stands are in mid-aged structural stages, with few young and old trees present.

Riparian vegetation is functioning at risk in localized areas due to grazing and dispersed recreation impacts, and fire exclusion. In some areas, introduced grasses and noxious weeds are replacing native plants. Cottonwood and willow communities are becoming old and decadent, and are not regenerating due to fire exclusion and livestock use. Snag levels are below historic levels in some areas due to fuelwood gathering.

Botanical Resources – Christ’s Indian paintbrush, a Candidate species for federal listing, is found globally in only one location at the top of Mount Harrison. An estimated 23 percent of the population (90 acres) occurs in the Mt Harrison Research Natural Area. A conservation agreement exists between the Forest Service and the U.S. Fish and Wildlife Service for this species. Davis’ wavewing, a Region 4 Sensitive species, is found in the management area. No federally listed or proposed plant species are known to occur in the area, but potential habitat exists for Ute ladies’-tresses and slender moonwort. Ute ladies’-tresses, a Threatened species, may have moderate potential habitat in riparian/wetland areas from 1,000 to 7,000 feet. Slender moonwort, a Candidate species, may occur in moderate to higher elevation grasslands, meadows, small openings in spruce and lodgepole pine, and open rocky outcrops.

In addition to having the only known population of Christ’s Indian paintbrush, the summit of Mount Harrison has two of the largest intact tall forb communities remaining in Idaho. These communities are characterized by tall (16- to 48-inch) luxuriant plant communities comprised of

mesic forbs. Tall forb communities typically cover highly erosive soils that rapidly erode without protective vegetation. There is a need to establish the Mount Harrison Botanical Special Interest Area to maintain the tall forb communities, the Christ's Indian paintbrush population not encompassed in the RNA, and the other endemic rare plant species found on Mount Harrison.

Non-native Plants – A number of noxious weeds and exotic plants occur in the management area, especially along main travel corridors and in areas of high activity. The main weeds of concern are leafy spurge, spotted knapweed, and Canada thistle, which currently occur in small, scattered populations. An estimated 15 percent of the management area is highly susceptible to noxious weed and exotic plant establishment and spread.

Wildlife Resources (Updated as part of the 2012 WCS amendment) - Sagebrush shrublands and grasslands provide habitat for greater sage-grouse, pygmy rabbit, Swainson's hawk and ferruginous hawk and limited winter range for mule deer. Rocky bluffs offer peregrine falcon nesting habitat. Nesting and foraging habitats for other Region 4 Sensitive species, including goshawk, flammulated owl and spotted and Townsend's big-eared bats are found in the mid-elevation forests. Higher elevation forests provide mule deer summer range and habitat for south hills crossbill and boreal owl. Other species present within the area include migratory landbirds, mountain lion, dusky grouse, small populations of elk and occasionally moose. There is no elk-hunting season currently in this unit. This area is within the Central Idaho Wolf Recovery Area, but wolves are not currently known to occur here.

Terrestrial habitat is functioning at risk in some areas due primarily to human-caused disturbance, introduction of invasive species, grazing impacts, changes in the fire cycle and high road densities. Increasing recreation has increased disturbance to wildlife populations year-round; recreation disturbance is especially high in the Howell Creek corridor. Long-term exclusion of fire has altered some habitats so that they no longer function as they did historically. Current livestock grazing in some areas is not allowing localized areas of historic grazing impacts to recover. Habitat fragmentation from roads and development is generally moderate.

The area is not within any of the five Canada lynx geographic areas, as identified in the Canada Lynx Conservation and Strategy (2000); and therefore LAUs and lynx habitat mapping were not developed for the area. Consultation for Canada lynx on the Sawtooth NF was completed in 2003 and the US Fish and Wildlife Service concurred with the Forest's findings for lynx. Forest-wide management direction relative to the lynx does not apply in this management area.

Idaho's Comprehensive Wildlife Conservation Strategy (CWCS) was completed in 2005 and provides a framework for conserving 'Species of Greatest Conservation Need' (SGCN), designated by the State, and the habitats upon which they depend. The Forest assisted the State in identifying focal areas, or areas known to be important for SGCN. The Management Area falls within the Jim Sage designated focal area, or biologically important area. This area is identified as core habitat for terrestrial wildlife species including sage grouse and south hills crossbill.

Recreation Resources - Management Area 16 offers year-round recreation opportunities, including alpine and Nordic skiing, camping, hunting, fishing, horseback riding, mountain biking, and hang gliding. Most use is concentrated along the Howell Canyon Road corridor that has the Pomerelle Ski Area, developed campgrounds, a picnic area, a winter sports parking area

and shelter, Lake Cleveland, the Thompson Flat Summer Home area, and the Mount Harrison Lookout. This area attracts an estimated 200,000 visitors a year, and visitation is expected to increase with the recent paving of Howell Creek Road and proposed Pomerelle Ski Area expansion, which has recently been approved. The management area is in Idaho Fish and Game Management Unit 55; however, there is no elk-hunting season currently in this unit. Most of the users come from the Magic Valley (Twin Falls, Rupert, Burley). Although there are few trails in the area, a developed trailhead provides access to the 21-mile Skyline Trail. A number of developed recreational improvements have recently occurred, including campground reconstruction, trailhead construction, trail relocation, and hazard tree removal. Recreational special uses in the area include the Thompson Flat recreation residence tract and the Pomerelle Ski Resort.

Cultural Resources – Cultural themes in this area include prehistoric, recreation, and Forest Service Administration. A few prehistoric sites have been documented. Shoshone-Bannock Tribes moved through the region on seasonal rounds, traveling to winter camps near Fort Hall. Historically, the remains of a Civilian Conservation Corps camp and constructed ski area, and a campground are found in the drainage. The Civilian Conservation Corps also constructed a Forest Service guard station; however, the structures have been moved since. The canyon has been used historically for recreation.

Timberland Resources - Of the estimated 4,500 tentatively suited acres in this management area, 1,600 acres have been identified as being suited timberlands, or appropriate for timber production. This represents about 1 percent of the Forest's suited timberland acres. The suited timberland acres are found in MPCs 4.2 and 6.1, as shown on the map displaying the MPCs for this management area. Lands within MPC 4.1c are identified as not suited for timber production. The focus of management is maintaining healthy forests and high scenic quality. Tree harvest has centered on the salvage of insect-killed Douglas-fir and lodgepole pine in Howell Canyon. About 700 acres have been treated recently, and another 300 acres of treatment are planned. Forest products such as fuelwood, posts, poles, and Christmas trees are collected in designated areas. Aspen regeneration is also a management goal.

Rangeland Resources - This area contains all or portions of three cattle allotments, and provides 4,000 acres of capable rangeland, which represents less than 1 percent of capable rangeland on the Forest.

Mineral Resources - Current mining activity is very low (one claimant). Most mining activity stopped in the early 20th century. Potential for mineral development is considered low. An estimated 3,800 acres in Howell Canyon have been withdrawn from mineral entry primarily to protect high recreational values.

Fire Management - No large fires have occurred in this area in the last 15 years. There are no National Fire Plan communities in this area, but Howell Creek is considered a wildland-urban interface subwatershed due to development (summer homes, ski area, campgrounds) within this area. The Howell Creek and Upper Marsh Creek subwatersheds are considered to pose risks to life and property from potential post-fire floods and debris flows. Historical fire regimes for the area are estimated to be 2 percent lethal and 98 percent mixed 1 or 2. None of the area regimes

has vegetation conditions that are highly departed from their historical range. However, 48 percent of the area regimes have vegetation conditions that are moderately departed from their historical range. Wildfire in these areas may result in larger patch sizes of high intensity or severity.

Lands and Special Uses - Special-use authorizations include the Thompson Ridge designated communication site, the Lake Cleveland dam and diversion, an irrigation ditch in lower Howell Canyon, and a facility for measuring precipitation in upper Howell Canyon.

MANAGEMENT DIRECTION

In addition to Forest-wide Goals, Objectives, Standards, and Guidelines that provide direction for all management areas, the following direction has been developed specifically for this area.

Resource/Program	Direction	Number	Management Direction Description
MPC 2.2 Research Natural Areas	General Standard	1601	Mechanical vegetation treatment, salvage harvest, prescribed fire, and wildland fire may only be used to maintain values for which the areas were established, or to achieve other objectives that are consistent with the RNA establishment records or management plans. (Modified as part of the 2012 WCS amendment)
	Road Standard	1602	Road construction or reconstruction may only occur where needed: a) To provide access related to reserved or outstanding rights, or b) To respond to statute or treaty, or c) To maintain the values for which the RNA was established.
	Fire Guideline	1603	The full range of fire suppression strategies may be used to suppress wildfires. Fire suppression strategies and tactics should minimize impacts to the values for which the RNA was established.
MPC 4.1c Undeveloped Recreation: Maintain Unroaded Character with Allowance for Restoration Activities	General Standard	1604	Management actions—including mechanical vegetation treatments, salvage harvest, wildland fire, prescribed fire, special use authorizations, and road maintenance—must be designed and implemented in a manner that would be consistent with the unroaded landscape in the temporary, short term, and long term. Exceptions to this standard are actions in the 4.1c roads standards, below. (Modified as part of the 2012 WCS amendment)
	Vegetation Standard	1650	Mechanical vegetation management activities, including salvage harvest, shall retain all snags >20 inches dbh and at least the maximum number of snags depicted in Table A-6 within each size class where available. Where large snags (>20 inches dbh) are unavailable, retain additional snags ≥10 inches dbh where available to meet at least the maximum total number of snags per acre depicted in Table A-6. ¹ (Added as part of the 2012 WCS amendment)
	Road Standard	1605	Road construction or reconstruction may only occur where needed: a) To provide access related to reserved or outstanding rights, or b) To respond to statute or treaty.

¹ This standard shall not apply to management activities that an authorized officer determines are needed for the protection of life and property during an emergency event, to reasonably address other human health and safety concerns, to meet hazardous fuel reduction objectives within WUIs, to manage the personal use fuelwood program, or to allow reserved or outstanding rights, tribal rights or statutes to be reasonably exercised or complied with.

Resource/Program	Direction	Number	Management Direction Description
MPC 4.1c Undeveloped Recreation	Fire Guideline	1606	The full range of fire suppression strategies may be used to suppress wildfires. Emphasize tactics that minimize impacts of suppression activities on the unroaded landscape in the area.
MPC 4.2 Roaded Recreation Emphasis	Vegetation Standard	1651	For commercial salvage sales, retain the maximum number of snags depicted in Table A-6 within each size class where available. Where large snags (>20 inches dbh) are unavailable, retain additional snags ≥10 inches dbh where available to meet the maximum total number of snags per acre depicted in Table A-6. ² (Added as part of the 2012 WCS amendment)
	Vegetation Guideline	1607	Vegetation management actions—including wildland fire, prescribed fire, and mechanical treatments—may be used to maintain or restore desired vegetation and fuel conditions provided they do not prevent achievement of recreation resource objectives. (Modified as part of the 2012 WCS amendment)
	Fire Guideline	1608	The full range of fire suppression strategies may be used to suppress wildfires. Emphasize strategies and tactics that minimize impacts to recreation developments and investments.
MPC 6.1 Restoration and Maintenance Emphasis within Shrubland and Grassland Landscapes	Vegetation Standard	1652	For commercial salvage sales, retain the maximum number of snags depicted in Table A-6 within each size class where available. Where large snags (>20 inches dbh) are unavailable, retain additional snags ≥10 inches dbh where available to meet the maximum total number of snags per acre depicted in Table A-6. ² (Added as part of the 2012 WCS amendment)
	Vegetation Guideline	1609	Any vegetation treatment activity may be used to restore or maintain desired vegetation and fuel conditions. The available vegetation treatment activities include wildland fire. Salvage harvest may also occur. (Modified as part of the 2012 WCS amendment)
	Fire Guideline	1610	The full range of fire suppression strategies may be used to suppress wildfires. Emphasize strategies and tactics that minimize impacts to habitats, developments, and investments.
	Road Guideline	1611	Road construction or reconstruction may occur where needed: a) To provide access related to reserved or outstanding rights, or b) To respond to statute or treaty, or c) To achieve restoration objectives for vegetation, water quality, aquatic habitat, or terrestrial habitat; or d) To support management actions taken to reduce wildfire risks in wildland-urban interface areas; or e) To meet access and travel management objectives.
	Road Guideline	1653	Public motorized use should be restricted on new roads built to implement vegetation management projects. Effective closures should be provided in road design. When the project is over, these roads should be reclaimed or decommissioned, if not needed to meet future management objectives. (Added as part of the 2012 WCS amendment)
Soil, Water, Riparian, and Aquatic Resources	Objective	1612	Restore soil productivity by reducing soil compaction related to dispersed recreation activity in the Howell Creek drainage.

² This standard shall not apply to activities that an authorized officer determines are needed for the protection of life and property during an emergency event, to reasonably address other human health and safety concerns, to meet hazardous fuel reduction objectives within WUIs, or to allow reserved or outstanding rights, tribal rights or statutes to be reasonably exercised or complied with.

Resource/Program	Direction	Number	Management Direction Description
Soil, Water, Riparian, and Aquatic Resources	Objective	1613	Maintain habitat conditions that are functioning appropriately for brook trout in Howell Creek.
	Objective	1614	For the Rose–Albion and Upper Marsh Creek TMDL, develop and implement a restoration plan and/or appropriate Best Management Practices that will provide water quality restoration.
Vegetation	Objective	1615	Increase seral lodgepole pine, aspen, and Douglas-fir in the Persistent Lodgepole Pine and Cool Dry Douglas-Fir vegetation groups, as described in Appendix A.
	Objective	1616	Restore and maintain desired size class structure and diversity in the Aspen vegetation group, as described in Appendix A, by promoting regeneration.
	Objective	1617	Maintain or restore Low Sage and tall forb communities.
	Objective	1618	Restore Mountain Big Sagebrush canopy cover to desired conditions, as described in Appendix A, in Broad Hollow, Brim Canyon, and Cooney Hollow.
Botanical Resources	Objective	1619	Preserve botanical resources in the Mount Harrison RNA consistent with the establishment guidelines.
	Objective	1620	Develop and implement an interpretive program to reduce risks to Christ’s Indian paintbrush and educate the public of its uniqueness.
	Objective	1621	Establish the Mount Harrison Botanical Special Interest Area to maintain the Christ’s Indian paintbrush population, tall forb communities, and other botanical resources.
	Objective	1622	Develop and implement a management plan for the Mount Harrison Botanical Special Interest Area.
	Objective	1623	Maintain and restore populations and occupied habitats of TEPCS species, including Christ’s Indian paintbrush and Davis’ wavewing, to contribute to their long-term viability of these species.
	Objective	1624	Emphasize reducing Canada thistle, spotted knapweed, and other non-native species within TEPCS plant actual and potential habitat.
	Standard	1625	Maintain habitat and populations of Christ’s Indian paintbrush consistent with the conservation strategy developed and signed by the Sawtooth National Forest.
	Standard	1626	Do not allow commercial plant or seed collection at the summit of Mt. Harrison to help retain the rare plant species that currently occupy that site.
	Guideline	1627	Coordinate forested and grassland/shrubland restoration, prescribed fire, and non-native plant eradication efforts with a Forest Botanist to minimize impacts to TEPCS plant species, actual or potential habitat, and pollinators.
Non-native Plants	Objective	1628	Prevent establishment of new invader species, with emphasis in the Howell Canyon Road corridor.
	Objective	1629	Control or contain spotted knapweed, leafy spurge, and Canada thistle infestations.
Wildlife Resources	Objective	1630	Maintain existing road closures to motorized vehicles in the Howell Creek drainage to reduce mule deer disturbance and vulnerability to harvest.

Resource/Program	Direction	Number	Management Direction Description														
Wildlife Resources	Guideline	1631	Management actions in sage grouse habitat should be designed to meet the desired conditions for sagebrush described in Appendix A. Where greater than 40 percent of the sage grouse habitat in the management area has less than 10 percent canopy cover, management actions should be designed to maintain or restore canopy cover conditions.														
Recreation Resources	Objective	1632	Resolve recreation/livestock conflicts in favor of recreation in the Howell Creek drainage.														
	Objective	1633	Reconstruct developed recreation facilities to accommodate increasing and changing user groups.														
	Objective	1634	Continue to provide for winter recreation opportunities to maintain year-round recreation opportunities.														
	Objective	1635	Achieve or maintain the following ROS strategy: <table border="1" data-bbox="678 695 1386 863"> <thead> <tr> <th rowspan="2">ROS Class</th> <th colspan="2">Percent of Mgt. Area</th> </tr> <tr> <th>Summer</th> <th>Winter</th> </tr> </thead> <tbody> <tr> <td>Semi-Primitive Motorized</td> <td>45%</td> <td>76%</td> </tr> <tr> <td>Roaded Natural</td> <td>36%</td> <td>24%</td> </tr> <tr> <td>Roaded Modified</td> <td>19%</td> <td>0%</td> </tr> </tbody> </table> <p>The above numbers reflect current travel regulations. These numbers may change as a result of future travel regulation planning</p>	ROS Class	Percent of Mgt. Area		Summer	Winter	Semi-Primitive Motorized	45%	76%	Roaded Natural	36%	24%	Roaded Modified	19%	0%
	ROS Class	Percent of Mgt. Area															
		Summer	Winter														
	Semi-Primitive Motorized	45%	76%														
	Roaded Natural	36%	24%														
Roaded Modified	19%	0%															
Objective	1636	Provide for continued use of recreation residences within established tracts.															
Objective	1637	Re-survey recreation residence tracts to eliminate undeveloped lots.															
Guideline	1638	Consider potential effects to ski area expansion opportunities when evaluating proposed projects that are contiguous to the current permit boundary and within three miles of the Pomerelle Mountain Ski Area.															
Guideline	1639	When re-surveying recreation residence tracts, one or two undeveloped lots may be left as "in lieu" lots.															
Cultural Resources	Objective	1640	Complete the interpretive strategy for the Albion Division to guide development of interpretive opportunities.														
Timberland Resources	Objective	1641	Designate firewood-gathering areas in order to maintain snag and large woody debris components for wildlife and aquatic habitat, and soil productivity.														
	Objective	1642	Provide for commercial harvest opportunities associated with restoration activities to reduce fire and insect hazard in the management area.														
Rangeland Resources	Objective	1643	Reduce livestock/recreation conflicts by discontinuing livestock grazing in the following high-density recreation areas: Bennett Springs Campground, Howell Canyon Shelter, Pomerelle Ski Area, Twin Lake Trailhead, Thompson Flat Campground, Lake Cleveland Campground, and Mount Harrison Lookout.														
	Objective	1644	Whenever possible, modify developed springs and other water sources to restore free-flowing water and wet meadows in sage grouse habitat.														
	Guideline	1645	When constructing or reconstructing fences, design or relocate them to avoid potential sage grouse mortality near leks.														
Mineral Resources	Objective	1646	Maintain the minerals withdrawal in Howell Canyon to avoid conflicts between recreation and mining in this recreation emphasis area.														

Resource/Program	Direction	Number	Management Direction Description
Fire Management	Objective	1647	Use a combination of prescribed fire and mechanical treatments within the wildland-urban interface area to manage fuels and reduce wildfire hazards.
	Objective	1648	Identify areas appropriate for wildland fire. Limit wildland fire in Howell Creek drainage. Use wildland fire in other identified areas to restore or maintain desired vegetative conditions and to reduce fuel loadings. (Modified as part of the 2012 WCS amendment)
Facilities and Roads	Objective	1649	Maintain administrative access for roads constructed in conjunction with the Howell Canyon Timber Sale for continued long-term forest management.

Lake Cleveland

