Louisiana Forest Health Highlights 2017

The Resource

Louisiana's forests cover 13.8 million acres, nearly half of the state's land area. The majority of the state's forested land, some 10 million acres, is in non-industrial private ownership, while approximately 603,500 acres are in national forests. Louisiana's forests are prized for their scenic beauty, supporting tourism and outdoor recreation and providing wildlife habitat throughout the state. Major forest types in Louisiana include oak-hickory, loblolly and shortleaf pine, longleaf and slash pine, mixed oak-pine, and oak-gum-cypress. Other minor types account for approximately 3% of the forest.

Forest Influences and Programs

Southern pine beetle (SPB) is Louisiana's most significant forest insect pest. However, SPB activity in the state has been insignificant in recent years, a trend that has lasted for about 18 years. Recently, in September of 2017, we've recorded over 20 SPB spots and are currently ground checking for confirmation, informing landowners, and continuing to monitor.

<u>Pine engraver beetles (Ips spp.)</u> and black turpentine beetle remain at relatively normal levels. Because Ips infestations tend to be relatively small and scattered, they usually cannot be effectively controlled or salvaged, but their economic costs may exceed those caused by SPB.

<u>Forest tent caterpillar</u> caused defoliation this spring on about 481,750 acres of tupelo gum wetlands in South Louisiana. Much of the defoliated area was also affected by defoliation due to baldcypress leafroller (see Figure 1).

<u>Baldcypress leafroller</u> also caused defoliation on about 266,350 acres of mixed baldcypress stands in southeastern Parishes, mostly associated with forest tent caterpillar defoliated areas.

Gypsy Moth survey was conducted using 177 traps across the state and no gypsy moths were captured.

Emerald Ash borer was first confirmed in Webster Parish in February of 2015. It has since been confirmed in Bossier, Claiborne, Union, Lincoln, Bienville, Jackson, Morehouse, and Ouachita Parishes. We have continued to inform landowners of this pest and have distributed information through press releases and handouts. We continue to coordinate with other agencies to monitor and implement our EAB response plan.

Laurel Wilt Disease and the Redbay Ambrosia Beetle made its introduction into Union Parish, Louisiana in September 2014. The beetle has also been confirmed in Claiborne, Lincoln, Vernon and Beauregard Parishes. Vernon and Beauregard were added this year. Our foresters continue to observe for declining sassafras and redbay trees caused by laurel wilt.

Louisiana Department of Agriculture and Forestry
Office of Forestry
5825 Florida Blvd., Suite 6000
Baton Rouge, LA 70806
225-925-4500
mcutrer@ldaf.state.la.us
Louisiana Department of Agriculture and Forestry weblink