





Mississippi

2021 Forest Health Highlights

The Resource

Mississippi's forests cover 19.9 million acres, more than 65% of the state's land area. Some 13.1 million acres of the state's forested land is in non-industrial private ownership, while approximately 1.1 million acres are in national forests. Mississippi's forests are prized for their scenic beauty, supporting tourism and outdoor recreation and providing wildlife habitat throughout the state. Major forest types in the state include oak-hickory, loblolly and shortleaf pine, longleaf and slash pine, mixed oak-pine, and oak-gum-cypress.



Southern Pine Beetle

The Mississippi Forestry Commission completed spring SPB pheromone trapping surveys in 12 counties during 2021. Three traps were deployed per county for 6 weeks. SPB numbers bounced back a little higher than in 2020, but overall numbers are still relatively low. Two counties yielded moderate SPB numbers (Amite and Scott), and all other counties indicated low SPB numbers. Only one country reported zero SPB.



The redbay ambrosia beetle was detected for the first time in Jackson County, MS in July, 2009. This insect carries the fungus that causes Laurel Wilt Disease. Since its introduction to the Southeast, it has caused considerable mortality to redbay, swamp bay, sassafras, avocado, and other species of trees and shrubs in the Lauraceae. Current distribution records indicate the disease is present from North Carolina to Florida, westward to newer established populations in Arkansas, Louisiana, and Texas. The infestation in Mississippi continues to expand, and is now present throughout the majority of Jackson Co., and portions of George and Harrison Counties in redbay, swamp bay, sassafras, as well as camphor tree. In 2015, laurel wilt was also confirmed in Stone and Perry Counties, and in 2016 was confirmed in Forrest County, MS. In 2019, LWD was confirmed in sassafras and redbay near Laurel, MS (Jones County). **In 2021, LWD was confirmed in Amite and Covington Counties.** Collaborative research between MFC, MFC, MSSTATE, and the USDA Forest Service Region 8 FHP has led to the conclusion that the beetle was likely spread to Mississippi by human movement of infested materials from beetles along the Atlantic Coast of the U.S., rather than through a separate introduction through a local port. Cold tolerance of the vector suggests that nearly all sassafras trees in the U.S.A. are at risk from invasion and mortality due to redbay ambrosia beetle and its fungal symbiont. Additional research indicates more than two dozen native insect herbivores could be seriously impacted by LWD killing their hosts, as exemplified by a 7-fold decrease in Palamedes swallowtail butterflies in south Mississippi within a few years of LWD infestation.



Southern pine beetle (SPB) Prevention Program

The MFC and the USDA Forest Service Forest Health Protection Southern Region continues to administer a comprehensive SPB Prevention/Education Program to teach landowners about the benefits of thinning for the reduction of SPB hazard. In addition to the educational aspects of this program, there is an associated statewide cost-share program to assist landowners in getting the pre-commercial and 1st commercial thinning accomplished.

Presently under the active grant years of 2019 – 2021, we have 1,664 acres signed up for thinning, with a total of \$166,400 obligated in funds that will go to landowners after they have completed the thinning projects on their properties.



Cogongrass is a non-native, invasive plant that has been spreading aggressively in Mississippi in recent years. It takes over native grasses and vegetation and is a fire hazard under pine plantations. The severity and extent of infestations have increased considerably in the disturbed forests following hurricane Katrina in 2005. The MS Forestry Commission has been funded for several years by the USFS under their redesign grants to continue the fight against this invasive weed. To date (since 2010), we have treated 4,650 acres for 2,291 landowners. Under this program, there is no cost to landowners for this service. The agency has continued efforts this year while working primarily in Lamar and Forrest Counties. It should be noted that the further south crews advance, they are treating larger spots with increased density. Current cost per acre to treat cogongrass under this program averages approximately \$400 per acre.



Chinese Tallow Tree is another non-native, invasive plant that has been spreading aggressively in Mississippi. Chinese tallow is a popular ornamental because of its fast growth rate, attractive fall color, and ability to resist damage from pests. The Chinese tallow trees has flowers that are attractive to bees and other insects. It produces three-lobed capsule fruit that ripens from August to November. They are deciduous with a strong, deep taproot. This enables young trees to withstand periods of drought. Seeds are spread by birds, and moving water.

Hurricane Katrina likely added to the increased rate of spread for this invasive. Chinese tallow can invade almost all habitats from wet to dry and from sun to shade. It often grows along roadsides, coastal areas, and streams. Some specimens can produce up to 100,000 seeds that may be eaten and dispersed by birds. Regrowth often occurs from cut stumps or roots. Native species are crowded out once Chinese tallow becomes established. The leaves and fruit are toxic to cattle and cause nausea and other sicknesses in humans.

With the help of LaSR funding, the Mississippi Forestry Commission was able to develop a web-based app that allows the agency to crowd source mapping of this plant statewide. The site HelpStopThePop.com has been extremely successful and continues to generate a lot of interest. To-date, the public has reported 4,261 sites totaling 9,206 acres statewide. The MFC has also partnered with five (5) municipalities to provide herbicide and training to city personnel and volunteers for treating Chinese Tallow on public property.

The MFC has also worked to encourage forest landowners to utilize the state Forest Resource Development Program (FRDP) cost share funds to treat Chinese tallow in their forest stands.

MISSISSIPPI FORESTRY COMMISSION

Welcome to the MFC Tallow Tree Map

Current Tracking Statistics	
4,261	9,206
Total Number of Sites	Total Number of Acres

+

Click the plus sign above to begin tracking infestations of Chinese tallow tree in forests

Forest Health Assistance in Mississippi

Mississippi Forestry Commission

660 North Street

Suite 300

Jackson, MS 39202

Garron Hicks, Forest Health Coordinator

(662) 791-9747

ghicks@mfc.ms.gov

[Mississippi Forestry Commission Website](#)

Dr. John J. Riggins

State Forest Entomologist

(662) 418-1021

Silvicare.llc@gmail.com

USDA Forest Service

Southern Region, State & Private Forestry

Forest Health Protection

2500 Shreveport Hwy.

Pineville, LA 71360

318-473-7286

[USDA Forest Service Forest Health Protection Region 8 Website](#)