

WEST VIRGINIA 2020 Forest Health Highlights

The Resource

The West Virginia landscape is dominated by more than 11.8 million acres of forest. Due in large part to its varied topography, the forest is a rich diversity of oaks, hickories, spruce, pines, and the WV State Tree—sugar maple. Ninety percent of all forests in West Virginia are privately owned, but there are 8 State Forests, 36 State Parks, 109 Wildlife Management Areas, 2 National Forests, 4 National Park Areas, and 2 National Wildlife Refuges which all provide public enjoyment.

Forest Stewardship

The Forest Management Program is administered by the West Virginia Division of Forestry. The intent of the program is to help private, nonindustrial forest landowners improve their forests by managing them in a sound, scientific manner. Within this program, the Forest Stewardship Program offers a forest management plan written by a professional forester based on the landowner's objectives. Other programs, EQIP and CREP, provide financial assistance for recreation, forest improvement, soil and water protection, wetlands protection, fisheries habitat enhancement, wildlife habitat enhancement, tree planting, and improvement of forest roads.

Special Issues

Gypsy Moth Programs

The objectives of the West Virginia Department of Agriculture (WVDA) Gypsy Moth Program are to continue to minimize the adverse impact on forest resources, preserve aesthetic values, protect people from the annoyance and health problems that can occur when in contact with large numbers of gypsy moth caterpillars, and slow the spread of gypsy moth by reducing populations on the advancing front.

GYPSY MOTH QUARANTINE

West Virginia currently has 44 counties regulated and considered generally infested by gypsy moth. The WVDA regulates the movement of articles out of these counties into non quarantined counties or states. There were no new counties quarantined in 2020.

GYPSY MOTH REGULATORY

There were no regulatory insecticide treatments in West Virginia in 2020.

Staff visited 97 sites to investigate the movement of articles capable of transporting the gypsy moth into non infested areas. Areas visited included Christmas tree sales lots, plant nurseries, mobile home dealers, campgrounds, firewood producers, interstate weigh stations, log yards, sawmills and relative trade shows.

GYPSY MOTH POPULATION

West Virginia's gypsy moth population in 2020 is low in most areas of the state. The extremely wet weather of the past two springs continue to keep the population low.

GYPSY MOTH COOPERATIVE STATE COUNTY LANDOWNER PROGRAM (CSCL)

WVDA Staff are currently responding to landowner requests and completing surveys on forested lands in West Virginia to determine areas at risk for gypsy moth defoliation and/or mortality in the spring of 2021. Staff are currently using 1/40-acre plot surveys to determine areas at risk and plan to have surveys completed by late December.

The WVDA did not conduct any treatments in the Cooperative State County Landowner (CSCL) Program in 2020.

The CSCL program covered three quarters of the state in 2020.

GYPSY MOTH STS (Insecticide Treatments)

There were no larval insecticide treatments in the West Virginia STS area in 2020.

STS MATING DISRUPTION APPLICATION (Pheromone Flakes)

There were no mating disruption treatments in West Virginia in 2020.

STS SLOW THE SPREAD TRAPPING PROGRAM

In West Virginia, the Action Area covered approximately 3,782,928 acres, while the 5k and 8k Monitoring Areas covered 5,903,688 acres. The 2k and 3k base-grids were set using delta traps. Milk carton traps were used within the 5k and 8k Monitoring Areas. A total of 3914 traps were proposed across West Virginia and a total of 3,901 traps were set. The WVDA trapped 28,991 male moths in 2020 compared to 35,001 in 2019. The highest catches being in Nicholas, Webster, Greenbrier, and Fayette counties.

WEST VIRGINIA 2020 GYPSY MOTH PROGRAM AREAS





Table 1. 2020 Slow the Spread (STS) trapping breakdown

Grid	Proposed	Omits	Set
Regulatory	8	0	8
2K	2630	9	2621
3K	749	3	246
5K	300	0	300
8K	227	1	226
Totals	3914	13	3901
Project Boundary	Proposed	Omits	Set
STS Action Area	3379	12	3367
STS Monitoring	527	1	526
Regulatory	8	0	8
Totals	3914	13	3901
Trap Type	Proposed	Omits	Set
Delta Traps	3387	12	3375
Milk Cartons	527	1	526
Total	3914	13	3901

Forest Health Protection Programs


Walnut Twig Beetle Trapping

Fall trapping for the walnut twig beetle, the vector of thousand cankers disease, was completed and samples screened. Thirty-two traps were set and monitored for 4 weeks. The traps were focused around wood product industries, campgrounds and parks. Traps were serviced every week to two weeks depending on the amount of rain that fell during the trapping period. Samples were processed and screened by the and the Cooperative Forest Health Protection Coordinator with the WV Department of Agriculture. Samples screened to date are negative for the walnut twig beetle.




Oak Shot hole leaf miner

Oak Shot hole leaf miner was also reported in some areas of the state.



Spotted Lanternfly


Spotted Lanternfly has been found in two WV Counties, Berkeley and Mineral. Visual surveys are still being conducted through the fall.



Hemlock Woolly Adelgid (HWA)


Hemlock woolly adelgid can now be found in 52 WV counties. In 2020 HWA was detected in Doddridge county for the first time. WVDA continued to treat high-value and high-visibility infested hemlocks with Imidicloprid by inserting CoreTect tablets into the soil, and trunk injections; 1658 hemlocks were treated on state lands in 2020.

Previous release sites of *L. nigrinus* were monitored for predator survival and impact on HWA.



Beech Leaf Disease

WVDA surveyed for Beech Leaf Disease and established seven long-term monitoring plots in areas of high risk and abundant beech resource. BLD was found in Hancock County in the Northern Panhandle of the state.



National Plant Protection Laboratory Accreditation Program

Personnel from the WVDA, Plant Industries Division, Plant Pathology Laboratory participated again in the National Plant Protection Laboratory Accreditation Program (NPPLAP) at the United States Department of Agriculture, Animal and Plant Health Inspection Service, Plant Protection and Quarantine, Center for Plant Health Science and Technology (USDA-APHIS-PPQ-CPHST). The WVDA Plant Pathology Laboratory personnel were accredited in 2020 to perform validated diagnostic tests for *Phytophthora ramorum* (causal agent of sudden oak death).