


2.8 Buffers and corridors

Buffers and corridors are linked together as a conservation strategy. Buffer zones are designated areas used to protect sensitive landscape patches (e.g., wetlands, wildlife reserves) from negative external pressures. Corridors are used to connect the buffered landscape patches.

Buffer zone width should be based on the desired ecological functions, landscape context, and external pressures. Upland buffers of 250 to 1000 feet around wetlands have been recommended for turtles and amphibians. For wildlife reserves or parks, buffer zones may need to be several miles wide.

Refer to section 2.10 for distances of edge effects. These distances can serve as a guide for creating buffer zones around habitat patches to protect them from edge effects. See section 7.2 for guidance on human activity and buffer zones.



2.8 References

- Attum, O.; Lee, Y.M.; Roe, J.H.; Kingsbury, B.A. 2007. Upland-wetland linkages: relationship of upland and wetland characteristics with watersnake abundance. *Journal of Zoology*. 271: 134-139.
- Brodie, J.R. 2001. Stream and riparian management for freshwater turtles. *Journal of Environmental Management*. 62: 443-455.
- Brothers, T.; Spingarn, A. 1992. Forest fragmentation and alien plant invasion of central Indiana old-growth forests. *Conservation Biology*. 6: 91-100.
- Burke, V.J.; Gibbons, J.W. 1995. Terrestrial buffer zones and wetland conservation: a case study of freshwater turtles in a Carolina Bay. *Conservation Biology*. 9: 1363-1369.
- Cockle, K.L.; Richardson, J.S. 2003. Do riparian buffer strips mitigate the impacts of clearcutting on small mammals? *Biological Conservation*. 113: 133-140.
- Gamble, L.R.; McGarigal, K.; Jenkins, C.L.; Timm, B.C. 2006. Limitations of regulated buffer zones for the conservation of marbled salamanders. *Wetlands*. 26: 298-306.
- Groom, M.; Jensen, D.B.; Knight, R.L. [and others]. 1999. Buffer zones: benefits and dangers of compatible stewardship. In: Soulé, M.E.; Terborgh, J., eds. *Continental conservation: scientific foundations of regional reserve networks*. Washington, DC: Island Press: 171-189.
- Homan, R.N.; Windmiller, B.S.; Reed, J.M. 2004. Critical thresholds associated with habitat loss for two vernal pool-breeding amphibians. *Ecological Applications*. 14: 1547-1553.
- Kennedy, C.; Wilkinson, J.; Balch, J. 2003. Conservation thresholds for land use planners. Washington, DC: Environmental Law Institute. 55 p.
- Li, W.; Wang, Z.; Tang, H. 1999. Designing the buffer zone of a nature reserve: a case study in Yancheng Biosphere Reserve, China. *Biological Conservation*. 90: 159-165.
- Miller, J.E.; Hess, G.R.; Moorman, C.E. 2007. Southern two-lined salamanders in urbanizing watersheds. *Urban Ecosystems*. 10: 73-85.
- Noss, R.F.; Harris, L.D. 1986. Nodes, networks, and MUMs: preserving diversity at all scales. *Environmental Management*. 10: 299-309.
- Perkins, D.W.; Hunter, M.L., Jr. 2006. Effects of riparian timber management on amphibians in Maine. *Journal of Wildlife Management*. 70: 657-670.

- Regosin, J.; Windmiller, B.S.; Homan, R.N.; Reed, J.M. 2005. Variation in terrestrial habitat use by four pool-breeding amphibian species. *Journal of Wildlife Management*. 69: 1481-1493.
- Roe, J.H.; Georges, A. 2007. Heterogeneous wetland complexes, buffer zones, and travel corridors: landscape management for freshwater reptiles. *Biological Conservation*. 135: 67-76.
- Schaefer, J.M.; Brown, M.T. 1992. Designing and protecting river corridors for wildlife. *Rivers*. 3(1): 14-26.
- Semlitsch, R.D. 1998. Biological delineation of terrestrial buffer zones for pond-breeding salamanders. *Conservation Biology*. 12: 113-119.
- Semlitsch, R.D.; Bodie, J.R. 2003. Biological criteria for buffer zones around wetlands and riparian habitats for amphibians and reptiles. *Conservation Biology*. 17: 1219-1228.
- Vuori, K.M.; Joensuu, I. 1996. Impact of forest drainage on the macroinvertebrates of a small boreal headwater stream: do buffer zones protect lotic biodiversity? *Biological Conservation*. 77: 87-95.
- Wells, M.P.; Brandon, K.E. 1993. The principles and practice of buffer zones and local participation in biodiversity conservation. *Ambio*. 22: 157-162.
- Willson, J.D.; Dorcas, M.E. 2003. Effects of habitat disturbance on stream salamanders: implications for buffer zones and watershed management. *Conservation Biology*. 13: 1424-1436.