



3.3 Herbaceous wind barriers

Herbaceous wind barriers are tall, non-woody plants established in narrow strips to reduce soil erosion and protect crops. In general, the same design guidelines in section 3.2 apply to herbaceous-only wind barriers. Herbaceous wind barriers are suitable for situations with height restrictions, such as for use under center pivot irrigation.

3.3 References

- Aase, J.K.; Siddoway, F.H. 1976. Influence of tall wheatgrass wind barriers on soil drying. *Agronomy Journal*. 68: 627-631.
- Aase, J.K.; Siddoway, F.H.; Black, A.L. 1985. Effectiveness of grass barriers for reducing wind erosiveness. *Journal of Soil and Water Conservation*. 40: 354-357.
- Black, A.L.; Aase, J.K. 1988. The use of perennial herbaceous barriers for water conservation and the protection of soils and crops. *Agriculture, Ecosystems and Environment*. 22/23: 135-148.
- Boldes, U.; Colman, J. Marañon Di Leo, J. 2001. Field study of the flow behind single and double row herbaceous windbreaks. *Journal of Wind Engineering and Industrial Aerodynamics*. 89: 665-687.
- Brandle, J.R.; Hodges, L.; Zhou, X.H. 2004. Windbreaks in North American agricultural systems. *Agroforestry Systems*. 61: 65-78.
- Brandle, J.R.; Johnson, B.B.; Akeson, T. 1992. Field windbreaks: are they economical? *Journal of Production Agriculture*. 5: 393-398.
- Cornelis, W.M.; Gabriels, D. 2005. Optimal windbreak design for wind-erosion control. *Journal of Arid Environments*. 61: 315-332.

De Jong, E.; Kowalchuk, T.E. 1995. The effect of shelterbelts on erosion and soil properties. *Soil Science*. 159: 337-345.

Forman, R.T.T.; Buadry, J. 1984. Hedgerows and hedgerow networks in landscape ecology. *Environmental Management*. 8: 495-510.

Helmers, G.; Brandle, J.R. 2005. Optimum windbreak spacing in Great Plains agriculture. *Great Plains Research*. 15: 179-198.

Heisler, G.M.; DeWalle, D.R. 1988. Effects of windbreak structure on wind flow. *Agriculture, Ecosystems and Environment*. 22/23: 41-69.

Lyles, L. 1988. Basic wind erosion processes. *Agriculture, Ecosystems and Environment*. 22/23: 91-101.

McConkey, D.G.; Dyck, F.B. 1996. Summerfallow oilseed barrier strips for wind erosion control: influences on the subsequent crop. *Canadian Journal of Plant Sciences*. 76: 675-682.

Raupach, M.R.; Woods, N.; Dorr, G. [and others]. 2001. The entrapment of particles by windbreaks. *Atmospheric Environment*. 35: 3373-3383.

Scholten, H. 1988. Snow distribution on crop fields. *Agriculture, Ecosystems and Environment*. 22/23: 363-380.

Tibke, G. 1988. Basic principles of wind erosion control. *Agriculture, Ecosystems and Environment*. 22/23: 103-122.

Ticknor, K.A. 1988. Design and use of field windbreaks in wind erosion control systems. *Agriculture, Ecosystems and Environment*. 22/23: 123-132.

Wang, H.; Takle, E.S. 1996. On shelter efficiency of shelterbelts in oblique wind. *Agricultural and Forest Meteorology*. 81: 95-117.

Wilson, J.D. 2005. Deposition of particles to a thin windbreak: the effect of a gap. *Atmospheric Environment*. 39: 5525-5531.