

	sq. km	sq. mi	FIA Plots
Area of Region	46,551	17,973	1,195

Species Information

The columns below provide brief summaries of the species associated with the region and described in the table on the next pages. Definitions are provided in the Excel file for this region.

Genus	Species	Abundance		Model		Potential Change in Habitat Suitability		Capability to Cope or Persist		Migration Potential					
				Reliability	Adaptability	Scenario RCP45	Scenario RCP85	Scenario RCP45	Scenario RCP85	SHIFT RCP45	SHIFT RCP85				
Ash	5			High	21	27	Increase	26	31	Very Good	8	10	Likely	0	1
Hickory	7			Medium	40	64	No Change	15	13	Good	13	19	Infill	21	26
Maple	5	Abundant	4	Low	41	16	Decrease	41	38	Fair	15	12	Migrate	2	2
Oak	19	Common	20	FIA	13		New	8	9	Poor	21	18		23	29
Pine	7	Rare	71				Unknown	25	24	Very Poor	25	21			
Other	52	Absent	18					115	115	FIA Only	8	8			
	95		113		115	107				Unknown	12	11			
											102	99			

Potential Changes in Climate Variables

Temperature (°F)

	Scenario	2009	2039	2069	2099	
Annual Average	CCSM45	58.9	60.5	62.5	62.7	
	CCSM85	58.9	60.9	63.2	66.0	
	GFDL45	58.9	61.8	63.9	64.9	
	GFDL85	58.9	61.8	65.1	68.8	
	HAD45	58.9	60.9	63.9	65.2	
	HAD85	58.9	61.2	64.7	68.7	
Growing Season (May—Sep)	CCSM45	73.5	75.1	76.8	77.2	
	CCSM85	73.5	75.2	77.7	81.1	
	GFDL45	73.5	76.8	79.1	80.5	
	GFDL85	73.5	76.9	80.5	84.6	
	HAD45	73.5	75.9	78.5	80.1	
	HAD85	73.5	75.8	80.0	84.1	
Coldest Month (Average)	CCSM45	37.0	39.2	40.2	40.5	
	CCSM85	37.0	39.5	40.5	41.9	
	GFDL45	37.0	40.2	40.7	41.3	
	GFDL85	37.0	39.3	40.3	41.6	
	HAD45	37.0	37.9	39.7	40.1	
	HAD85	37.0	38.4	39.8	41.5	
Warmest Month (Average)	CCSM45	79.0	80.9	81.8	81.8	
	CCSM85	79.0	81.0	82.7	84.0	
	GFDL45	79.0	81.7	82.9	84.1	
	GFDL85	79.0	82.6	84.5	86.9	
	HAD45	79.0	81.7	83.3	84.0	
	HAD85	79.0	82.0	84.4	87.0	

Precipitation (in)

	Scenario	2009	2039	2069	2099	
Annual Total	CCSM45	45.5	50.4	52.7	53.0	
	CCSM85	45.5	50.9	52.7	59.4	
	GFDL45	45.5	50.1	54.0	55.9	
	GFDL85	45.5	48.8	54.4	55.6	
	HAD45	45.5	49.0	49.6	48.0	
	HAD85	45.5	52.5	47.7	48.0	
Growing Season (May—Sep)	CCSM45	21.4	26.4	27.4	27.9	
	CCSM85	21.4	25.4	26.7	30.3	
	GFDL45	21.4	23.6	26.1	27.5	
	GFDL85	21.4	22.9	26.7	27.4	
	HAD45	21.4	23.7	22.7	21.0	
	HAD85	21.4	24.9	21.6	20.1	

NOTE: For the six climate variables, four 30-year periods are used to indicate six potential future trajectories. The period ending in 2009 is based on modeled observations from the PRISM Climate Group and the three future periods were obtained from the NASA NEX-DCP30 dataset. Future climate projections from three models under two emission scenarios show estimates of each climate variable within the region. The three models are CCSM4, GFDL CM3, and HadGEM2-ES and the emission scenarios are the 4.5 and 8.5 RCP. The average value for the region is reported, even though locations within the region may vary substantially based on latitude, elevation, land-use, or other factors.

Cite as: Iverson, L.R.; Prasad, A.M.; Peters, M.P.; Matthews, S.N. 2019. Facilitating Adaptive Forest Management under Climate Change: A Spatially Specific Synthesis of 125 Species for Habitat Changes and Assisted Migration over the Eastern United States. *Forests*. 10(11): 989. <https://doi.org/10.3390/f10110989>.

Current and Potential Future Habitat, Capability, and Migration

Common Name	Scientific Name	Range	MR	%Cell	FIAsum	FIAiv	ChngCl45	ChngCl85	Adap	Abund	Capabil45	Capabil85	SHIFT45	SHIFT85	SSO	N
loblolly pine	Pinus taeda	WDH	High	83.9	3425.0	30.5	No change	No change	Medium	Abundant	Good	Good			1	1
sweetgum	Liquidambar styraciflua	WDH	High	87.1	1317.6	11.2	No change	No change	Medium	Abundant	Good	Good			1	2
red maple	Acer rubrum	WDH	High	86.3	1127.3	10.1	No change	No change	High	Abundant	Very Good	Very Good			1	3
yellow-poplar	Liriodendron tulipifera	WDH	High	60.5	672.4	8.4	Lg. dec.	Lg. dec.	High	Abundant	Good	Good			1	4
white oak	Quercus alba	WDH	Medium	58.1	465.6	5.9	Sm. dec.	Sm. dec.	High	Common	Fair	Fair			1	5
American holly	Ilex opaca	NSL	Medium	68.1	353.8	4.0	Sm. dec.	Sm. dec.	Medium	Common	Poor	Poor			0	6
water oak	Quercus nigra	WDH	High	45.8	216.4	3.5	Lg. inc.	Lg. inc.	Medium	Common	Very Good	Very Good			1	7
blackgum	Nyssa sylvatica	WDL	Medium	58.7	205.8	3.0	Sm. inc.	Sm. inc.	High	Common	Very Good	Very Good			1	8
southern red oak	Quercus falcata	WDL	Medium	47.3	194.7	3.2	Sm. inc.	Lg. inc.	High	Common	Very Good	Very Good			1	9
swamp tupelo	Nyssa biflora	NDH	Medium	24.2	160.6	4.5	Lg. inc.	Lg. inc.	Low	Common	Good	Good			1	10
American beech	Fagus grandifolia	WDH	High	30.7	155.6	4.0	Sm. dec.	Sm. dec.	Medium	Common	Poor	Poor			0	11
Virginia pine	Pinus virginiana	NDH	High	22.5	154.5	5.0	Lg. dec.	Lg. dec.	Medium	Common	Poor	Poor			0	12
black cherry	Prunus serotina	WDL	Medium	38.7	129.9	2.8	Sm. inc.	Lg. inc.	Low	Common	Fair	Good			1	13
willow oak	Quercus phellos	NSL	Low	27.6	113.3	3.4	Lg. inc.	Lg. inc.	Medium	Common	Very Good	Very Good			1	14
green ash	Fraxinus pennsylvanica	WSH	Low	20.4	112.9	4.1	Sm. inc.	Lg. inc.	Medium	Common	Good	Very Good			1	15
mockernut hickory	Carya alba	WDL	Medium	27.2	104.0	2.9	Sm. inc.	Sm. inc.	High	Common	Very Good	Very Good			1	16
black oak	Quercus velutina	WDH	High	28.8	82.8	2.2	No change	Sm. dec.	Medium	Common	Fair	Poor			1	17
scarlet oak	Quercus coccinea	WDL	Medium	24.9	81.9	2.7	Lg. dec.	Lg. dec.	Medium	Common	Poor	Poor			0	18
river birch	Betula nigra	NSL	Low	14.1	80.3	4.9	No change	Lg. inc.	Medium	Common	Fair	Very Good			1	19
water tupelo	Nyssa aquatica	NSH	Medium	4.8	76.4	9.0	No change	No change	Low	Common	Poor	Poor	Infill +	Infill +	2	20
American hornbeam; muscle	Carpinus caroliniana	WSL	Low	25.5	65.0	1.8	Lg. inc.	Lg. inc.	Medium	Common	Very Good	Very Good			1	21
sourwood	Oxydendrum arboreum	NDL	High	21	58.2	1.9	Lg. dec.	Lg. dec.	High	Common	Fair	Fair			1	22
sweetbay	Magnolia virginiana	NSL	Medium	22.8	55.6	1.9	Lg. inc.	Lg. inc.	Medium	Common	Very Good	Very Good			1	23
swamp chestnut oak	Quercus michauxii	NSL	Low	15.2	55.0	2.7	No change	No change	Medium	Common	Fair	Fair			1	24
bald cypress	Taxodium distichum	NSH	Medium	7	49.6	4.1	Sm. inc.	Sm. inc.	Medium	Rare	Fair	Fair	Infill +	Infill +	2	25
northern red oak	Quercus rubra	WDH	Medium	17.3	45.8	1.9	Lg. dec.	Lg. dec.	High	Rare	Poor	Poor	Infill +	Infill +	1	26
pignut hickory	Carya glabra	WDL	Medium	19.6	44.9	1.7	Lg. dec.	Sm. dec.	Medium	Rare	Very Poor	Very Poor			0	27
cherrybark oak; swamp red o.	Quercus pagoda	NSL	Medium	10.1	43.1	3.1	Sm. inc.	Lg. inc.	Medium	Rare	Fair	Good	Infill +	Infill ++	1	28
American elm	Ulmus americana	WDH	Medium	13.9	38.0	2.1	Sm. inc.	Lg. inc.	Medium	Rare	Fair	Good	Infill +	Infill ++	1	29
eastern redcedar	Juniperus virginiana	WDH	Medium	12.1	37.7	2.0	Sm. dec.	No change	Medium	Rare	Very Poor	Poor		Infill +	1	30
chestnut oak	Quercus prinus	NDH	High	6	33.9	3.8	Lg. dec.	Lg. dec.	High	Rare	Poor	Poor	Infill +	Infill +	2	31
flowering dogwood	Cornus florida	WDL	Medium	19.6	33.7	1.0	Sm. inc.	Sm. inc.	Medium	Rare	Fair	Fair			1	32
sassafras	Sassafras albidum	WSL	Low	21	32.1	1.3	Lg. dec.	Sm. dec.	Medium	Rare	Very Poor	Very Poor			0	33
laurel oak	Quercus laurifolia	NDH	Medium	6.9	28.5	2.3	Lg. inc.	Lg. inc.	Medium	Rare	Good	Good	Infill ++	Infill ++	1	34
slippery elm	Ulmus rubra	WSL	Low	4.8	28.2	3.6	Lg. dec.	Sm. dec.	Medium	Rare	Very Poor	Very Poor			0	35
pond pine	Pinus serotina	NSH	Medium	2.4	27.8	5.9	No change	No change	Low	Rare	Very Poor	Very Poor			2	36
post oak	Quercus stellata	WDH	High	11.8	26.5	1.4	Lg. inc.	Lg. inc.	High	Rare	Good	Good	Infill ++	Infill ++	2	37
black locust	Robinia pseudoacacia	NDH	Low	4.7	26.5	3.8	Lg. dec.	Lg. dec.	Medium	Rare	Very Poor	Very Poor			2	38
longleaf pine	Pinus palustris	NSH	Medium	2.5	25.3	5.4	Lg. inc.	Lg. inc.	Medium	Rare	Good	Good	Infill ++	Infill ++	2	39
sycamore	Platanus occidentalis	NSL	Low	6.5	24.7	2.5	No change	No change	Medium	Rare	Poor	Poor	Infill +	Infill +	1	40
white ash	Fraxinus americana	WDL	Medium	7.9	22.0	2.5	Lg. dec.	Lg. dec.	Low	Rare	Very Poor	Very Poor			0	41
black willow	Salix nigra	NSH	Low	5	20.4	2.9	No change	Lg. inc.	Low	Rare	Very Poor	Fair		Infill +	1	42
common persimmon	Diospyros virginiana	NSL	Low	10.8	20.3	1.1	Lg. dec.	Lg. dec.	High	Rare	Poor	Poor			1	43
winged elm	Ulmus alata	WDL	Medium	9.5	19.9	1.5	No change	Sm. inc.	Medium	Rare	Poor	Fair	Infill +	Infill +	1	44
redbay	Persea borbonia	NSL	Low	5.7	14.3	1.6	Sm. inc.	Sm. inc.	High	Rare	Good	Good	Infill ++	Infill ++	1	45
shortleaf pine	Pinus echinata	WDH	High	5.3	12.6	1.6	Lg. inc.	Lg. inc.	Medium	Rare	Good	Good	Infill ++	Infill ++	2	46
hackberry	Celtis occidentalis	WDH	Medium	3.4	12.3	2.3	Sm. dec.	Lg. dec.	High	Rare	Poor	Poor	Infill +	Infill +	2	47

Current and Potential Future Habitat, Capability, and Migration

Common Name	Scientific Name	Range	MR	%Cell	FIAsum	FIAiv	ChngCl45	ChngCl85	Adap	Abund	Capabil45	Capabil85	SHIFT45	SHIFT85	SSO	N
black walnut	Juglans nigra	WDH	Low	4.4	9.4	2.0	Sm. dec.	Sm. dec.	Medium	Rare	Very Poor	Very Poor			0	48
bitternut hickory	Carya cordiformis	WSL	Low	3.7	9.3	2.0	Lg. dec.	Lg. dec.	High	Rare	Poor	Poor		Infill +	2	49
boxelder	Acer negundo	WSH	Low	2.1	9.2	3.5	Sm. dec.	Sm. dec.	High	Rare	Poor	Poor	Infill +	Infill +	2	50
pin oak	Quercus palustris	NSH	Low	2.8	8.3	2.9	Lg. dec.	Lg. dec.	Low	Rare	Very Poor	Very Poor			0	51
eastern cottonwood	Populus deltoides	NSH	Low	2	8.3	2.5	Sm. dec.	Sm. dec.	Medium	Rare	Very Poor	Very Poor			0	52
loblolly-bay	Gordonia lasianthus	NSH	Medium	1.6	7.3	2.2	No change	No change	Medium	Rare	Poor	Poor	Infill +	Infill +	2	53
ailanthus	Ailanthus altissima	NSL	FIA	2.5	6.9	2.0	Unknown	Unknown	NA	Rare	NNIS	NNIS			0	54
overcup oak	Quercus lyrata	NSL	Medium	3.2	6.3	1.4	Lg. inc.	Lg. inc.	Low	Rare	Fair	Fair	Infill +	Infill +	2	55
turkey oak	Quercus laevis	NSH	Medium	1.4	5.1	3.1	No change	No change	High	Rare	Fair	Fair	Infill +	Infill +	2	56
sugarberry	Celtis laevigata	NDH	Medium	0.7	4.4	3.7	Lg. inc.	Lg. inc.	Medium	Rare	Good	Good			2	57
pond cypress	Taxodium ascendens	NSH	Medium	0.2	4.4	15.9	Sm. inc.	Lg. inc.	Medium	Rare	Fair	Good	Infill +		2	58
Atlantic white-cedar	Chamaecyparis thyoides	NSH	Low	1	4.3	3.9	Sm. dec.	Sm. dec.	Low	Rare	Very Poor	Very Poor			0	59
pawpaw	Asimina triloba	NSL	Low	2.2	4.0	1.3	Lg. dec.	Lg. dec.	Medium	Rare	Very Poor	Very Poor			0	60
paulownia	Paulownia tomentosa	NSL	FIA	2	3.8	1.5	Unknown	Unknown	NA	Rare	NNIS	NNIS			0	61
shagbark hickory	Carya ovata	WSL	Medium	1.2	3.8	1.3	Lg. dec.	Lg. dec.	Medium	Rare	Very Poor	Very Poor			2	62
red mulberry	Morus rubra	NSL	Low	2.7	3.6	1.0	Sm. dec.	Lg. dec.	Medium	Rare	Very Poor	Very Poor			0	63
Shumard oak	Quercus shumardii	NSL	Low	1.7	3.5	1.8	Sm. dec.	Sm. dec.	High	Rare	Poor	Poor			0	64
bigtooth aspen	Populus grandidentata	NSL	Medium	2.5	3.1	1.4	Lg. dec.	Lg. dec.	Medium	Rare	Very Poor	Very Poor			0	65
eastern hophornbeam; ironw	Ostrya virginiana	WSL	Low	1.2	3.0	2.1	Sm. inc.	Lg. inc.	High	Rare	Good	Good			2	66
water hickory	Carya aquatica	NSL	Medium	0.7	2.4	2.0	No change	No change	Medium	Rare	Poor	Poor	Infill +	Infill +	2	67
silver maple	Acer saccharinum	NSH	Low	0.2	2.4	11.0	Sm. dec.	No change	High	Rare	Poor	Fair		Infill +	2	68
wild plum	Prunus americana	NSLX	FIA	0.6	2.3	3.5	Unknown	Unknown	Medium	Rare	FIA Only	FIA Only			0	69
Carolina ash	Fraxinus caroliniana	NSL	FIA	1	2.2	2.0	Unknown	Unknown	NA	Rare	FIA Only	FIA Only			0	70
pumpkin ash	Fraxinus profunda	NSH	FIA	0.9	2.2	1.7	Unknown	Unknown	NA	Rare	FIA Only	FIA Only			0	71
blackjack oak	Quercus marilandica	NSL	Medium	1.4	2.0	0.9	No change	Lg. inc.	High	Rare	Fair	Good			2	72
slash pine	Pinus elliotii	NDH	High	0.3	1.9	4.3	Lg. inc.	Lg. inc.	Medium	Rare	Good	Good			2	73
white mulberry	Morus alba	NSL	FIA	0.3	1.9	4.3	Unknown	Unknown	NA	Rare	NNIS	NNIS			0	74
butternut	Juglans cinerea	NSLX	FIA	0.4	1.8	4.3	Unknown	Unknown	Low	Rare	FIA Only	FIA Only			0	75
sweet birch	Betula lenta	NDH	High	0.4	1.4	3.3	Lg. dec.	Lg. dec.	Low	Rare	Very Poor	Very Poor			0	76
serviceberry	Amelanchier spp.	NSL	Low	1	1.4	1.2	Lg. dec.	Lg. dec.	Medium	Rare	Very Poor	Very Poor			0	77
sand hickory	Carya pallida	NSL	FIA	1.1	1.1	1.0	Unknown	Unknown	NA	Rare	FIA Only	FIA Only			0	78
chinkapin oak	Quercus muehlenbergii	NSL	Medium	0.5	1.1	0.8	Sm. dec.	Sm. dec.	Medium	Rare	Very Poor	Very Poor			0	79
eastern redbud	Cercis canadensis	NSL	Low	0.9	1.0	0.6	Lg. dec.	Very Lg. dec.	Medium	Rare	Very Poor	Lost			0	80
black ash	Fraxinus nigra	WSH	Medium	1	1.0	2.8	Sm. dec.	Sm. dec.	Low	Rare	Very Poor	Very Poor			0	81
pecan	Carya illinoensis	NSH	Low	1.1	0.8	3.9	Sm. inc.	Lg. inc.	Low	Rare	Poor	Fair		Infill +	2	82
honeylocust	Gleditsia triacanthos	NSH	Low	0.6	0.7	0.5	Sm. dec.	No change	High	Rare	Poor	Fair		Infill +	2	83
florida maple	Acer barbatum	NSL	Low	0.4	0.6	1.3	Sm. dec.	Sm. dec.	High	Rare	Poor	Poor		Infill +	2	84
southern magnolia	Magnolia grandiflora	NSL	Low	0.2	0.6	2.1	Sm. inc.	Lg. inc.	Medium	Rare	Fair	Good	Infill +		2	85
northern catalpa	Catalpa speciosa	NSHX	FIA	0.4	0.6	1.4	Unknown	Unknown	Medium	Rare	FIA Only	FIA Only			0	86
northern white-cedar	Thuja occidentalis	WSH	High	0	0.5	0.2	Sm. dec.	Sm. dec.	Medium	Rare	Very Poor	Very Poor			0	87
cucumbertree	Magnolia acuminata	NSL	Low	0.3	0.4	0.7	Sm. dec.	Sm. dec.	Medium	Rare	Very Poor	Very Poor			0	88
swamp white oak	Quercus bicolor	NSL	Low	0.2	0.3	1.5	Lg. dec.	Lg. dec.	Medium	Rare	Very Poor	Very Poor			0	89
American chestnut	Castanea dentata	NSLX	FIA	0.6	0.3	0.4	Unknown	Unknown	Medium	Rare	FIA Only	FIA Only			0	90
Osage-orange	Maclura pomifera	NDH	Medium	0.2	0.2	1.2	Sm. dec.	Lg. inc.	High	Rare	Poor	Good			2	91
Siberian elm	Ulmus pumila	NDH	FIA	0.2	0.2	0.7	Unknown	Unknown	NA	Rare	NNIS	NNIS			0	92
Norway maple	Acer platanoides	NSL	FIA	0.2	0.2	0.7	Unknown	Unknown	NA	Rare	NNIS	NNIS			0	93
chokecherry	Prunus virginiana	NSLX	FIA	0.2	0.1	0.5	Unknown	Unknown	Medium	Rare	FIA Only	FIA Only			0	94

Section 232H

EcoMap 2007

Climate Change Atlas Tree Species

Current and Potential Future Habitat, Capability, and Migration

USDA Forest Service
Northern Research Station
Landscape Change Research Group
Iverson, Peters, Prasad, Matthews

Common Name	Scientific Name	Range	MR	%Cell	FIAsum	FIaiv	ChngCl45	ChngCl85	Adap	Abund	Capabil45	Capabil85	SHIFT45	SHIFT85	SSO	N
eastern white pine	<i>Pinus strobus</i>	WDH	High	0.2	0.1	0.4	Lg. dec.	Very Lg. dec.	Low	Rare	Very Poor	Lost			0	95
ashe juniper	<i>Juniperus ashei</i>	NDH	High	0	0	0	New Habitat	New Habitat	Medium	Absent	New Habitat	New Habitat			0	96
striped maple	<i>Acer pensylvanicum</i>	NSL	Medium	0	0	0	Unknown	Unknown	Medium	Absent	Unknown	Unknown			0	97
sugar maple	<i>Acer saccharum</i>	WDH	High	0	0	0	New Habitat	New Habitat	High	Absent	New Habitat	New Habitat	Migrate +		3	98
mountain maple	<i>Acer spicatum</i>	NSL	Low	0	0	0	Unknown	Unknown	High	Absent	Unknown	Unknown			0	99
yellow buckeye	<i>Aesculus flava</i>	NSL	Low	0	0	0	Unknown	Unknown	Low	Absent	Unknown	Unknown			0	100
gray birch	<i>Betula populifolia</i>	NSL	Low	0	0	0	Unknown	Unknown	Medium	Modeled	Unknown	Unknown			0	101
cittamwood/gum bumelia	<i>Sideroxylon lanuginosum</i> ssp.	NSL	Low	0	0	0	New Habitat	New Habitat	High	Absent	New Habitat	New Habitat			0	102
shellbark hickory	<i>Carya laciniosa</i>	NSL	Low	0	0	0	Unknown	Unknown	Medium	Absent	Unknown	Unknown			0	103
black hickory	<i>Carya texana</i>	NDL	High	0	0	0	New Habitat	New Habitat	Medium	Absent	New Habitat	New Habitat			0	104
silverbell	<i>Halesia</i> spp.	NSL	Low	0	0	0	Unknown	Unknown	Medium	Absent	Unknown	Unknown			0	105
bigleaf magnolia	<i>Magnolia macrophylla</i>	NSL	Low	0	0	0	Unknown	Unknown	Medium	Absent	Unknown	Unknown			0	106
water elm	<i>Planera aquatica</i>	NSL	Low	0	0	0	New Habitat	New Habitat	Medium	Absent	New Habitat	New Habitat	Migrate +		3	107
quaking aspen	<i>Populus tremuloides</i>	WDH	High	0	0	0	Unknown	Unknown	Medium	Absent	Unknown	Unknown			0	108
pin cherry	<i>Prunus pensylvanica</i>	NSL	Low	0	0	0	Unknown	Unknown	Medium	Absent	Unknown	Unknown			0	109
shingle oak	<i>Quercus imbricaria</i>	NDH	Medium	0	0	0	Unknown	Unknown	Medium	Modeled	Unknown	Unknown			0	110
Nuttall oak	<i>Quercus texana</i>	NSH	Medium	0	0	0	New Habitat	New Habitat	High	Absent	New Habitat	New Habitat			0	111
live oak	<i>Quercus virginiana</i>	NDH	High	0	0	0	New Habitat	New Habitat	Medium	Absent	New Habitat	New Habitat	Migrate +	Migrate ++	3	112
bluejack oak	<i>Quercus incana</i>	NSL	Low	0	0	0	Unknown	New Habitat	Medium	Absent	Unknown	New Habitat	Likely +		3	113
American basswood	<i>Tilia americana</i>	WSL	Medium	0	0	0	Unknown	Unknown	Medium	Absent	Unknown	Unknown			0	114
cedar elm	<i>Ulmus crassifolia</i>	NDH	Medium	0	0	0	New Habitat	New Habitat	Low	Absent	New Habitat	New Habitat			0	115