

| | | | |
|----------------|--------|---------|-----------|
| | sq. km | sq. mi | FIA Plots |
| Area of Region | 23,981 | 9,258.9 | 899 |

Species Information

The columns below provide brief summaries of the species associated with the region and described in the table on the next pages. Definitions are provided in the Excel file for this region.

| Genus | Species | Abundance | | Model | | Potential Change in Habitat Suitability | | Capability to Cope or Persist | | Migration Potential | | | | | |
|---------|---------|-----------|--------|-------------|--------------|---|----------------|-------------------------------|----------------|---------------------|-------------|----|---------|----|----|
| | | Abundant | Common | Reliability | Adaptability | Scenario RCP45 | Scenario RCP85 | Scenario RCP45 | Scenario RCP85 | SHIFT RCP45 | SHIFT RCP85 | | | | |
| Ash | 3 | | | High | 26 | 24 | Increase | 20 | 26 | Very Good | 6 | 6 | Likely | 1 | 1 |
| Hickory | 3 | | | Medium | 27 | 50 | No Change | 14 | 11 | Good | 13 | 16 | Infill | 11 | 13 |
| Maple | 7 | Abundant | 10 | Low | 34 | 16 | Decrease | 18 | 15 | Fair | 10 | 13 | Migrate | 1 | 8 |
| Oak | 7 | Common | 7 | FIA | 7 | | New | 23 | 29 | Poor | 12 | 7 | | 13 | 22 |
| Pine | 3 | Rare | 42 | | | | Unknown | 19 | 13 | Very Poor | 9 | 7 | | | |
| Other | 36 | Absent | 35 | | | | | 94 | 94 | FIA Only | 4 | 4 | | | |
| | 59 | | 94 | | 94 | 90 | | | | Unknown | 12 | 6 | | | |
| | | | | | | | | | | | 66 | 59 | | | |

Potential Changes in Climate Variables

Temperature (°F)

| | Scenario | 2009 | 2039 | 2069 | 2099 | |
|--------------------------|----------|------|------|------|------|--|
| Annual Average | CCSM45 | 43.6 | 45.5 | 47.8 | 48.0 | |
| | CCSM85 | 43.6 | 46.1 | 48.7 | 51.9 | |
| | GFDL45 | 43.6 | 46.5 | 49.9 | 51.3 | |
| | GFDL85 | 43.6 | 47.0 | 51.3 | 56.1 | |
| | HAD45 | 43.6 | 46.6 | 49.7 | 51.5 | |
| HAD85 | 43.6 | 46.8 | 50.9 | 56.5 | | |
| Growing Season (May—Sep) | CCSM45 | 61.2 | 63.3 | 65.2 | 65.6 | |
| | CCSM85 | 61.2 | 63.6 | 66.0 | 69.8 | |
| | GFDL45 | 61.2 | 64.3 | 67.9 | 69.5 | |
| | GFDL85 | 61.2 | 64.8 | 69.4 | 74.6 | |
| | HAD45 | 61.2 | 64.2 | 66.8 | 69.1 | |
| HAD85 | 61.2 | 63.8 | 68.4 | 74.4 | | |
| Coldest Month (Average) | CCSM45 | 16.3 | 18.0 | 20.0 | 20.5 | |
| | CCSM85 | 16.3 | 19.3 | 20.4 | 22.9 | |
| | GFDL45 | 16.3 | 19.4 | 21.6 | 22.9 | |
| | GFDL85 | 16.3 | 20.3 | 22.5 | 25.3 | |
| | HAD45 | 16.3 | 19.1 | 21.9 | 22.1 | |
| HAD85 | 16.3 | 20.3 | 22.7 | 26.2 | | |
| Warmest Month (Average) | CCSM45 | 67.4 | 69.8 | 70.9 | 71.0 | |
| | CCSM85 | 67.4 | 70.2 | 71.8 | 73.7 | |
| | GFDL45 | 67.4 | 70.3 | 72.2 | 73.5 | |
| | GFDL85 | 67.4 | 70.9 | 73.8 | 76.6 | |
| | HAD45 | 67.4 | 70.5 | 71.9 | 73.3 | |
| HAD85 | 67.4 | 70.1 | 72.7 | 76.9 | | |

Precipitation (in)

| | Scenario | 2009 | 2039 | 2069 | 2099 | |
|--------------------------|----------|------|------|------|------|--|
| Annual Total | CCSM45 | 48.1 | 47.1 | 45.2 | 51.0 | |
| | CCSM85 | 48.1 | 47.5 | 49.3 | 52.1 | |
| | GFDL45 | 48.1 | 52.1 | 54.9 | 53.3 | |
| | GFDL85 | 48.1 | 50.5 | 53.3 | 55.5 | |
| | HAD45 | 48.1 | 51.4 | 53.9 | 52.6 | |
| HAD85 | 48.1 | 52.6 | 52.4 | 55.0 | | |
| Growing Season (May—Sep) | CCSM45 | 21.3 | 21.6 | 19.8 | 21.6 | |
| | CCSM85 | 21.3 | 20.7 | 21.8 | 21.3 | |
| | GFDL45 | 21.3 | 21.3 | 20.5 | 20.7 | |
| | GFDL85 | 21.3 | 21.5 | 20.6 | 19.9 | |
| | HAD45 | 21.3 | 23.0 | 22.8 | 23.2 | |
| HAD85 | 21.3 | 21.9 | 21.8 | 23.4 | | |

NOTE: For the six climate variables, four 30-year periods are used to indicate six potential future trajectories. The period ending in 2009 is based on modeled observations from the PRISM Climate Group and the three future periods were obtained from the NASA NEX-DCP30 dataset. Future climate projections from three models under two emission scenarios show estimates of each climate variable within the region. The three models are CCSM4, GFDL CM3, and HadGEM2-ES and the emission scenarios are the 4.5 and 8.5 RCP. The average value for the region is reported, even though locations within the region may vary substantially based on latitude, elevation, land-use, or other factors.

Cite as: Iverson, L.R.; Prasad, A.M.; Peters, M.P.; Matthews, S.N. 2019. Facilitating Adaptive Forest Management under Climate Change: A Spatially Specific Synthesis of 125 Species for Habitat Changes and Assisted Migration over the Eastern United States. *Forests*. 10(11): 989. <https://doi.org/10.3390/f10110989>.

Current and Potential Future Habitat, Capability, and Migration

| Common Name | Scientific Name | Range | MR | %Cell | FIAsum | FIAiv | ChngCl45 | ChngCl85 | Adap | Abund | Capabil45 | Capabil85 | SHIFT45 | SHIFT85 | SSO | N |
|----------------------------|------------------------|-------|--------|-------|--------|-------|---------------|---------------|--------|----------|-----------|-----------|-----------|-----------|-----|----|
| red maple | Acer rubrum | WDH | High | 96.3 | 1881.8 | 14.9 | No change | No change | High | Abundant | Very Good | Very Good | | | 1 | 1 |
| eastern white pine | Pinus strobus | WDH | High | 69.3 | 1531.6 | 15.9 | Sm. dec. | Sm. dec. | Low | Abundant | Fair | Fair | | | 0 | 2 |
| eastern hemlock | Tsuga canadensis | NSH | High | 74.6 | 1086.9 | 11.3 | Sm. dec. | Sm. dec. | Low | Abundant | Fair | Fair | | | 0 | 3 |
| balsam fir | Abies balsamea | NDH | High | 53.4 | 909.2 | 12.8 | Lg. dec. | Lg. dec. | Low | Abundant | Poor | Poor | | | 0 | 4 |
| sugar maple | Acer saccharum | WDH | High | 74.3 | 814.2 | 8.5 | No change | No change | High | Abundant | Very Good | Very Good | | | 1 | 5 |
| northern red oak | Quercus rubra | WDH | Medium | 66.9 | 784.6 | 9.4 | Sm. inc. | Sm. inc. | High | Abundant | Very Good | Very Good | | | 1 | 6 |
| yellow birch | Betula alleghaniensis | NDL | High | 75.1 | 691.2 | 7.4 | Sm. dec. | Sm. dec. | Medium | Abundant | Fair | Fair | | | 0 | 7 |
| American beech | Fagus grandifolia | WDH | High | 76.5 | 628.7 | 6.7 | No change | No change | Medium | Abundant | Good | Good | | | 1 | 8 |
| paper birch | Betula papyrifera | WDH | High | 83.6 | 612.5 | 5.9 | Sm. dec. | Sm. dec. | Medium | Abundant | Fair | Fair | | | 0 | 9 |
| red spruce | Picea rubens | NDH | High | 60.2 | 536.4 | 7.1 | Sm. dec. | Lg. dec. | Low | Abundant | Fair | Poor | | | 0 | 10 |
| white ash | Fraxinus americana | WDL | Medium | 62.9 | 336.6 | 4.3 | Sm. inc. | Sm. inc. | Low | Common | Fair | Fair | | | 1 | 11 |
| sweet birch | Betula lenta | NDH | High | 33.7 | 211.3 | 4.4 | Sm. inc. | Sm. inc. | Low | Common | Fair | Fair | | | 1 | 12 |
| quaking aspen | Populus tremuloides | WDH | High | 39.1 | 158.3 | 3.0 | Sm. inc. | Sm. inc. | Medium | Common | Good | Good | | | 1 | 13 |
| black cherry | Prunus serotina | WDL | Medium | 41 | 144.2 | 2.8 | Lg. inc. | Lg. inc. | Low | Common | Good | Good | | | 1 | 14 |
| black oak | Quercus velutina | WDH | High | 14.9 | 105.7 | 5.3 | Lg. inc. | Lg. inc. | Medium | Common | Very Good | Very Good | Infill ++ | Infill ++ | 1 | 15 |
| white oak | Quercus alba | WDH | Medium | 19.1 | 96.1 | 3.6 | Lg. inc. | Lg. inc. | High | Common | Very Good | Very Good | Infill ++ | Infill ++ | 1 | 16 |
| bigtooth aspen | Populus grandidentata | NSL | Medium | 19.9 | 71.3 | 2.4 | Lg. inc. | Lg. inc. | Medium | Common | Very Good | Very Good | | | 1 | 17 |
| red pine | Pinus resinosa | NSH | Medium | 9.1 | 48.3 | 3.8 | No change | No change | Low | Rare | Very Poor | Very Poor | | | 2 | 18 |
| pin cherry | Prunus pensylvanica | NSL | Low | 24.6 | 47.6 | 1.6 | Lg. dec. | Lg. dec. | Medium | Rare | Very Poor | Very Poor | | | 0 | 19 |
| American elm | Ulmus americana | WDH | Medium | 15.3 | 43.3 | 2.1 | No change | Sm. inc. | Medium | Rare | Poor | Fair | Infill + | Infill + | 1 | 20 |
| eastern hophornbeam; ironw | Ostrya virginiana | WSL | Low | 22.8 | 39.5 | 1.3 | Sm. inc. | Lg. inc. | High | Rare | Good | Good | | | 1 | 21 |
| white spruce | Picea glauca | NSL | Medium | 7.7 | 39.2 | 2.8 | No change | No change | Medium | Rare | Poor | Poor | Infill + | Infill + | 1 | 22 |
| gray birch | Betula populifolia | NSL | Low | 22.3 | 35.9 | 1.3 | No change | Sm. inc. | Medium | Rare | Poor | Fair | | | 1 | 23 |
| American basswood | Tilia americana | WSL | Medium | 13.9 | 32.5 | 1.7 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 1 | 24 |
| black spruce | Picea mariana | NSH | High | 1.9 | 22.0 | 4.1 | Sm. dec. | Sm. dec. | Medium | Rare | Very Poor | Very Poor | | | 2 | 25 |
| northern white-cedar | Thuja occidentalis | WSH | High | 2.9 | 17.5 | 3.4 | No change | Sm. inc. | Medium | Rare | Poor | Fair | Infill + | Infill + | 2 | 26 |
| scarlet oak | Quercus coccinea | WDL | Medium | 2.5 | 17.2 | 3.9 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | Infill ++ | Infill ++ | 2 | 27 |
| pitch pine | Pinus rigida | NSH | High | 5.1 | 16.1 | 2.8 | No change | Sm. inc. | Medium | Rare | Poor | Fair | Infill + | Infill + | 1 | 28 |
| shagbark hickory | Carya ovata | WSL | Medium | 4.2 | 14.9 | 2.6 | Sm. inc. | Sm. inc. | Medium | Rare | Fair | Fair | Infill + | Infill + | 2 | 29 |
| boxelder | Acer negundo | WSH | Low | 0.3 | 13.9 | 22.9 | Sm. dec. | Sm. dec. | High | Rare | Poor | Poor | | Infill + | 2 | 30 |
| Siberian elm | Ulmus pumila | NDH | FIA | 0.4 | 13.9 | 33.3 | Unknown | Unknown | NA | Rare | NNIS | NNIS | | | 0 | 31 |
| tamarack (native) | Larix laricina | NSH | High | 4.8 | 13.4 | 2.0 | No change | No change | Low | Rare | Very Poor | Very Poor | | | 2 | 32 |
| silver maple | Acer saccharinum | NSH | Low | 0.8 | 12.6 | 15.2 | Sm. dec. | No change | High | Rare | Poor | Fair | | Infill + | 2 | 33 |
| black ash | Fraxinus nigra | WSH | Medium | 5.9 | 12.2 | 1.6 | Sm. dec. | No change | Low | Rare | Very Poor | Very Poor | | | 2 | 34 |
| pignut hickory | Carya glabra | WDL | Medium | 2.9 | 12.0 | 2.5 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | Infill ++ | Infill ++ | 2 | 35 |
| American mountain-ash | Sorbus americana | NSL | Low | 12.6 | 11.9 | 0.9 | Lg. dec. | Lg. dec. | Low | Rare | Very Poor | Very Poor | | | 0 | 36 |
| balsam poplar | Populus balsamifera | NSH | Medium | 4.6 | 11.3 | 1.8 | Very Lg. dec. | Very Lg. dec. | Medium | Rare | Lost | Lost | | | 0 | 37 |
| Norway spruce | Picea abies | NSH | FIA | 0.3 | 7.8 | 4.4 | Unknown | Unknown | NA | Rare | NNIS | NNIS | | | 0 | 38 |
| American hornbeam; musclev | Carpinus caroliniana | WSL | Low | 3.5 | 7.5 | 1.5 | Sm. dec. | No change | Medium | Rare | Very Poor | Poor | | Infill + | 1 | 39 |
| mountain maple | Acer spicatum | NSL | Low | 7.5 | 6.4 | 0.7 | Lg. dec. | Lg. dec. | High | Rare | Poor | Poor | | | 1 | 40 |
| bitternut hickory | Carya cordiformis | WSL | Low | 2 | 6.0 | 1.5 | No change | No change | High | Rare | Fair | Fair | Infill + | Infill + | 2 | 41 |
| black locust | Robinia pseudoacacia | NDH | Low | 0.5 | 5.5 | 3.8 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 2 | 42 |
| serviceberry | Amelanchier spp. | NSL | Low | 5.4 | 4.3 | 0.7 | No change | No change | Medium | Rare | Poor | Poor | | | 1 | 43 |
| swamp white oak | Quercus bicolor | NSL | Low | 0.6 | 3.8 | 3.5 | No change | Lg. inc. | Medium | Rare | Poor | Good | Infill + | | 2 | 44 |
| black walnut | Juglans nigra | WDH | Low | 0.1 | 2.7 | 2.1 | No change | Lg. inc. | Medium | Rare | Poor | Good | | | 2 | 45 |
| butternut | Juglans cinerea | NSLX | FIA | 0.7 | 2.3 | 0.7 | Unknown | Unknown | Low | Rare | FIA Only | FIA Only | | | 0 | 46 |
| green ash | Fraxinus pennsylvanica | WSH | Low | 1.6 | 2.0 | 1.1 | Sm. inc. | Lg. inc. | Medium | Rare | Fair | Good | | | 2 | 47 |

Current and Potential Future Habitat, Capability, and Migration

| Common Name | Scientific Name | Range | MR | %Cell | FIAsum | FIAiv | ChngCl45 | ChngCl85 | Adap | Abund | Capabil45 | Capabil85 | SHIFT45 | SHIFT85 | SSO | N | |
|-----------------------------|------------------------------|-------|--------|-------|--------|-------|---------------|---------------|--------|--------|-------------|-------------|---------|------------|------------|----|----|
| blackgum | Nyssa sylvatica | WDL | Medium | 2 | 1.7 | 0.8 | Lg. inc. | Lg. inc. | High | Rare | Good | Good | | | 2 | 48 | |
| eastern cottonwood | Populus deltoides | NSH | Low | 0.4 | 1.5 | 3.5 | Sm. dec. | Sm. dec. | Medium | Rare | Very Poor | Very Poor | | | 0 | 49 | |
| chestnut oak | Quercus prinus | NDH | High | 0.8 | 0.9 | 1.1 | Lg. inc. | Lg. inc. | High | Rare | Good | Good | | | 2 | 50 | |
| bear oak; scrub oak | Quercus ilicifolia | NSLX | FIA | 0.8 | 0.8 | 1.0 | Unknown | Unknown | Medium | Rare | FIA Only | FIA Only | | | 0 | 51 | |
| American chestnut | Castanea dentata | NSLX | FIA | 1.2 | 0.7 | 0.6 | Unknown | Unknown | Medium | Rare | FIA Only | FIA Only | | | 0 | 52 | |
| eastern redcedar | Juniperus virginiana | WDH | Medium | 0.8 | 0.7 | 0.8 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 2 | 53 | |
| chokecherry | Prunus virginiana | NSLX | FIA | 0.6 | 0.6 | 0.2 | Unknown | Unknown | Medium | Rare | FIA Only | FIA Only | | | 0 | 54 | |
| black willow | Salix nigra | NSH | Low | 0.4 | 0.6 | 1.4 | Sm. dec. | Very Lg. dec. | Low | Rare | Very Poor | Lost | | | 0 | 55 | |
| Norway maple | Acer platanoides | NSL | FIA | 0.3 | 0.4 | 0.8 | Unknown | Unknown | NA | Rare | NNIS | NNIS | | | 0 | 56 | |
| slippery elm | Ulmus rubra | WSL | Low | 0.4 | 0.4 | 1.0 | Very Lg. dec. | Very Lg. dec. | Medium | Rare | Lost | Lost | | | 0 | 57 | |
| sassafras | Sassafras albidum | WSL | Low | 0.1 | 0.3 | 0.2 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 2 | 58 | |
| striped maple | Acer pensylvanicum | NSL | Medium | 35.9 | 0.1 | 0.3 | Lg. inc. | Lg. inc. | Medium | Rare | Good | Good | | | 1 | 59 | |
| jack pine | Pinus banksiana | NSH | Medium | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | | Migrate + | 3 | 60 | |
| sand pine | Pinus clausa | NDH | High | 0 | 0 | 0 | New Habitat | New Habitat | Low | Absent | New Habitat | New Habitat | | | 0 | 61 | |
| shortleaf pine | Pinus echinata | WDH | High | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 3 | 62 | |
| Table Mountain pine | Pinus pungens | NSL | Low | 0 | 0 | 0 | Unknown | New Habitat | High | Absent | Unknown | New Habitat | | | 3 | 63 | |
| loblolly pine | Pinus taeda | WDH | High | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 3 | 64 | |
| Virginia pine | Pinus virginiana | NDH | High | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | Migrate + | 3 | 65 | |
| black maple | Acer nigrum | NSH | Low | 0 | 0 | 0 | Unknown | Unknown | High | Absent | Unknown | Unknown | | | 0 | 66 | |
| Ohio buckeye | Aesculus glabra | NSL | Low | 0 | 0 | 0 | Unknown | Unknown | Medium | Absent | Unknown | Unknown | | | 0 | 67 | |
| yellow buckeye | Aesculus flava | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Low | Absent | New Habitat | New Habitat | | | 0 | 68 | |
| pawpaw | Asimina triloba | NSL | Low | 0 | 0 | 0 | Unknown | Unknown | Medium | Absent | Unknown | Unknown | | | 0 | 69 | |
| cittamwood/gum bumelia | Sideroxylon lanuginosum ssp. | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | | | 0 | 70 | |
| pecan | Carya illinoensis | NSH | Low | 0 | 0 | 0 | Unknown | New Habitat | Low | Absent | Unknown | New Habitat | | | 0 | 71 | |
| black hickory | Carya texana | NDL | High | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 0 | 72 | |
| mockernut hickory | Carya alba | WDL | Medium | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | | Likely + | Likely + | 3 | 73 |
| sugarberry | Celtis laevigata | NDH | Medium | 0 | 0 | 0 | Unknown | New Habitat | Medium | Absent | Unknown | New Habitat | | | 0 | 74 | |
| eastern redbud | Cercis canadensis | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 0 | 75 | |
| flowering dogwood | Cornus florida | WDL | Medium | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | Migrate + | 3 | 76 | |
| common persimmon | Diospyros virginiana | NSL | Low | 0 | 0 | 0 | Unknown | New Habitat | High | Absent | Unknown | New Habitat | | | 3 | 77 | |
| silverbell | Halesia spp. | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 0 | 78 | |
| American holly | Ilex opaca | NSL | Medium | 0 | 0 | 0 | Unknown | New Habitat | Medium | Absent | Unknown | New Habitat | | Migrate + | 3 | 79 | |
| sweetgum | Liquidambar styraciflua | WDH | High | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | Migrate ++ | 3 | 80 | |
| yellow-poplar | Liriodendron tulipifera | WDH | High | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | | Migrate + | Migrate ++ | 3 | 81 |
| Osage-orange | Maclura pomifera | NDH | Medium | 0 | 0 | 0 | Unknown | Unknown | High | Absent | Unknown | Unknown | | | 0 | 82 | |
| cucumbertree | Magnolia acuminata | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 3 | 83 | |
| bigleaf magnolia | Magnolia macrophylla | NSL | Low | 0 | 0 | 0 | Unknown | Unknown | Medium | Absent | Unknown | Unknown | | | 0 | 84 | |
| mountain or Fraser magnolia | Magnolia fraseri | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | NA | Absent | New Habitat | New Habitat | | | 0 | 85 | |
| sourwood | Oxydendrum arboreum | NDL | High | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | | | 0 | 86 | |
| redbay | Persea borbonia | NSL | Low | 0 | 0 | 0 | Unknown | Unknown | High | Absent | Unknown | Unknown | | | 0 | 87 | |
| sycamore | Platanus occidentalis | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | Migrate + | 3 | 88 | |
| southern red oak | Quercus falcata | WDL | Medium | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | | Migrate + | 3 | 89 | |
| blackjack oak | Quercus marilandica | NSL | Medium | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | | | 3 | 90 | |
| chinkapin oak | Quercus muehlenbergii | NSL | Medium | 0 | 0 | 0 | Unknown | New Habitat | Medium | Absent | Unknown | New Habitat | | | 3 | 91 | |
| willow oak | Quercus phellos | NSL | Low | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 3 | 92 | |
| post oak | Quercus stellata | WDH | High | 0 | 0 | 0 | New Habitat | New Habitat | High | Absent | New Habitat | New Habitat | | | 3 | 93 | |
| winged elm | Ulmus alata | WDL | Medium | 0 | 0 | 0 | New Habitat | New Habitat | Medium | Absent | New Habitat | New Habitat | | | 0 | 94 | |